

RE code	VM Act status/ biodiversity status	Description	Land form	Protected area representation ¹	Comments
		depending on seasonal conditions and management regime.			
Land zone 3					
11.3.1	Endangered/ endangered	Open-forest dominated by <i>Acacia harpophylla</i> and/or <i>Casuarina cristata</i> (particularly in southern parts), with or without scattered emergent <i>Eucalyptus</i> spp. such as <i>E. coolabah</i> , <i>E. largiflorens</i> , <i>E. populnea</i> , <i>E. orgadophila</i> , and <i>E. woollsiana</i> .	Landforms range from level to very gently sloping plains, alluvial flats, drainage floors, back-swamps and abandoned channels. Associated soils are predominantly deep to very deep cracking clays, sometimes with gilgai or texture contrast soils with sandy surface (particularly where <i>Eucalyptus populnea</i> is present).	Low	Mapped in generally small polygons centred around the Bowen River, on Havillah and Birralee.
11.3.2	Of concern/of concern	<i>Eucalyptus populnea</i> woodland to open-woodland. <i>E. melanophloia</i> may be present and locally dominant. There is sometimes a distinct low tree layer dominated by species such as <i>Geijera parviflora</i> , <i>Eremophila mitchellii</i> , <i>Acacia salicina</i> , <i>Acacia pendula</i> , <i>Lysiphyllum</i> spp., <i>Cassia brewsteri</i> , <i>Callitris glaucophylla</i> and <i>Acacia excelsa</i> .	Occurs on Cainozoic alluvial plains with variable soil types including texture contrast, deep uniform clays, massive earths and sometimes cracking clays.	Low	A very common RE in the preliminary investigation corridor between the Bowen River and Disney – the most common alluvial plain RE present.

RE code	VM Act status/ biodiversity status	Description	Land form	Protected area representation ¹	Comments
11.3.3	Of concern/of concern	<i>Eucalyptus coolabah</i> woodland to open-woodland with a grassy understorey.	Occurs on Cainozoic alluvial plains or levees with clay or sometimes texture contrast soils.	Low	Restricted to the Suttor River flood plain at the southern crossing point (on Stratford).
11.3.4	Of concern/of concern	<i>Eucalyptus tereticornis</i> woodland to open-forest. Other tree species that may be present and locally dominant include <i>E. camaldulensis</i> , <i>Corymbia tessellaris</i> , <i>E. coolabah</i> , <i>C. clarksoniana</i> , <i>E. populnea</i> or <i>E. brownii</i> , <i>E. melanophloia</i> , <i>E. platyphylla</i> or <i>Angophora floribunda</i> .	Occurs on variety of soils, including deep cracking clays, medium to fine textured soils, and deep texture-contrast soils.	Low	A common RE in the central sections of the preliminary investigation corridor, particularly on Cerito (associated with Rockingham Creek).
11.3.5	Least concern/of concern	<i>Acacia cambagei</i> +/- <i>A. harpophylla</i> low woodland or open-forest sometimes clumped, on Cainozoic alluvial plains. <i>Acacia cambagei</i> dominates the canopy (8-16 m high) sometimes in association with <i>A. harpophylla</i> as a sub-dominant. <i>Eucalyptus coolabah</i> , <i>E. largiflorens</i> or <i>Acacia harpophylla</i> may be present.	Occurs on levees on alluvial plains which are rarely flooded. Associated soils are often texture contrast with sandy surfaces.	Low	A common RE on the Suttor River floodplain, forming a mosaic with the RE 11.3.3.
11.3.7	Least concern/of concern	<i>Corymbia clarksoniana</i> , <i>C. tessellaris</i> and <i>C. dallachiana</i> tall woodland to open-woodland (12-17 m high). There is usually a low open-woodland tree layer (7-11 m high) dominated by species such as <i>Acacia salicina</i> , <i>Lysiphyllum hookeri</i> or <i>Grevillea striata</i> .	Occurs on levees and plains formed from Quaternary alluvial deposits. Soils are usually deep uniform sands with minor areas of sandy red earths.	Low	A minor RE mainly associated within the preliminary investigation corridor with the Pelican Creek and Bowen River flood plain.

RE code	VM Act status/ biodiversity status	Description	Land form	Protected area representation ¹	Comments
11.3.9	Least concern/no concern at present	<i>Eucalyptus platyphylla</i> +/- <i>Corymbia clarksoniana</i> +/- <i>C. intermedia</i> +/- <i>E. tereticornis</i> +/- <i>Lophostemon suaveolens</i> woodland.	Occurs on Cainozoic alluvial plains, on sandy surface with clay subsoil. Usually with 'wet' influence, either closely adjacent to major river, or undergoes inundation relatively frequently. May occur in wet depressions.	Low	A minor RE mainly associated within the preliminary investigation corridor with the Pelican Creek and Bowen River flood plain.
11.3.10	Least concern/no concern at present	<i>Eucalyptus brownii</i> grassy woodland.	Occurs on Cainozoic alluvial plains.	Low	A relatively common RE within the preliminary investigation corridor, restricted to the Bowen River alluvial plain and those plains north of the Bowen River.
11.3.25	Least concern/of concern	<i>Eucalyptus camaldulensis</i> or <i>E. tereticornis</i> open-forest to woodland. Other tree species such as <i>Casuarina cunninghamiana</i> , <i>E. coolabah</i> , <i>Melaleuca bracteata</i> , <i>Melaleuca viminalis</i> , <i>Livistona</i> spp. (in north), <i>Melaleuca</i> spp. and <i>Angophora floribunda</i> are commonly present and may be locally dominant.	Occurs on fringing levees and banks of major rivers and drainage lines of alluvial plains throughout the region. Soils are very deep, alluvial, grey and brown cracking clays with or without some texture contrast.	Low	The generic community fringing watercourses in the preliminary investigation corridor north of the southern Suttor River crossing. Between the Bowen River and the Elliot River it often contains the 'vulnerable' species black ironbox.
11.3.27	Least concern/of concern	Freshwater wetlands. Vegetation is variable including open water with or without aquatic species and fringing sedgeland and eucalypt	Occurs in a variety of situations including lakes, billabongs, oxbows and	Low	An uncommon RE that encompasses wetlands and their shore vegetation, which only occur within the preliminary

RE code	VM Act status/ biodiversity status	Description	Land form	Protected area representation ¹	Comments
		woodlands.	depressions on floodplains.		investigation corridor at Caley Valley Wetland.
11.3.30	Least concern/no concern at present	<i>Eucalyptus crebra</i> or <i>E. paedoglauca</i> and <i>Corymbia dallachiana</i> woodland. Forms an open-woodland to open forest in places.	Occurs on older floodplain complexes on Cainozoic alluvial plains.	Low	A common RE in the preliminary investigation corridor north of the Bowen River, particularly prevalent on the coastal plain.
11.3.31	Least concern/of concern	<i>Ophiuros exaltatus</i> and <i>Dichanthium</i> spp. grassland. The ground layer has a variable composition, with drier areas dominated by <i>Ophiuros exaltatus</i> , <i>Iseilema membranaceum</i> or <i>Dichanthium</i> spp. or <i>Brachyachne tenella</i> .	Occurs on older floodplain complexes on Cainozoic alluvial plains. Black or dark grey earths or brown clays, in some areas with strong gilgai or debil debil microrelief. Often with self-mulching surface, and alkaline subsoil.	Low	A rare RE with only one mapped occurrence within the preliminary investigation corridor, near the Bowen River.
11.3.32	Least concern/no concern at present	Low open-woodland dominated by <i>Allocasuarina luehmannii</i> , with occasional emergent <i>Corymbia dallachiana</i> and <i>C. erythrophloia</i> .	Occurs on older floodplain complexes on Cainozoic alluvial plains.	None	An RE that is frequently mapped in mixed polygons north of the Bowen River, but that is generally only present in small, discrete patches as a minor component in a mosaic with sclerophyll REs.
11.3.33	Of concern/ endangered	<i>Eremophila mitchellii</i> low open-woodland to 5-6 m tall. May have emergent isolated <i>Grevillea striata</i> or <i>Corymbia tessellaris</i> or <i>C. dallachiana</i> .	Common soils are yellow podsols and grey clays or sandy loams over heavy clays.	None	An RE that is frequently mapped in mixed polygons north of the Bowen River, but that is generally only present in small, discrete patches as a minor component in


RE code	VM Act status/ biodiversity status	Description	Land form	Protected area representation ¹	Comments
					a mosaic with sclerophyll REs.
11.3.34	Of concern/of concern	<i>Acacia tephрина</i> low woodland. May have occasional <i>Terminalia sericocarpa</i> as an emergent or subdominant. In some areas other <i>Acacia</i> spp. may be present such as <i>Acacia oswaldii</i> and <i>Acacia salicina</i> , but often occurs in pure stands.	Occurs on older floodplain complexes on Cainozoic alluvial plains. Associated soils are usually grey calcareous or saline clays with gilgai microrelief.	None	This RE is only mapped in one location within the preliminary investigation corridor, on the coastal plain. It forms a minor component of the preliminary investigation corridor RE mapping.
11.3.35	Least concern/no concern at present	<i>Eucalyptus platyphylla</i> , <i>Corymbia clarksoniana</i> woodland. This association usually occurs as woodland of <i>Eucalyptus platyphylla</i> and <i>Corymbia clarksoniana</i> with <i>Corymbia tessellaris</i> occurring in some areas.	Occurs on Cainozoic alluvial plains. Older floodplain complexes, major stream levees and lighter deltaic deposits.	Low	This RE is only mapped in two locations within the preliminary investigation corridor, north of the Bowen River. It forms a minor component of the preliminary investigation corridor RE mapping.
11.3.37	Least concern/no concern at present	<i>Eucalyptus coolabah</i> with <i>Eucalyptus camaldulensis</i> forms a distinct but discontinuous woodland to low woodland canopy layer (7-11 m high). Other scattered trees such as <i>Lysiphyllum gilvum</i> , <i>Melaleuca trichostachya</i> , <i>Melaleuca bracteata</i> and <i>Eucalyptus populnea</i> may occur.	Occurs on fringing stream channels, usually braided. Soils are bed loads of clay or silt with cobbles and boulders in some areas.	Low	This RE is restricted within the preliminary investigation corridor to the southern Suttor River crossing, where it occurs in a mosaic with the RE 11.3.5 and 11.3.3.
Land zone 2					
11.2.2	Of concern/of concern	<i>Ipomoea pes-caprae</i> and <i>Spinifex sericeus</i> grassland +/- <i>Casuarina equisetifolia</i> . <i>Casuarina equisetifolia</i> varies from clumps of open-forest,	Occurs on Quaternary coastal fore dunes and beaches.	High	This RE is associated with the beach located to the east of Caley Valley Wetland It is a very

RE code	VM Act status/ biodiversity status	Description	Land form	Protected area representation ¹	Comments
		to woodland, to isolated trees. Other scattered trees or shrubs may be present including <i>Pandanus tectorius</i> , <i>Hibiscus tiliaceus</i> , <i>Terminalia muelleri</i> , <i>Alphitonia excelsa</i> , <i>Caesalpinia bonduc</i> and <i>Cupaniopsis anacardioides</i> . The ground layer. The ground layer is quite dense, and includes <i>Ipomoea pes-caprae</i> , <i>Cyperus pedunculatus</i> , <i>Bulbostylis barbata</i> , <i>Aphyllodium biarticulatum</i> (prostrate form), and <i>Spinifex sericeus</i> . Several species are prostrate, but the only climbing vine is <i>Cassytha pubescens</i> .			minor component of the preliminary investigation corridor RE mapping in this area.
11.2.3	Of concern/of concern	Microphyll/notophyll vine forest to semi-deciduous vine thicket on Quaternary coastal dunes. Commonly consists of several of the following trees: <i>Pleiogynium timorense</i> , <i>Mimusops elengi</i> , <i>Cupaniopsis anacardioides</i> , <i>Exocarpos latifolius</i> , <i>Sersalisia sericea</i> and <i>Diospyros geminata</i> .	Occurs on Quaternary coastal dunes and adjacent swales. Best developed on secondary dune swales and areas protected from strong winds. Soils are fine to coarse beach sands possibly enriched by calcareous sediments.	High	This RE is located along both sides of the road accessing Caley Valley Wetland, and is an important component of the RE mapping in the Caley Valley area.
11.2.5	Least concern/no concern at present	Beach ridge woodland with <i>Melaleuca dealbata</i> in swales and <i>Corymbia tessellaris</i> woodland on Quaternary dune systems. Ridges usually a woodland to open forest of <i>Corymbia tessellaris</i> with occasional <i>Acacia crassicaarpa</i> , <i>Cupaniopsis anacardioides</i> , <i>Pleiogynium timorense</i> and <i>Terminalia muelleri</i> . Swales usually contain an	Occurs on Quaternary undulating stabilised dunes with narrow linear depressions. Associated soils are generally well drained siliceous sands, swales with humic	Medium	This RE is located on shallow dunes primarily to the west of the road accessing Caley Valley Wetland, and is the most significant component (in terms of area) of the RE mapping in the

RE code	VM Act status/ biodiversity status	Description	Land form	Protected area representation ¹	Comments
		open forest of <i>Melaleuca dealbata</i> , <i>Livistona drudei</i> or <i>L. decora</i> .	hydrosols.		Caley Valley locality.
Land zone 1					
11.1.1	Least concern/no concern at present	<i>Sporobolus virginicus</i> grassland on Quaternary estuarine deposits. <i>Sporobolus</i> spp. usually dominates pure stands although a wide range of other species may be present as scattered individuals including <i>Fimbristylis ferruginea</i> , <i>Cyperus victoriensis</i> , <i>C. scariosus</i> , and sometimes <i>Eleocharis spiralis</i> , <i>Mnesithea rottboellioides</i> , <i>Marsilea mutica</i> , <i>Cynanchum carnosum</i> , <i>Ischaemum australe</i> , <i>Cyperus polystachyos</i> , <i>Ceratopteris thalictroides</i> and <i>Leptochloa fusca</i> . Occasional emergent stunted mangroves, usually <i>Avicennia marina</i> or <i>Ceriops tagal</i> , may occur as isolated individuals or along small channels. There may also be a minor presence of salt-tolerant forbs such as <i>Suaeda australis</i> , <i>S. arbusculoides</i> , <i>Sarcocornia quinqueflora</i> subsp. <i>quinqueflora</i> or <i>Tecticornia australasica</i> .	Occurs on supratidal flats which are often only inundated by highest spring tides. Often occurs on the landward side of intertidal flats; seaward margins irregularly inundated with tidal waters and dissected by small tidal channels. Formed from Quaternary estuarine sediments with deep grey or black and grey saline cracking clays with occasional mottling, minor gilgai occasionally present.	Medium	This RE is mapped in one small polygon at Caley Valley Wetland, and forms a minor component of the section of the preliminary investigation corridor that is subject to tidal inundation.
11.1.2	Least concern/no concern at present	Samphire forbland or bare mud-flats on Quaternary estuarine deposits. Mainly salt pans and mudflats with clumps of saltbush.	Occurs along the landward edge of the intertidal zone in a hypersaline environment that is only inundated by the highest spring tides. Soils are grey	High	This RE is mapped in three polygon at Caley Valley Wetland, and comprises much of the section of the corridor that is subject to tidal inundation.

RE code	VM Act status/ biodiversity status	Description	Land form	Protected area representation ¹	Comments
			mottled clays with a crusting surface, and are highly saline.		
11.1.4	Least concern/no concern at present	Mangrove (<i>Avicennia marina</i>) low forest on Quaternary estuarine deposits. Low open- shrubland to closed forest of mangrove species forming a variety of associations, depending on position in relation to salt water inundation.	Occurs on intertidal flats which are often dissected by tidal streams. Soils are usually deep saline clays.	High	This RE is restricted within the preliminary investigation corridor to the banks of Saltwater Creek, where it enters the Caley Valley Wetland.

¹ From REDD (Queensland Herbarium 2013)




LEGEND

- Population Centres
- Major Port
- Highway
- Main Road
- Railway
- Watercourses (Major)
- Regional Ecosystems v6.1
- Endangered - Dominant
- Of Concern - Dominant
- Of Concern - Sub-dominant
- Least Concern
- Non-remnant
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

DNRM Certified
Regional Ecosystems


Job Number 41-26457
Revision A
Date 07 Aug 2013

Figure B-1
Sheet 1 of 6

G:\4126457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1126_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, Regional Ecosystems v6.1/2011. Created by:MS



LEGEND

Population Centres

Main Road

Railway

Watercourses (Major)

Regional Ecosystems v6.1

Endangered - Dominant

Endangered - Sub-dominant

Of Concern - Dominant

Of Concern - Sub-dominant

Least Concern

Non-remnant

North Galilee Basin

Rail 1000m Corridor

North Galilee Basin

Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



adani

Adani Mining Pty Ltd
North Galilee Basin Rail Project

DNRM Certified
Regional Ecosystems


Job Number 41-26457
Revision A
Date 07 Aug 2013

Figure B-1
Sheet 2 of 6

G:\4126457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1126_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, Regional Ecosystems v6.1/2011. Created by:MS



LEGEND

- Main Road
- Railway
- Watercourses (Major)
- Regional Ecosystems v6.1
 - Endangered - Dominant
 - Endangered - Sub-dominant
 - Of Concern - Dominant
 - Of Concern - Sub-dominant
 - Least Concern
 - Non-remnant
 - North Galilee Basin Rail 1000m Corridor
 - North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
 0 2 4 8
 Kilometres
 Map Projection: Transverse Mercator
 Horizontal Datum: GDA 1994
 Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
 North Galilee Basin Rail Project

Job Number 41-26457
 Revision A
 Date 07 Aug 2013


DNRM Certified
 Regional Ecosystems

Figure B-1
 Sheet 3 of 6

G:\4126457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1126_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
 Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, Regional Ecosystems v6.1/2011. Created by:MS



LEGEND

— Main Road
 — Railway
 — Watercourses (Major)

Regional Ecosystems v6.1

Endangered - Dominant
 Endangered - Sub-dominant

Of Concern - Dominant
 Of Concern - Sub-dominant
 Least Concern
 Non-remnant

North Galilee Basin Rail 1000m Corridor
 North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
 0 2 4 8
 Kilometres
 Map Projection: Transverse Mercator
 Horizontal Datum: GDA 1994
 Grid: GDA 1994 MGA Zone 55



adani

Adani Mining Pty Ltd
 North Galilee Basin Rail Project

Job Number 41-26457
 Revision A
 Date 07 Aug 2013


DNRM Certified
 Regional Ecosystems

Figure B-1
 Sheet 4 of 6

G:\4126457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1126_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
 Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, Regional Ecosystems v6.1/2011. Created by:MS



LEGEND

- Main Road
- Watercourses (Major)
- Regional Ecosystems v6.1
 - Of Concern - Dominant
 - Of Concern - Sub-dominant
 - Least Concern
 - Non-remnant
- Endangered - Dominant
- Endangered - Sub-dominant
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
 0 2 4 8
 Kilometres
 Map Projection: Transverse Mercator
 Horizontal Datum: GDA 1994
 Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
 North Galilee Basin Rail Project

Job Number 41-26457
 Revision A
 Date 07 Aug 2013


DNRM Certified
 Regional Ecosystems

Figure B-1
 Sheet 5 of 6

G:\4126457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1126_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com


© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
 Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, Regional Ecosystems v6.1/2011. Created by:MS



- LEGEND**
- Main Road
 - Carmichael Project (Rail)
 - Watercourses (Major)
 - Regional Ecosystems v6.1
 - Endangered - Dominant
 - Endangered - Sub-dominant
 - Of Concern - Dominant
 - Of Concern - Sub-dominant
 - Least Concern
 - Non-remnant
 - North Galilee Basin Rail 1000m Corridor
 - North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
 0 2 4 8
 Kilometres
 Map Projection: Transverse Mercator
 Horizontal Datum: GDA 1994
 Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
 North Galilee Basin Rail Project

Job Number 41-26457
 Revision A
 Date 07 Aug 2013


DNRM Certified
 Regional Ecosystems

Figure B-1
 Sheet 6 of 6

G:\4126457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1126_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnm@mail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
 Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Regional Ecosystems v6.1/2011. Created by:MS




LEGEND

- Population Centres
- Major Port
- Highway
- Main Road
- Railway
- Watercourses (Major)
- Containing Of Concern regional ecosystems
- Is a Least Concern regional ecosystem
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project
DNRM Certified
Regrowth Vegetation
and Essential Habitat


Job Number 41-26457
Revision A
Date 07 Aug 2013

Figure B-2
Sheet 1 of 6

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1127_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, High Value Regrowth/2011; Essential Habitat/2010. Created by:MS



LEGEND

- Population Centres
- Main Road
- Railway
- Watercourses (Major)
- Containing Endangered regional ecosystems
- Containing Of Concern regional ecosystems
- Is a Least Concern regional ecosystem
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project
DNRM Certified
Regrowth Vegetation
and Essential Habitat


Job Number 41-26457
Revision A
Date 07 Aug 2013

Figure B-2
Sheet 2 of 6

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1127_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, High Value Regrowth/2011; Essential Habitat/2010. Created by:MS




LEGEND

- Main Road
- Railway
- Watercourses (Major)
- Containing Endangered regional ecosystems
- Containing Of Concern regional ecosystems
- Is a Least Concern regional ecosystem
- North Galilee Basin
- Rail 1000m Corridor
- North Galilee Basin
- Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project
DNRM Certified
Regrowth Vegetation
and Essential Habitat


Job Number 41-26457
Revision A
Date 07 Aug 2013

Figure B-2
Sheet 3 of 6

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1127_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, High Value Regrowth/2011; Essential Habitat/2010. Created by:MS




LEGEND

- Main Road
- Railway
- Watercourses (Major)
- Containing Endangered regional ecosystems
- Containing Of Concern regional ecosystems
- Is a Least Concern regional ecosystem
- North Galilee Basin
- Rail 1000m Corridor
- North Galilee Basin
- Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project
DNRM Certified
Regrowth Vegetation
and Essential Habitat


Job Number 41-26457
Revision A
Date 07 Aug 2013

Figure B-2
Sheet 4 of 6

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1127_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, High Value Regrowth/2011; Essential Habitat/2010. Created by:MS




LEGEND

- Main Road
- Watercourses (Major)
- Containing Endangered regional ecosystems
- Containing Of Concern regional ecosystems
- Is a Least Concern regional ecosystem
- North Galilee Basin
- Rail 1000m Corridor
- North Galilee Basin
- Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project
DNRM Certified
Regrowth Vegetation
and Essential Habitat


Job Number 41-26457
Revision A
Date 07 Aug 2013

Figure B-2
Sheet 5 of 6

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1127_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, High Value Regrowth/2011; Essential Habitat/2010. Created by:MS




LEGEND

- Main Road
- Carmichael Project (Rail)
- Watercourses (Major)
- Containing Endangered regional ecosystems
- Containing Of Concern regional ecosystems
- Is a Least Concern regional ecosystem
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
 0 2 4 8
 Kilometres
 Map Projection: Transverse Mercator
 Horizontal Datum: GDA 1994
 Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
 North Galilee Basin Rail Project
 DNRM Certified
 Regrowth Vegetation
 and Essential Habitat


Job Number 41-26457
 Revision A
 Date 07 Aug 2013

Figure B-2
Sheet 6 of 6

G:\4126457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1127_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
 Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, High Value Regrowth/2011; Essential Habitat/2010. Created by: MS



LEGEND

- Population Centres
- Major Port
- Highway
- Main Road
- Railway
- Watercourses (Major)
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

- Broad Vegetation Community and Fauna Habitat Type**
- Brigalow/Gidgee
 - Mixed Species Shrubland/Low Woodland
 - Natural Grassland
 - Sclerophyll Woodland/Open Forest (Excluding Watercourse Associated Vegetation)
 - Tidal Vegetation
 - Vine Thicket
 - Wetland
 - Woodland/Open Forest Fringing Watercourses

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project


Job Number 41-26457
Revision A
Date 07 Aug 2013

Broad Vegetation Communities and Fauna Habitat Types Figure B-3
Sheet 1 of 6

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1148_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, Broad Vegetation Communities/2011. Created by:MS




LEGEND

- Population Centres
- Main Road
- Railway
- Watercourses (Major)
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

- Broad Vegetation Community and Fauna Habitat Type**
- Brigalow/Gidgee
 - Natural Grassland
 - Sclerophyll Woodland/Open Forest (Excluding Watercourse Associated Vegetation)
 - Vine Thicket
 - Wetland
 - Woodland/Open Forest Fringing Watercourses

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project


Job Number 41-26457
Revision A
Date 07 Aug 2013

Broad Vegetation Communities and Fauna Habitat Types Figure B-3
Sheet 2 of 6

G:\4126457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1148_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, Broad Vegetation Communities/2011. Created by:MS



LEGEND

- Main Road
- Railway
- Watercourses (Major)
- North Galilee Basin
- Rail 1000m Corridor
- North Galilee Basin
- Rail 100m Corridor

- Broad Vegetation Community and Fauna Habitat Type**
- Brigalow/Gidgee
 - Mixed Species Shrubland/Low Woodland
 - Natural Grassland
 - Sclerophyll Woodland/Open Forest (Excluding Watercourse Associated Vegetation)
 - Vine Thicket
 - Wetland
 - Woodland/Open Forest Fringing Watercourses

592,000
Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



adani

Adani Mining Pty Ltd
North Galilee Basin Rail Project


Job Number 41-26457
Revision A
Date 07 Aug 2013

Broad Vegetation Communities and Fauna Habitat Types Figure B-3
Sheet 3 of 6

G:\4126457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1148_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnmemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, Broad Vegetation Communities/2011. Created by:MS



LEGEND

- Main Road
- Railway
- Watercourses (Major)
- North Galilee Basin
- Rail 1000m Corridor
- North Galilee Basin
- Rail 100m Corridor

- Broad Vegetation Community and Fauna Habitat Type
- Brigalow/Gidgee
 - Mixed Species Shrubland/Low Woodland
 - Natural Grassland
 - Sclerophyll Woodland/Open Forest (Excluding Watercourse Associated Vegetation)
 - Wetland
 - Woodland/Open Forest Fringing Watercourses

Based on or contains data provided by the State of QLD (DNRM) (2013). In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project


Job Number 41-26457
Revision A
Date 07 Aug 2013

Broad Vegetation Communities and Fauna Habitat Types Figure B-3
Sheet 4 of 6

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1148_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, Broad Vegetation Communities/2011. Created by:MS



LEGEND

- Main Road
- Watercourses (Major)
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

- Broad Vegetation Community and Fauna Habitat Type**
- Brigalow/Gidgee
 - Mixed Species Shrubland/Low Woodland
 - Natural Grassland
 - Sclerophyll Woodland/Open Forest (Excluding Watercourse Associated Vegetation)
 - Wetland
 - Woodland/Open Forest Fringing Watercourses

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project


Job Number 41-26457
Revision A
Date 07 Aug 2013

Broad Vegetation Communities and Fauna Habitat Types Figure B-3
Sheet 5 of 6

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1148_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnmemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Camichael Rail Project/2012; DNRM: Roads/2010, Broad Vegetation Communities/2011. Created by: MS



LEGEND

- Main Road
- Carmichael
- Project (Rail)
- Watercourses (Major)
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

- Broad Vegetation Community and Fauna Habitat Type**
- Brigalow/Gidgee
 - Mixed Species Shrubland/Low Woodland
 - Natural Grassland
 - Sclerophyll Woodland/Open Forest (Excluding Watercourse Associated Vegetation)
 - Wetland
 - Woodland/Open Forest Fringing Watercourses

Based on or contains data provided by the State of QLD (DNRM) (2013). In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:250,000 Paper Size A4
0 2 4 8
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 07 Aug 2013

Broad Vegetation Communities and Fauna Habitat Types Figure B-3
Sheet 6 of 6

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1148_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Broad Vegetation Communities/2011. Created by:MS

Appendix C – Field species records

Terrestrial flora and fauna field species records

Threatened species field locations

Microbat call identification report

Species	Family	Vegetation community
<i>Abutilon micropetalum</i>	Malvaceae	VT
<i>Abutilon oxycarpum</i>	Malvaceae	B/G, MxdS, VT
<i>Acacia bidwillii</i>	Mimosaceae	NR, SW/OF
<i>Acacia cambagei</i>	Mimosaceae	B/G, MxdS
<i>Acacia catenulata</i>	Mimosaceae	MxdS
<i>Acacia curvinervia</i>	Mimosaceae	NR, MxdS, SW/OF, FrW/OF
<i>Acacia excelsa</i>	Mimosaceae	NR, MxdS, SW/OF
<i>Acacia flavescens</i>	Mimosaceae	FrW/OF, NR, SW/OF
<i>Acacia harpophylla</i>	Mimosaceae	B/G
<i>Acacia holosericea</i>	Mimosaceae	FrW/OF, NR, MxdS, SW/OF
<i>Acacia humifusa</i>	Mimosaceae	VT, Wet
<i>Acacia leiocalyx</i>	Mimosaceae	FrW/OF, NR, MxdS, SW/OF
<i>Acacia leptostachya</i>	Mimosaceae	FrW/OF, NR, MxdS, SW/OF
<i>Acacia oswaldii</i>	Mimosaceae	SW/OF, VT
<i>Acacia salicina</i>	Mimosaceae	FrW/OF, NR, MxdS, SW/OF
<i>Acacia shirleyi</i>	Mimosaceae	MxdS
<i>Acacia triptera</i>	Mimosaceae	NR, SW/OF
<i>Acalypha eremorum</i>	Euphorbiaceae	VT
<i>Achyranthes aspera</i>	Amaranthaceae	B/G, NR, MxdS, SW/OF, FrW/OF
<i>Albizia lebbeck</i>	Caesalpiniaceae	SW/OF
<i>Alectryon diversifolius</i>	Sapindaceae	B/G, NR, MxdS, SW/OF
<i>Allocasuarina luehmannii</i>	Casuarinaceae	MxdS, SW/OF
<i>Alloterospis cimicina</i>	Poaceae	SW/OF, VT
<i>Alphitonia excelsa</i>	Rhamnaceae	B/G, FrW/OF, NR, MxdS, SW/OF, VT, FrW/OF
<i>Alstonia constricta</i>	Apocynaceae	NR, MxdS, SW/OF, FrW/OF
<i>Alternanthera denticulata</i>	Amaranthaceae	BG, FrW/OF, NR, SW/OF
<i>Alternanthera nodiflora</i>	Amaranthaceae	FrW/OF
<i>Alternanthera philoxeroides</i>	Amaranthaceae	FrW/OF, Wet
<i>Alyxia ruscifolia</i>	Apocynaceae	VT
<i>Ammannia multiflora</i>	Lythraceae	FrW/OF, Wet
<i>Amyema congener</i>	Loranthaceae	B/G, MxdS, SW/OF
<i>Amyema quandang</i>	Loranthaceae	B/G
<i>Ancistrachne uncinulata</i>	Poaceae	B/G, MxdS, VT
<i>Antidesma parviflora</i>	Phyllanthaceae	VT
<i>Apophyllum anomalum</i>	Capparaceae	B/G, NR
<i>Archidendropsis basaltica</i>	Mimosaceae	NR, SW/OF
<i>Argyreia nervosa*</i>	Convolvulaceae	FrW/OF, Wet
<i>Aristida calycina</i>	Poaceae	FrW/OF, NR, MxdS, SW/OF
<i>Aristida caput-medusae</i>	Poaceae	B/G, NR, MxdS, VT
<i>Aristida contorta</i>	Poaceae	B/G, FrW/OF, NR, MxdS, SW/OF
<i>Aristida holathera</i>	Poaceae	B/G, NR, MxdS, SW/OF
<i>Aristida jerichoensis</i> var. <i>jerichoensis</i>	Poaceae	B/G, NR, SW/OF

Species	Family	Vegetation community
<i>Aristida jerichoensis</i> var. <i>subspinulifera</i>	Poaceae	B/G, NR, MxdS, SW/OF
<i>Aristida latifolia</i>	Poaceae	SW/OF
<i>Aristida lazardis</i>	Poaceae	SW/OF
<i>Aristida leptopoda</i>	Poaceae	NG, W/OF
<i>Aristida queenslandica</i>	Poaceae	NR, MxdS, SW/OF
<i>Arundinella nepalensis</i>	Poaceae	FrW/OF, NR, SW/OF
<i>Astrebla elymoides</i>	Poaceae	FrW/OF, NG
<i>Astrebla squarrosa</i>	Poaceae	FrW/OF, NG
<i>Atalaya hemiglauca</i>	Sapindaceae	B/G, NG, NR, MxdS, SW/OF, VT
<i>Avicennia marina</i>	Myrtaceae	TV
<i>Basilicum polystachyon</i>	Lamiaceae	FrW/OF
<i>Bidens pilosa</i> *	Asteraceae	NG, NR, Wet
<i>Bonamia media</i>	Convolvulaceae	FrW/OF
<i>Bothriochloa pertusa</i> *	Poaceae	NR, SW/OF
<i>Brachyachne convergens</i>	Poaceae	B/G, NG, NR, SW/OF
<i>Brachychiton australis</i>	Sterculiaceae	B/G, NR, MxdS, SW/OF, VT
<i>Brachychiton bidwillii</i>	Sterculiaceae	VT
<i>Brachychiton populneus</i>	Sterculiaceae	SW/OF, VT
<i>Breynia oblongifolia</i>	Phyllanthaceae	FrW/OF, SW/OF, VT
<i>Bridelia leichhardtii</i>	Phyllanthaceae	VT
<i>Bulbostylis barbata</i>	Cyperaceae	MxdS, VT
<i>Bursaria spinosa</i>	Pittosporaceae	B/G, NR, MxdS, SW/OF, VT
<i>Caesalpinia bonduc</i>	Caesalpiniaceae	VT
<i>Cajanus reticulatus</i> var. <i>reticulatus</i>	Fabaceae	VT
<i>Canavalia papuana</i>	Fabaceae	FrW/OF
<i>Capparis lasiantha</i>	Capparaceae	B/G, FrW/OF, NG, NR, MxdS, SW/OF, VT
<i>Capparis loranthifolia</i>	Capparaceae	VT
<i>Carissa ovata</i>	Apocynaceae	B/G, NR, MxdS, SW/OF, VT
<i>Cassia brewsteri</i>	Caesalpiniaceae	NR, MxdS, SW/OF, VT
<i>Casuarina cunninghamiana</i>	Casuarinaceae	FrW/OF
<i>Cenchrus ciliaris</i> *	Poaceae	B/G, FrW/OF, NG, NR, MxdS, SW/OF, VT
<i>Cheilanthes distans</i>	Adiantaceae	MxdS, VT
<i>Cheilanthes sieberi</i>	Adiantaceae	B/G, MxdS, SW/OF, VT
<i>Chloris virgata</i> *	Poaceae	NR
<i>Chrysocephalum apiculatum</i>	Asteraceae	FrW/OF, NG, NR, SW/OF
<i>Chrysopogon fallax</i>	Poaceae	FrW/OF, SW/OF
<i>Citrus glauca</i>	Rutaceae	B/G, NR, MxdS, VT
<i>Cleistanthus dallachyanus</i>	Phyllanthaceae	B/G, VT
<i>Clematocissus opaca</i>	Vitaceae	B/G, VT
<i>Clerodendrum floribundum</i>	Lamiaceae	FrW/OF
<i>Clitoria ternatea</i> *	Fabaceae	FrW/OF, NR, SW/OF, VT
<i>Corymbia clarksoniana</i>	Myrtaceae	FrW/OF, SW/OF

Species	Family	Vegetation community
<i>Corymbia dallachiana</i>	Myrtaceae	FrW/OF, SW/OF
<i>Corymbia intermedia</i>	Myrtaceae	SW/OF
<i>Corymbia leichhardtii</i>	Myrtaceae	SW/OF
<i>Corymbia erythrophloia</i>	Myrtaceae	NG, SW/OF
<i>Corymbia tessellaris</i>	Myrtaceae	FrW/OF, SW/OF
<i>Corymbia trachyphloia</i>	Myrtaceae	MxdS, SW/OF
<i>Crotalaria goreensis</i>	Fabaceae	FrW/OF, NR, SW/OF
<i>Crotalaria juncea</i>	Fabaceae	FrW/OF, NR, SW/OF
<i>Crotalaria mitchellii</i>	Fabaceae	NR
<i>Crotalaria pallida</i>	Fabaceae	NR
<i>Cymbidium canaliculatum</i>	Orchidaceae	SW/OF, FrW/OF
<i>Cryptostegia grandiflora</i> ²	Apocynaceae	FrW/OF, Wet
<i>Cupaniopsis anacardioides</i>	Sapindaceae	VT
<i>Cyanthillium cinereum</i>	Asteraceae	B/G, FrW/OF, NR, SW/OF
<i>Cymbopogon refractus</i>	Poaceae	FrW/OF, MxdS, SW/OF, VT
<i>Cynodon dactylon</i>	Poaceae	FrW/OF, SW/OF
<i>Cyperus dactylotes</i>	Cyperaceae	SW/OF
<i>Cyperus difformis</i>	Cyperaceae	FrW/OF, NG
<i>Cyperus gracilis</i>	Cyperaceae	SW/OF, VT
<i>Cyperus javanicus</i>	Cyperaceae	Wet
<i>Cyperus tuberosus</i>	Cyperaceae	NG
<i>Dactyloctenium radulans</i>	Poaceae	NG, SW/OF
<i>Dendrophthoe homoplastica</i>	Loranthaceae	FrW/OF
<i>Dendrophthoe glabrescens</i>	Loranthaceae	SW/OF
<i>Denhamia oleaster</i>	Celastraceae	VT
<i>Desmodium brachypodium</i>	Fabaceae	NR, SW/OF
<i>Dichanthium aristatum</i> *	Poaceae	NG, NR
<i>Dichanthium sericeum</i>	Poaceae	FrW/OF, NG, NR, SW/OF
<i>Digitaria ciliaris</i> *	Poaceae	B/G, SW/OF
<i>Dinebra decipiens</i>	Poaceae	FrW/OF, SW/OF
<i>Dinebra ligulata</i>	Poaceae	FrW/OF, SW/OF
<i>Diospyros humifusa</i>	Ebenaceae	VT
<i>Diospyros geminata</i>	Ebenaceae	VT
<i>Diplachne fusca</i>	Poaceae	FrW/OF, SW/OF
<i>Diplatia grandibractea</i>	Loranthaceae	SW/OF
<i>Dodonaea stenophylla</i>	Sapindaceae	FrW/OF
<i>Dodonaea triangularis</i>	Sapindaceae	FrW/OF
<i>Dodonaea viscosa</i>	Sapindaceae	FrW/OF, NR, MxdS, SW/OF
<i>Drypetes deplanchei</i>	Putranjivaceae	FrW/OF, VT
<i>Ehretia membranifolia</i>	Boraginaceae	FrW/OF, VT
<i>Emilia sonchifolia</i>	Asteraceae	FrW/OF, NG, NR, SW/OF
<i>Enchylaena tomentosa</i>	Chenopodiaceae	FrW/OF, NG, NR, SW/OF
<i>Enneapogon lindleyanus</i>	Poaceae	B/G, SW/OF
<i>Enneapogon polyphyllus</i>	Poaceae	B/G, MxdS
<i>Enteropogon acicularis</i>	Poaceae	B/G, MxdS, SW/OF
<i>Enteropogon ramosus</i>	Poaceae	B/G, MxdS, SW/OF

Species	Family	Vegetation community
<i>Entolasia stricta</i>	Poaceae	MxdS
<i>Epaltes australis</i>	Asteraceae	FrW/OF, SW/OF
<i>Eragrostis cumingii</i>	Poaceae	B/G, NR, SW/OF
<i>Eragrostis exigua</i>	Poaceae	B/G
<i>Eragrostis parviflora</i>	Poaceae	NR, SW/OF
<i>Eragrostis speciosa</i>	Poaceae	FrW/OF
<i>Eragrostis tenella*</i>	Poaceae	B/G, NR
<i>Eragrostis tenellula</i>	Poaceae	B/G, MxdS
<i>Eremophila longifolia</i>	Myoporaceae	SW/OF
<i>Eremophila maculata</i>	Myoporaceae	SW/OF
<i>Eremophila mitchellii</i>	Myoporaceae	B/G, NR, MxdS,
<i>Eriachne ciliaris</i>	Poaceae	MxdS, VT
<i>Eriachne mucronata</i>	Poaceae	FrW/OF, MxdS, SW/OF
<i>Eriochloa brownii</i>	Poaceae	NR, SW/OF
<i>Eriochloa pseudoacrotricha</i>	Poaceae	B/G, FrW/OF, NG, NR, MxdS, SW/OF
<i>Erythrina vespertilio</i>	Fabaceae	FrW/OF, VT
<i>Erythroxylum australe</i>	Erythroxylaceae	B/G, MxdS, SW/OF, VT
<i>Eucalyptus brownii</i>	Myrtaceae	FrW/OF, SW/OF
<i>Eucalyptus cerniceana</i>	Myrtaceae	B/G, SW/OF
<i>Eucalyptus coolabah</i>	Myrtaceae	FrW/OF, SW/OF
<i>Eucalyptus crebra</i>	Myrtaceae	MxdS, SW/OF, VT
<i>Eucalyptus drepanophylla</i>	Myrtaceae	SW/OF
<i>Eucalyptus exserta</i>	Myrtaceae	MxdS, SW/OF
<i>Eucalyptus melanophloia</i>	Myrtaceae	SW/OF
<i>Eucalyptus orgadophila</i>	Myrtaceae	NG, SW/OF
<i>Eucalyptus persistens</i>	Myrtaceae	MxdS, SW/OF
<i>Eucalyptus populnea</i>	Myrtaceae	FrW/OF, SW/OF
<i>Eucalyptus platyphylla</i>	Myrtaceae	FrW/OF, SW/OF
<i>Eucalyptus raveretiana</i> – V (V)	Myrtaceae	FrW/OF
<i>Eucalyptus tereticornis</i>	Myrtaceae	FrW/OF, SW/OF
<i>Eucalyptus thozetiana</i>	Myrtaceae	B/G, MxdS, SW/OF
<i>Euroschinus falcatus</i>	Anacardiaceae	FrW/OF, VT
<i>Eustrephus latifolius</i>	Laxmanniaceae	FrW/OF, VT
<i>Everistia vacciniifolia</i>	Rubiaceae	MxdS, VT
<i>Evolvulus alsinoides</i>	Convolvulaceae	FrW/OF, NG, SW/OF
<i>Excoecaria agallocha</i>	Euphorbiaceae	FrW/OF, TV, Wet
<i>Exocarpos latifolius</i>	Fabaceae	VT
<i>Ficus opposita</i>	Moraceae	FrW/OF
<i>Ficus rubiginosa</i>	Moraceae	VT
<i>Fimbristylis dichotoma</i>	Cyperaceae	B/G, FrW/OF, NG, SW/OF, Wet
<i>Fimbristylis rara</i>	Cyperaceae	SW/OF
<i>Flemingia parvifolia</i>	Fabaceae	FrW/OF, SW/OF
<i>Flindersia dissosperma</i>	Rutaceae	B/G, MxdS, SW/OF, VT
<i>Flueggea leucopyrus</i>	Phyllanthaceae	VT
<i>Gahnia aspera</i>	Cyperaceae	FrW/OF, MxdS, VT

Species	Family	Vegetation community
<i>Geijera salicifolia</i>	Rutaceae	VT
<i>Glossocarya calcicola</i>	Verbenaceae	VT
<i>Gossia bidwillii</i>	Myrtaceae	VT
<i>Gossypium australe</i>	Malvaceae	MxdS, VT
<i>Grevillea banksii</i>	Proteaceae	MxdS, SW/OF
<i>Grevillea parallela</i>	Proteaceae	FrW/OF, SW/OF
<i>Grevillea striata</i>	Proteaceae	B/G, SW/OF
<i>Grewia latifolia</i>	Sparrmanniaceae	FrW/OF, SW/OF, VT
<i>Grewia oxyphylla</i>	Sparrmanniaceae	VT
<i>Grewia retusifolia</i>	Sparrmanniaceae	FrW/OF, SW/OF, VT
<i>Grewia scabrella</i>	Sparrmanniaceae	FrW/OF, VT
<i>Hakea lorea</i>	Proteaceae	SW/OF
<i>Harrisia sp.</i> ²	Cactaceae	B/G, nr, MxdS, SW/OF, VT
<i>Heteropogon contortus</i>	Poaceae	FrW/OF, SW/OF
<i>Heteropogon triticeus</i>	Poaceae	FrW/OF, SW/OF
<i>Hibiscus brachysiphonius</i>	Malvaceae	SW/OF
<i>Hibiscus leptocladus</i>	Malvaceae	NR, SW/OF
<i>Hovea longipes</i>	Fabaceae	VT
<i>Hybanthus enneaspermus</i>	Violaceae	FrW/OF, NR, SW/OF
<i>Hyptis suaveolens</i> *	Lamiaceae	FrW/OF, Wet
<i>Iseilema vaginiflorum</i>	Poaceae	B/G, NG, MxdS
<i>Jasminum aemulum</i> var. <i>brassii</i>	Oleaceae	VT
<i>Jasminum didymum</i>	Oleaceae	FrW/OF, SW/OF, VT
<i>Lagunaria queenslandica</i>	Bombaceae	FrW/OF
<i>Lantana camara</i> ³	Verbenaceae	FrW/OF, SW/OF, Wet
<i>Larsenaikia ochreatea</i>	Rubiaceae	FrW/OF
<i>Laxmannia gracilis</i>	Laxmanniaceae	FrW/OF, SW/OF
<i>Leptochloa digitata</i>	Poaceae	FrW/OF
<i>Lomandra longifolia</i>	Laxmanniaceae	FrW/OF, SW/OF
<i>Lomandra multiflora</i>	Laxmanniaceae	SW/OF
<i>Lonicera japonica</i> *	Caprifoliaceae	VT
<i>Lophostemon confertus</i>	Myrtaceae	SW/OF
<i>Lophostemon grandiflorus</i>	Myrtaceae	FrW/OF
<i>Ludwigia peploides</i> ssp. <i>montevidensis</i>	Onagraceae	Wet
<i>Lysiana subfalcata</i>	Loranthaceae	B/G, MxdS, SW/OF, VT
<i>Lysicarpus angustifolius</i>	Myrtaceae	SW/OF
<i>Lysiphyllum carronii</i>	Caesalpiniaceae	B/G, MxdS, SW/OF, VT
<i>Lysiphyllum hookeri</i>	Caesalpiniaceae	FrW/OF
<i>Macaranga involucrata</i> var. <i>mallotoides</i>	Euphorbiaceae	FrW/OF, Wet
<i>Macroptilium atropurpureum</i> *	Fabaceae	FrW/OF, NG, NR, VT
<i>Malvastrum americanum</i> *	Malvaceae	NG, NR, SW/OF
<i>Marsdenia longipedicellata</i>	Apocynaceae	VT
<i>Maytenus disperma</i>	Celastraceae	SW/OF
<i>Megathyrsus maximus</i> *	Poaceae	FrW/OF, NR
<i>Melaleuca bracteata</i>	Myrtaceae	FrW/OF

Species	Family	Vegetation community
<i>Melaleuca fluviatilis</i>	Myrtaceae	FrW/OF
<i>Melaleuca leucadendra</i>	Myrtaceae	FrW/OF, Wet
<i>Melaleuca nervosa</i>	Myrtaceae	FrW/OF, SW/OF
<i>Melaleuca tamariscina</i>	Myrtaceae	MxdS, SW/OF
<i>Melaleuca trichostachya</i>	Myrtaceae	FrW/OF
<i>Melaleuca viminalis</i>	Myrtaceae	FrW/OF
<i>Melaleuca viridiflora</i>	Myrtaceae	FrW/OF, SW/OF, Wet
<i>Melhania oblongifolia</i> *	Pentapetaceae	SW/OF
<i>Melinis repens</i> *	Poaceae	NR, SW/OF
<i>Mimusops elengi</i>	Sapotaceae	VT
<i>Mitrasacme nummularia</i>	Loganiaceae	SW/OF
<i>Mnesithea formosa</i>	Poaceae	FrW/OF, SW/OF
<i>Mnesithea rottboellioides</i>	Poaceae	SW/OF
<i>Monochoria cyanea</i>	Pontederiaceae	SW/OF
<i>Muehlenbeckia florulenta</i>	Polygonaceae	FrW/OF, NG
<i>Myoporum montanum</i>	Myoporaceae	B/G, MxdS, SW/OF
<i>Myriophyllum verrucosum</i>	Haloragaceae	Wet
<i>Neptunia gracilis</i>	Poaceae	NG
<i>Nymphoides crenata</i>	Menyanthaceae	B/G
<i>Nymphaea gigantea</i>	Nymphaeaceae	Wet
<i>Opuntia tomentosa</i> ²	Cactaceae	B/G, FrW/OF, NR, MxdS, SW/OF, VT
<i>Ottelia ovalifolia</i>	Hydrocharitaceae	B/G, Wet
<i>Oxychloris scariosa</i>	Poaceae	B/G
<i>Owenia acidula</i>	Meliaceae	B/G, SW/OF
<i>Pachygone ovata</i>	Menispermaceae	VT
<i>Pandanus cookii</i>	Pandanaceae	FrW/OF
<i>Pandorea pandorana</i>	Bignoniaceae	FrW/OF, SW/OF, VT
<i>Panicum decompositum</i>	Poaceae	NG, SW/OF
<i>Panicum effusum</i>	Poaceae	B/G, FrW/OF, MxdS, SW/OF
<i>Panicum larcomianum</i>	Poaceae	SW/OF
<i>Paraserianthes toona</i>	Meliaceae	FrW/OF
<i>Parkinsonia aculeata</i> ²	Caesalpiniaceae	FrW/OF
<i>Parthenium hysterophorus</i> ²	Asteraceae	B/G, FrW/OF, NG, NR, MxdS, SW/OF
<i>Paspalidium distans</i>	Poaceae	SW/OF
<i>Paspalidium caespitosum</i>	Poaceae	B/G, NR, MxdS, SW/OF
<i>Passiflora foetida</i> *	Passifloraceae	FrW/OF
<i>Perotis rara</i>	Poaceae	SW/OF
<i>Persoonia falcata</i>	Proteaceae	SW/OF, VT
<i>Petalostigma banksii</i>	Picrodendraceae	SW/OF
<i>Petalostigma pubescens</i>	Picrodendraceae	B/G, NR, SW/OF
<i>Phebalium glandulosum</i>	Rutaceae	MxdS
<i>Phyllanthus carpentariae</i>	Phyllanthaceae	SW/OF
<i>Phyllanthus fuernrohrii</i>	Phyllanthaceae	SW/OF
<i>Phyllanthus maderaspatensis</i>	Phyllanthaceae	SW/OF, VT
<i>Pittosporum spinescens</i>	Pittosporaceae	FrW/OF, MxdS, SW/OF, VT

Species	Family	Vegetation community
<i>Pittosporum venulosum</i>	Pittosporaceae	SW/OF
<i>Planchonella chartacea</i>	Sapindaceae	SW/OF, VT
<i>Planchonella pohlmiana</i>	Sapindaceae	SW/OF
<i>Planchonia careya</i>	Lecythidaceae	FrW/OF, SW/OF
<i>Pleiogynium timorense</i>	Anacardiaceae	FrW/OF, VT
<i>Polymeria longifolia</i>	Convolvulaceae	FrW/OF, SW/OF
<i>Poranthera microphylla</i>	Phyllanthaceae	SW/OF
<i>Psydrax attenuatum</i>	Rubiaceae	VT
<i>Psydrax forsteri</i>	Rubiaceae	VT
<i>Psydrax johnsonii</i>	Rubiaceae	SW/OF, VT
<i>Psydrax odorata</i>	Rubiaceae	SW/OF, VT
<i>Pterocaulon serrulatum</i>	Asteraceae	SW/OF
<i>Pterocaulon sphacelatum</i>	Asteraceae	SW/OF
<i>Rhynchosia minima</i>	Fabaceae	FrW/OF, SW/OF
<i>Rostellularia adscendens</i>	Acanthaceae	B/G, FrW/OF, MxdS, SW/OF
<i>Salsola kali</i>	Chenopodiaceae	B/G, MxdS
<i>Santalum lanceolatum</i>	Santalaceae	B/G, MxdS, SW/OF, VT
<i>Sarcostemma viminalis</i>	Apocynaceae	FrW/OF, VT
<i>Scaevola spinosa</i>	Goodeniaceae	B/G, SW/OF
<i>Schizachyrium fragile</i>	Poaceae	FrW/OF, SW/OF
<i>Scleria brownii</i>	Cyperaceae	B/G, SW/OF
<i>Scleria mackaviensis</i>	Cyperaceae	SW/OF
<i>Sclerolaena muricata</i>	Chenopodiaceae	B/G, MxdS
<i>Secamone elliptica</i>	Apocynaceae	VT
<i>Senna artemisioides subsp. zygophylla</i>	Caesalpiniaceae	FrW/OF, NR, SW/OF
<i>Senna gaudichaudii</i>	Caesalpiniaceae	SW/OF
<i>Sersalisia sericea</i>	Sapotaceae	VT
<i>Sesbania cannabina</i>	Fabaceae	B/G, NR, MxdS, SW/OF
<i>Setaria surgens</i>	Poaceae	MxdS, SW/OF
<i>Sida cordifolia</i> *	Malvaceae	FrW/OF, NR, SW/OF
<i>Sida fibulifera</i>	Malvaceae	SW/OF
<i>Sida hackettiana</i>	Malvaceae	B/G, NR, MxdS, SW/OF
<i>Sida rhombifolia</i> *	Malvaceae	SW/OF
<i>Sida spinosa</i> *	Malvaceae	SW/OF, VT
<i>Sida trichophora</i>	Malvaceae	SW/OF
<i>Solanum torvum</i> *	Solanaceae	FrW/OF, VT
<i>Sporobolus actinocladus</i>	Poaceae	B/G, MxdS, SW/OF
<i>Sporobolus australasicus</i>	Poaceae	B/G
<i>Sporobolus caroli</i>	Poaceae	B/G, MxdS
<i>Sporobolus contiguus</i>	Poaceae	B/G
<i>Sporobolus creber</i>	Poaceae	B/G, FrW/OF, NG, NR, MxdS, SW/OF
<i>Sporobolus disjunctus</i>	Poaceae	B/G, SW/OF
<i>Sporobolus mitchellii</i>	Poaceae	FrW/OF
<i>Sporobolus pyramidalis</i> ²	Poaceae	FrW/OF
<i>Sporobolus scabridus</i>	Poaceae	B/G

Species	Family	Vegetation community
<i>Sporobolus virginicus</i>	Poaceae	Wet
<i>Stachytarpheta jamaicensis</i> *	Verbenaceae	FrW/OF, Wet
<i>Stemodia pubescens</i>	Scrophulariaceae	SW/OF
<i>Tamarindus indica</i> *	Caesalpiniaceae	FrW/OF
<i>Terminalia oblongata</i>	Combretaceae	B/G, NG, NR, MxdS, SW/OF, VT
<i>Terminalia muelleri</i>	Combretaceae	FrW/OF
<i>Themeda avenacea</i>	Poaceae	FrW/OF
<i>Themeda triandra</i>	Poaceae	FrW/OF, SW/OF
<i>Thyridolepis xerophila</i>	Poaceae	MxdS, VT
<i>Tinospora smilacina</i>	Menispermaceae	VT
<i>Trema tomentosa</i>	Ulmaceae	VT
<i>Trichodesma zeylanicum</i>	Boraginaceae	NG, SW/OF
<i>Triodia pungens</i>	Poaceae	B/G, MxdS, SW/OF
<i>Trophis scandens</i>	Moraceae	FrW/OF, VT
<i>Urena lobata</i> *	Malvaceae	FrW/OF, Wet
<i>Urochloa mosambicensis</i> *	Poaceae	NR, SW/OF
<i>Urochloa mutica</i> *	Poaceae	NR, Wet
<i>Vachellii farnesiana</i> *	Mimosaceae	B/G, NG, NR, MxdS, SW/OF, Wet
<i>Vachellii nilotica</i> ²	Mimosaceae	Wet
<i>Viscum articulatum</i>	Viscaceae	FrW/OF, SW/OF
<i>Wahlenbergia gracilis</i>	Campanulaceae	FrW/OF, SW/OF
<i>Xanthorrhoea johnsonii</i>	Xanthorrhoeaceae	SW/OF
<i>Ziziphus mauritiana</i> ²	Rhamnaceae	Wet
<i>Zornia areolata</i>	Fabaceae	SW/OF
<i>Zornia muelleriana subsp. angustata</i>	Fabaceae	SW/OF

^ Vegetation Community refers to the community the species was recorded from during the field surveys – it does not imply that these species are only found in the nominated communities; Superscript number = declared weed (number = declaration class); * = exotic; V = Vulnerable under NC Act; (V) = Vulnerable under the EPBC Act

Vegetation community codes

Brigalow/gidgee = B/G

Natural grassland = NG

Non-remnant = NR

Mixed species shrubland/low woodland = MxdS

Sclerophyll woodland/open forest = SW/OF

Tidal vegetation = TV

Vine thicket = VT

Wetland = Wet

Woodland/open forest fringing watercourses = FrW/OF

Terrestrial fauna species records (May/June 2013)

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Amphibians												
Bufonidae	<i>Rhinella marina</i>	cane toad	I	I	10	15	7	9	16	0	0	6
Hylidae	<i>Cyclorana alboguttata</i>	striped burrowing frog	-	LC	1	0	0	0	0	0	0	0
Hylidae	<i>Litoria caerulea</i>	common green treefrog	-	LC	5	1	0	3	0	0	0	0
Hylidae	<i>Litoria inermis</i>	bumpy rocketfrog	-	LC	4	16	1	1	0	0	0	8
Hylidae	<i>Litoria latopalmata</i>	broad palmed rocketfrog	-	LC	0	0	0	6	0	0	0	1
Hylidae	<i>Litoria rubella</i>	desert tree frog	-	LC	0	1	0	0	0	0	0	0
Hylidae	<i>Litoria wilcoxii</i>	eastern stony creek frog	-	LC	1	1	0	0	0	0	0	0
Limnodynastidae	<i>Limnodynastes tasmaniensis</i>	spotted grassfrog	-	LC	1	1	1	0	0	0	0	0
Limnodynastidae	<i>Platyplectrum ornatum</i>	ornate burrowing frog	-	LC	3	5	1	2	1	0	0	0
Total amphibian species count					7	7	4	5	2	0	0	3
Reptiles												
Agamidae	<i>Diporiphora australis</i>	tommy roundhead	-	LC	0	6	0	0	0	0	0	0
Carphodactylidae	<i>Nephrurus asper</i>	spiny knob-tailed gecko	-	LC	0	0	0	1	0	0	0	0
Colubridae	<i>Boiga irregularis</i>	brown tree snake	-	LC	1	0	0	0	0	0	0	0
Colubridae	<i>Dendrelaphis punctulata</i>	common tree snake	-	LC	0	0	0	0	1	0	0	1
Elapidae	<i>Cryptophis nigrostriatus</i>	black-striped snake	-	LC	1	0	0	0	0	0	0	0
Elapidae	<i>Demansia psammophis</i>	yellow-faced whip snake	-	LC	1	0	0	1	0	0	0	0

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Elapidae	<i>Pseudonaja textilis</i>	eastern brown snake	-	LC	1	0	0	0	0	0	0	0
Gekkonidae	<i>Gehyra catenata</i>	chain-backed dtella	-	LC	1	1	0	4	0	0	0	0
Gekkonidae	<i>Gehyra dubia</i>	dubious dtella	-	LC	7	0	0	3	3	0	0	0
Gekkonidae	<i>Gehyra sp.</i>				1	0	0	0	0	0	0	0
Gekkonidae	<i>Heteronotia binoei</i>	Bynoe's gecko	-	LC	5	0	1	13	4	0	0	0
Scincidae	<i>Carlia munda</i>		-	LC	6	1	0	1	0	0	0	0
Scincidae	<i>Carlia pectoralis</i>	open-litter rainbow-skink	-	LC	9	14	1	6	15	0	0	0
Scincidae	<i>Carlia schmeltzii</i>	robust rainbow-skink	-	LC	2	2	0	1	6	0	0	0
Scincidae	<i>Carlia sp.</i>				3	1	2	0	0	0	0	0
Scincidae	<i>Carlia vivax</i>	lively rainbow-skink	-	LC	4	2	0	1	7	0	0	0
Scincidae	<i>Cryptoblepharus pannosus</i>	ragged snake-eyed skink	-	LC	5	0	0	3	0	0	0	0
Scincidae	<i>Cryptoblepharus pulcher pulcher</i>	elegant snake-eyed skink	-	LC	11	8	3	10	0	0	0	1
Scincidae	<i>Cryptoblepharus sp.</i>				1	0	0	1	0	0	0	0
Scincidae	<i>Ctenotus taeniolatus</i>	copper-tailed skink	-	LC	2	4	0	0	0	0	0	0
Scincidae	<i>Lerista fragilis</i>	eastern mulch-slider	-	LC	0	0	0	1	0	0	0	0
Scincidae	<i>Morethia boulengeri</i>	south-eastern morethia skink	-	LC	3	2	0	3	0	0	0	0
Scincidae	<i>Morethia taeniopleura</i>	fire-tailed skink	-	LC	1	3	0	2	1	0	0	0
Total reptile species count					19	11	4	15	7	0	0	2

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Mammals												
Bovidae	<i>Bos taurus</i>	cow	I	I	16	1	3	6	0	0	0	1
Canidae	<i>Canis familiaris</i>	dog	I	I	0	3	0	0	0	0	0	0
Canidae	<i>Canis lupus dingo</i>	dingo	I	I	3	0	0	1	0	0	0	0
Cervidae	<i>Cervus axis</i>	chital deer	I	I	4	0	1	0	0	0	0	0
Emballonuridae	<i>Saccolaimus flaviventris</i>	yellow-bellied sheath-tail-bat	-	LC	positive call ID	positive call ID	positive call ID	positive call ID	potential call ID	0	0	0
Emballonuridae	<i>Taphozous troughtoni</i>	Troughton's sheath-tail-bat	-	LC	0	potential call ID	0	0	0	0	0	0
Equidae	<i>Equus caballus</i>	horse	I	I	1	0	0	0	0	0	0	0
Felidae	<i>Felis catus</i>	cat	I	I	0	1	0	0	0	0	0	1
Leporidae	<i>Oryctolagus cuniculus</i>	European rabbit	I	I	1	3	0	0	0	0	0	0
Macropodidae	<i>Lagorchestes conspicillatus</i>	spectacled hare-wallaby	-	LC	0	0	0	1	0	0	0	0
Macropodidae	<i>Macropus agilis</i>	agile wallaby	-	LC	0	1	0	0	1	0	0	0
Macropodidae	<i>Macropus giganteus</i>	eastern grey kangaroo	-	LC	25	1	0	3	0	0	0	13
Macropodidae	<i>Macropus robustus</i>	common wallaroo	-	LC	1	0	0	0	0	0	0	0
Macropodidae	<i>Macropus rufus</i>	red kangaroo	-	LC	0	0	0	3	0	0	0	3
Macropodidae	<i>Macropus sp.</i>				1	0	0	1	0	0	0	0
Macropodidae	<i>Wallabia bicolor</i>	swamp wallaby	-	LC	2	0	0	1	0	0	0	0
Molossidae	<i>Auromomus australis</i>	white-striped free-tail bat	-	LC	0	positive call ID	0	0	0	0	0	0
Molossidae	<i>Chaerephon jobensis</i>	northern freetail bat	-	LC	0	potential call ID	positive call ID	potential call ID	potential call ID	0	0	0
Molossidae	<i>Mormopterus beccarii</i>	Beccari's freetail-bat	-	LC	positive call ID	positive call ID	positive call ID	positive call ID	potential call ID	0	0	0
Molossidae	<i>Mormopterus ridei</i>	little north-eastern freetail bat	-	LC	potential call ID	positive call ID	positive call ID	positive call ID	0	0	0	0

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Muridae	<i>Hydromys chrysogaster</i>	water rat	-	LC	0	1	0	0	0	0	0	0
Peramelidae	<i>Isodon macrourus</i>	northern brown bandicoot	-	LC	0	0	0	0	1	0	0	0
Phalangeridae	<i>Trichosurus vulpecula</i>	brush-tailed possum	-	LC	0	3	0	0	0	0	0	0
Potoroidae	<i>Aepyprymnus rufescens</i>	Rufous betong	-	LC	5	4	0	2	0	0	0	1
Pseudocheiridae	<i>Petauroides volans</i>	greater glider	-	LC	0	5	0	0	0	0	0	0
Suidae	<i>Sus scrofa</i>	pig	I	I	12	15	0	2	0	0	0	0
Tachyglossidae	<i>Tachyglossus aculeatus</i>	short-beaked echidna	-	SLC	0	1	0	0	0	0	0	0
Vespertilionidae	<i>Chalinolobus gouldii</i>	Gould's wattled bat	-	LC	positive call ID	positive call ID	positive call ID	positive call ID	0	0	0	0
Vespertilionidae	<i>Chalinolobus morio</i>	chocolate wattled bat	-	LC	positive call ID	potential call ID	positive call ID	positive call ID	positive call ID	0	0	0
Vespertilionidae	<i>Chalinolobus nigrogriseus</i>	hoary wattled bat	-	LC	potential call ID	0	potential call ID	potential call ID	potential call ID	0	0	0
Vespertilionidae	<i>Chalinolobus picatus</i>	little pied bat	-	NT	0	positive call ID	positive call ID	positive call ID	0	0	0	0
Vespertilionidae	<i>Miniopterus orianae oceanensis</i>	eastern bentwing bat	-	LC	0	potential call ID	potential call ID	potential call ID	0	0	0	0
Vespertilionidae	<i>Nyctophilus</i> species		-		0	0	positive call ID	positive call ID	positive call ID	0	0	0
Vespertilionidae	<i>Scoteanax rueppellii</i>	greater broad-nosed bat	-	LC	0	potential call ID	0	0	0	0	0	0
Vespertilionidae	<i>Scotorepens balstoni</i>	inland broad-nosed bat	-	LC	positive call ID	positive call ID	positive call ID	positive call ID	0	0	0	0
Vespertilionidae	<i>Scotorepens greyii</i> / <i>S. sanborni</i>	little broad-nosed bat / northern broad-nosed bat	-	LC	0	positive call ID	positive call ID	positive call ID	0	0	0	0
Vespertilionidae	<i>Vespadelus baverstocki</i>	inland forest bat	-	LC	positive call ID	positive call ID	potential call ID	positive call ID	0	0	0	0

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Vespertilionidae	<i>Vespadelus pumilus</i> / <i>V. trougtoni</i>	eastern forest bat / eastern cave bat	-	LC	0	positive call ID	potential call ID	positive call ID	positive call ID	0	0	0
Vespertilionidae	<i>Vespadelus trougtoni</i>	eastern cave bat	-	LC	0	0	0	0	100	0	0	0
		bat species			1	1	0	0	0	0	0	0
Total mammal species count					20	28	16	23	10	0	0	5
Birds												
Acanthizidae	<i>Acanthiza nana</i>	yellow thornbill	-	LC	3	1	0	8	0	0	0	1
Acanthizidae	<i>Gerygone albogularis</i>	white-throated gerygone	-	LC	1	5	0	1	0	0	0	0
Acanthizidae	<i>Gerygone fusca</i>	western gerygone	-	LC	2	0	0	2	0	0	0	1
Acanthizidae	<i>Gerygone magnirostris</i>	large-billed gerygone	-	LC	0	0	0	0	1	0	0	0
Acanthizidae	<i>Gerygone mouki</i>	brown gerygone	-	LC	0	1	0	1	0	0	0	0
Acanthizidae	<i>Smicromis brevirostris</i>	weebill	-	LC	9	4	0	10	0	0	0	2
Acanthizidae	<i>Acanthiza chrysorrhoa</i>	yellow-rumped thornbill	-	LC	0	0	0	1	0	0	0	0
Acanthizidae	<i>Acanthiza reguloides</i>	buff-rumped thornbill	-	LC	2	0	0	1	0	0	0	1
Acanthizidae	<i>Gerygone palpebrosa</i>	fairy gerygone	-	LC	1	1	0	0	0	0	0	0
Acanthizidae	<i>Sericornis frontalis</i>	white-browed scrubwren	-	LC	1	0	0	1	0	0	0	0
Accipitridae	<i>Accipiter fasciatus</i>	brown goshawk	Marine	LC	3	1	0	1	0	0	0	0
Accipitridae	<i>Aquila audax</i>	wedge-tailed eagle	-	LC	3	0	0	1	0	0	0	3
Accipitridae	<i>Aviceda subcristata</i>	Pacific baza	-	LC	0	2	0	0	0	0	0	0

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Accipitridae	<i>Circus approximans</i>	swamp harrier	Marine	LC	0	0	0	0	0	0	1	0
Accipitridae	<i>Circus assimilis</i>	spotted harrier	-	LC	1	0	3	0	0	0	0	2
Accipitridae	<i>Elanus axillaris</i>	black-shouldered kite	-	LC	1	0	1	2	0	0	0	1
Accipitridae	<i>Haliastur sphenurus</i>	whistling kite	Marine	LC	8	1	7	2	1	0	1	5
Accipitridae	<i>Hieraaetus morphnoides</i>	little eagle	-	LC	1	0	1	1	0	0	0	0
Accipitridae	<i>Milvus migrans</i>	black kite	-	LC	9	0	0	1	2	0	0	6
Accipitridae	<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle	Marine; Migratory (CAMBA)	SLC	1	0	0	0	1	0	1	0
Aegothelidae	<i>Aegotheles cristatus</i>	Australian owl nightjar	-	LC	2	1	1	3	0	0	0	1
Alcedinidae	<i>Todiramphus pyrrhopygius</i>	red-backed kingfisher	-	LC	1	0	60	0	0	0	0	0
Anatidae	<i>Anas superciliosa</i>	Pacific black duck	-	LC	15	0	114	0	8	0	21	2
Anatidae	<i>Aythya australis</i>	hardhead	-	LC	1	0	35	0	0	0	3	0
Anatidae	<i>Chenonetta jubata</i>	Australian woodduck	-	LC	13	0	51	0	11	0	5	70
Anatidae	<i>Cygnus atratus</i>	black swan	-	LC	2	0	35	0	0	0	6	0
Anatidae	<i>Dendrocygna arcuata</i>	wandering whistling-duck	Marine	LC	0	0	30	0	0	0	15	0
Anatidae	<i>Dendrocygna eytoni</i>	plumed whistling-duck	Marine	LC	10	0	110	0	0	0	14	0
Anatidae	<i>Malacorhynchus membranaceus</i>	pink-eared duck	-	LC	1	0	47	0	0	0	0	0
Anatidae	<i>Stictonetta naevosa</i>	freckled duck	-	NT	0	0	72	0	0	0	0	0
Anatidae	<i>Anas gracilis</i>	grey teal	-	LC	1	0	59	0	4	0	41	2
Anatidae	<i>Nettapus coromandelianus</i>	cotton pygmy-goose	-	NT	0	0	6	0	0	0	0	0

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Anhingidae	<i>Anhinga novaehollandiae</i>	Australasian darter	-	LC	1	0	31	1	5	0	2	1
Anseranatidae	<i>Anseranas semipalmata</i>	magpie goose	Marine	LC	0	0	1	0	0	0	4	0
Ardeidae	<i>Ardea alba</i>	eastern great egret	Marine; Migratory (CAMBA, JAMBA)	SLC	1	0	3	0	1	0	1	1
Ardeidae	<i>Ardea ibis</i>	cattle egret	Marine; Migratory (CAMBA, JAMBA)	SLC	0	0	0	0	0	0	6	0
Ardeidae	<i>Ardea intermedia</i>	intermediate egret	Marine	LC	0	0	6	0	0	0	2	1
Ardeidae	<i>Ardea pacifica</i>	white-necked heron	-	LC	3	0	2	0	0	0	0	0
Ardeidae	<i>Egretta garzetta</i>	little egret	Marine	LC	0	1	0	0	0	0	3	0
Ardeidae	<i>Egretta novaehollandiae</i>	white-faced heron	-	LC	3	0	5	0	1	0	0	2
Ardeidae	<i>Nycticorax caledonicus</i>	nankeen night heron	Marine	LC	0	0	0	0	1	0	3	0
Artamidae	<i>Artamus cinereus</i>	black-faced woodswallow	-	LC	7	0	0	0	0	0	1	4
Artamidae	<i>Artamus cyanopterus</i>	dusky woodswallow	-	LC	1	0	0	0	0	0	0	0
Artamidae	<i>Artamus leucorhynchus</i>	white-breasted woodswallow	-	LC	0	0	0	0	2	0	0	1
Artamidae	<i>Artamus minor</i>	little woodswallow	-	LC	0	0	0	0	0	0	0	3
Artamidae	<i>Artamus personatus</i>	masked woodswallow	-	LC	1	0	0	2	0	0	0	1
Artamidae	<i>Artamus superciliosus</i>	white-browed woodswallow	-	LC	4	0	0	0	0	0	0	30
Artamidae	<i>Cracticus nigrogularis</i>	piebald butcherbird	-	LC	25	2	3	3	6	0	0	7
Artamidae	<i>Cracticus tibicen</i>	Australian magpie	-	LC	43	4	13	6	4	0	0	10

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Artamidae	<i>Cracticus torquatus</i>	grey butcherbird	-	LC	3	2	3	2	0	0	0	0
Artamidae	<i>Strepera graculina</i>	pied currawong	-	LC	3	2	2	0	0	0	0	0
Cacatuidae	<i>Cacatua galerita</i>	sulphur-crested cockatoo	-	LC	12	18	0	4	6	0	0	1
Cacatuidae	<i>Calyptorhynchus banksii</i>	red-tailed black cockatoo	-	LC	0	0	0	0	0	0	0	14
Cacatuidae	<i>Eolophus roseicapillus</i>	galah	-	LC	15	0	3	3	2	1	0	159
Cacatuidae	<i>Nymphicus hollandicus</i>	cockatiel	-	LC	4	0	0	0	0	0	0	3
Campephagidae	<i>Coracina maxima</i>	ground cuckoo-shrike	-	LC	1	0	0	0	0	0	0	0
Campephagidae	<i>Coracina novaehollandiae</i>	black-faced cuckoo-shrike	-	LC	19	4	1	4	0	0	0	5
Campephagidae	<i>Coracina papuensis</i>	white-bellied cuckoo-shrike	Marine	LC	5	1	0	2	0	0	0	1
Campephagidae	<i>Lalage leucomela</i>	varied triller	-	LC	0	0	0	0	1	0	1	0
Campephagidae	<i>Lalage tricolor</i>	white-winged triller	-	LC	4	0	0	2	0	0	0	3
Caprimulgidae	<i>Eurostopodus argus</i>	spotted nightjar	Marine	LC	0	0	0	1	0	0	0	1
Casuariidae	<i>Dromaius novaehollandiae</i>	emu	-	LC	1	0	1	0	0	0	0	3
Charadriidae	<i>Elsayornis melanops</i>	black-fronted dotterel	-	LC	0	0	10	0	0	0	10	0
Charadriidae	<i>Erythronys cinctus</i>	red-kneed dotterel	-	LC	0	0	3	0	0	0	4	0
Charadriidae	<i>Vanellus miles</i>	masked lapwing	-	LC	6	0	12	1	4	4	6	6
Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	black-necked stork (jabiru)	-	NT	0	0	0	0	0	0	1	0
Cisticolidae	<i>Cisticola exilis</i>	golden-headed cisticola	-	LC	0	0	0	0	0	0	0	8
Climacteridae	<i>Climacteris picumnus</i>	brown treecreeper	-	LC	3	0	0	0	0	0	0	0

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Colluricinclidae	<i>Colluricincla harmonica</i>	grey shrike-thrush	-	LC	1	2	0	2	0	0	1	1
Columbidae	<i>Columba livia</i>	rock dove (feral pigeon)	I	I	1	0	0	0	0	0	0	0
Columbidae	<i>Geopelia cuneata</i>	diamond dove	-	LC	10	152	0	1	0	0	0	0
Columbidae	<i>Geopelia striata</i>	peaceful dove	-	LC	5	14	0	4	2	0	0	1
Columbidae	<i>Geophaps scripta scripta</i>	squatter pigeon (southern)	V	V	4	0	0	0	0	0	0	4
Columbidae	<i>Ocyphaps lophotes</i>	crested pigeon	-	LC	20	0	1	1	9	0	0	3
Columbidae	<i>Phaps chalcoptera</i>	common bronzewing	-	LC	5	0	1	1	0	0	0	0
Columbidae	<i>Geopelia humeralis</i>	bar shouldered dove	-	LC	0	0	0	0	3	0	0	0
Corcoracidae	<i>Struthidea cinerea</i>	apostlebird	-	LC	0	10	12	0	0	0	0	58
Corvidae	<i>Corvus coronoides</i>	Australian raven	-	LC	8	0	1	1	1	0	1	4
Corvidae	<i>Corvus orru</i>	torresian crow	-	LC	24	8	6	8	1	0	1	7
Cracticidae	<i>Cracticus quoyi</i>	black butcherbird	-	LC	0	0	1	0	0	0	0	0
Cuculidae	<i>Cacomantis flabelliformis</i>	fantail cuckoo	Marine	LC	0	1	0	0	0	0	0	0
Cuculidae	<i>Cacomantis pallidus</i>	pallid cuckoo	Marine	LC	2	1	1	0	0	0	0	3
Cuculidae	<i>Cacomantis variolosus</i>	brush cuckoo	-	LC	1	0	0	0	0	0	0	0
Cuculidae	<i>Centropus phasianinus</i>	pheasant coucal	-	LC	3	3	0	0	0	0	0	3
Cuculidae	<i>Chrysococcyx lucidus</i>	shining bronze cuckoo	Marine	LC	0	1	0	0	0	0	0	0
Cuculidae	<i>Chrysococcyx minutillus</i>	little bronze-cuckoo	Marine	LC	0	0	0	0	0	0	1	0
Cuculidae	<i>Eudynamis orientalis</i>	eastern koel	Marine	LC	0	2	0	1	0	0	0	0

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Cuculidae	<i>Chrysococcyx basalis</i>	Horsfield's bronze-cuckoo	Marine	LC	2	0	0	0	0	0	1	1
Dicaeidae	<i>Dicaeum hirundinaceum</i>	mistletoe bird	-	LC	1	0	0	0	3	0	0	0
Dicruridae	<i>Dicrurus bracteatus</i>	spangled drongo	Marine	LC	0	0	0	0	3	0	1	1
Estrildidae	<i>Taeniopygia bichenovii</i>	double barred finch	-	LC	10	12	2	4	0	0	0	2
Estrildidae	<i>Taeniopygia guttata</i>	zebra finch	-	LC	39	1	0	0	0	8	0	20
Falconidae	<i>Falco berigora</i>	brown falcon	-	LC	6	0	1	2	1	0	0	6
Falconidae	<i>Falco cenchroides</i>	Australian kestrel	Marine	LC	9	0	0	1	3	0	0	6
Falconidae	<i>Falco longipennis</i>	Australian hobby	-	LC	1	1	0	1	0	0	0	1
Gruidae	<i>Grus rubicunda</i>	brilga	-	LC	6	0	0	0	0	2	0	21
Halcyonidae	<i>Dacelo leachii</i>	blue-winged kookaburra	-	LC	6	0	0	1	0	1	0	1
Halcyonidae	<i>Dacelo novaeguineae</i>	laughing kookaburra	-	LC	6	4	3	2	0	0	0	2
Halcyonidae	<i>Todiramphus macleayi</i>	forest kingfisher	Marine	LC	0	1	2	0	0	0	0	0
Halcyonidae	<i>Todiramphus sanctus</i>	sacred kingfisher	Marine	LC	0	1	0	0	0	0	0	1
Hirundinidae	<i>Cheramoeca leucosterna</i>	white-backed swallow	-	LC	0	0	1	0	0	0	0	0
Hirundinidae	<i>Hirundo neoxena</i>	welcome swallow	-	LC	0	0	0	0	0	0	20	0
Hirundinidae	<i>Petrochelidon ariel</i>	fairy martin	-	LC	0	0	0	0	0	0	30	10
Laridae	<i>Sterna caspia</i>	caspian tern	Marine; Migratory (CAMBA, JAMBA)	SLC	0	0	4	0	0	0	1	1
Laridae	<i>Chroicocephalus novaehollandiae</i>	silver gull	Marine	LC	0	0	0	0	0	0	1	0

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Maluridae	<i>Malurus lamberti</i>	variegated fairy-wren	-	LC	1	0	0	1	0	0	0	8
Maluridae	<i>Malurus melanocephalus</i>	red-backed fairy-wren	-	LC	9	6	1	4	2	1	0	7
Megaluridae	<i>Megalurus gramineus</i>	little grassbird	-	LC	0	0	0	0	0	0	0	1
Megaluridae	<i>Megalurus timoriensis</i>	tawny grassbird	-	LC	1	1	0	0	1	0	0	0
Megapodiidae	<i>Alectura lathami</i>	bush turkey	-	LC	0	1	0	0	0	0	0	0
Meliphagidae	<i>Entomyzon cyanotis</i>	blue-faced honeyeater	-	LC	16	3	0	4	2	0	0	3
Meliphagidae	<i>Gavicalis virescens</i>	singing honeyeater	-	LC	8	3	1	8	0	0	0	5
Meliphagidae	<i>Lichenostomus chrysops</i>	yellow-faced honeyeater	-	LC	3	0	0	6	0	0	0	1
Meliphagidae	<i>Lichmera indistincta</i>	brown honeyeater	-	LC	3	4	0	15	3	0	2	9
Meliphagidae	<i>Manorina flavigula</i>	yellow-throated miner	-	LC	9	0	0	1	0	0	0	14
Meliphagidae	<i>Manorina melanocephala</i>	noisy miner	-	LC	2	0	0	2	0	0	0	1
Meliphagidae	<i>Meliphaga lewinii</i>	Lewin's honeyeater	-	LC	0	4	0	0	1	0	1	0
Meliphagidae	<i>Melithreptus albogularis</i>	white-throated honeyeater	-	LC	5	4	0	0	0	0	0	0
Meliphagidae	<i>Melithreptus lunatus</i>	white-naped honeyeater	-	LC	0	0	0	1	0	0	0	0
Meliphagidae	<i>Myzomela obscura</i>	dusky honeyeater	-	LC	0	0	0	0	0	0	2	0
Meliphagidae	<i>Philemon buceroides</i>	helmeted friarbird	-	LC	0	0	0	0	1	0	1	0
Meliphagidae	<i>Philemon citreogularis</i>	little friarbird	-	LC	2	0	1	0	0	0	0	0
Meliphagidae	<i>Philemon corniculatus</i>	noisy friarbird	-	LC	4	2	0	0	0	0	1	0

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Meliphagidae	<i>Plectorhyncha lanceolata</i>	striped honeyeater	-	LC	1	0	0	3	0	0	0	0
Meliphagidae	<i>Ptilotula penicillatus</i>	white-plumed honeyeater	-	LC	0	1	0	0	0	0	0	0
Meliphagidae	<i>Ramsayornis fasciatus</i>	bar-breasted honeyeater	-	LC	0	0	0	0	0	0	1	0
Meliphagidae	<i>Stomiopera flavus</i>	yellow honeyeater	-	LC	2	2	0	0	2	0	1	4
Meliphagidae	<i>Acanthagenys rufogularis</i>	spiny-cheeked honeyeater	-	LC	1	0	0	1	0	0	0	1
Meropidae	<i>Merops ornatus</i>	rainbow bee-eater	Marine; Migratory (JAMBA)	SLC	6	8	0	0	0	0	1	4
Monarchidae	<i>Grallina cyanoleuca</i>	magpie lark	-	LC	16	3	11	4	0	0	1	6
Monarchidae	<i>Myiagra inquieta</i>	restless flycatcher	-	LC	0	0	0	0	0	0	0	4
Monarchidae	<i>Myiagra rubecula</i>	leaden flycatcher	-	LC	1	2	0	0	2	0	1	0
Monarchidae	<i>Myiagra ruficollis</i>	broad-billed flycatcher	-	LC	0	1	0	0	0	0	0	0
Motacillidae	<i>Anthus novaeseelandiae</i>	Australasian pipit	Marine	LC	1	0	1	0	0	0	0	5
Nectariniidae	<i>Nectarinia jugularis</i>	olive-backed sunbird	-	LC	0	1	0	0	0	0	3	0
Neosittidae	<i>Daphoenositta chrysoptera leucocephala</i>	white-headed sittella	-	LC	0	1	1	0	0	0	0	0
Neosittidae	<i>Daphoenositta chrysoptera</i>	varied sittella	-	LC	0	1	0	0	0	0	0	0
Otididae	<i>Ardeotis australis</i>	Australian bustard	-	LC	9	0	0	0	0	0	0	5
Pachycephalidae	<i>Pachycephala pectoralis</i>	golden whistler	-	LC	1	0	2	0	1	0	0	0
Pachycephalidae	<i>Pachycephala rufiventris</i>	rufous whistler	-	LC	7	8	0	5	0	0	1	0
Pardalotidae	<i>Pardalotus punctatus</i>	spotted pardalote	-	LC	2	0	0	2	0	0	0	1

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Pardalotidae	<i>Pardalotus rubricatus</i>	red-browed pardalote	-	LC	2	8	0	2	0	0	0	3
Pardalotidae	<i>Pardalotus striatus</i>	striated pardalote	-	LC	9	18	1	2	0	0	0	0
Pelecanidae	<i>Pelecanus conspicillatus</i>	Australian pelican	Marine	LC	4	0	8	0	0	0	9	14
Petroicidae	<i>Microeca fascians</i>	jacky winter	-	LC	0	0	24	0	0	0	0	3
Petroicidae	<i>Microeca flavigaster</i>	lemon bellied flycatcher	-	LC	1	0	0	0	0	0	0	0
Phalacrocoracidae	<i>Microcarbo melanoleucos</i>	little pied cormorant	-	LC	3	0	6	0	1	0	0	1
Phalacrocoracidae	<i>Phalacrocorax carbo</i>	great cormorant	-	LC	0	0	0	1	0	0	0	0
Phalacrocoracidae	<i>Phalacrocorax sulcirostris</i>	little black cormorant	-	LC	1	0	65	0	1	0	0	0
Phalacrocoracidae	<i>Phalacrocorax varius</i>	pied cormorant	-	LC	0	0	12	0	0	0	0	0
Phasianidae	<i>Coturnix ypsilophora</i>	brown quail	-	LC	1	1	0	0	0	0	0	0
Podargidae	<i>Podargus strigoides</i>	tawny frogmouth	-	LC	3	0	0	0	0	0	0	0
Podicipedidae	<i>Tachybaptus novaehollandiae</i>	Australasian grebe	-	LC	1	0	42	0	5	0	1	0
Podicipedidae	<i>Podiceps cristatus</i>	great crested grebe	-	LC	0	0	0	0	0	0	3	0
Pomatostomidae	<i>Pomatostomus temporalis</i>	grey-crowned babbler	-	LC	12	7	4	17	0	0	0	2
Psittacidae	<i>Aprosmictus erythropterus</i>	red-winged parrot	-	LC	46	7	0	3	0	0	5	2
Psittacidae	<i>Calyptorhynchus funereus</i>	yellow-tailed black-cockatoo	-	LC	1	0	6	0	0	0	0	0
Psittacidae	<i>Melopsittacus undulatus</i>	budgerigar	-	LC	336	20	15	12	12	10	0	90
Psittacidae	<i>Platycercus adscitus</i>	pale-headed rosella	-	LC	52	4	16	4	11	0	0	2

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Psittacidae	<i>Trichoglossus haematodus</i>	rainbow lorikeet	-	LC	3	1	0	0	1	0	0	0
Ptilonorhynchidae	<i>Ptilonorhynchus maculatus</i>	spotted bowerbird	-	LC	0	0	0	2	0	0	0	0
Ptilonorhynchidae	<i>Ptilonorhynchus nuchalis</i>	great bowerbird	-	LC	5	2	1	0	1	0	0	0
Rallidae	<i>Fulica atra</i>	Eurasian coot	-	LC	0	0	31	0	0	0	3	0
Rallidae	<i>Gallinula tenebrosa</i>	dusty moorhen	-	LC	0	0	2	0	0	0	1	0
Rallidae	<i>Gallinula ventralis</i>	black-tailed native hen	-	LC	0	0	0	0	0	0	9	0
Rallidae	<i>Porphyrio porphyrio</i>	purple swamphen	-	LC	0	0	2	0	0	0	2	0
Recurvirostridae	<i>Himantopus himantopus</i>	black-winged stilt	Marine	LC	0	0	7	0	0	0	5	1
Rhipiduridae	<i>Rhipidura albiscapa</i>	grey fantail	-	LC	12	15	6	5	0	0	0	1
Rhipiduridae	<i>Rhipidura leucophrys</i>	willie wagtail	-	LC	14	15	3	8	0	2	1	11
Rhipiduridae	<i>Rhipidura rufifrons</i>	rufous fantail	Marine; Migratory (Bonn)	SLC	0	0	0	1	0	0	0	0
Sternidae	<i>Chlidonias hybridus</i>	whiskered tern	Marine	LC	0	0	0	0	0	0	1	0
Strigidae	<i>Ninox connivens</i>	barking owl	-	LC	0	1	0	0	0	0	2	0
Strigidae	<i>Ninox novaeseelandiae</i>	southern boobook	Marine	LC	1	0	0	1	0	0	0	1
Threskiornithidae	<i>Platalea regia</i>	royal spoonbill	-	LC	0	0	37	0	0	0	31	0
Threskiornithidae	<i>Plegadis falcinellus</i>	glossy ibis	Marine, Migratory (Bonn, CAMBA)	SLC	1	0	4	0	0	0	12	0
Threskiornithidae	<i>Threskiornis molucca</i>	Australian white ibis	Marine	LC	1	0	8	0	0	0	0	0

Family	Scientific Name	Common Name	EPBC Act Status*	NC Act Status^	Eucalypt woodland	Fringing riparian vegetation	Natural and artificial waterbodies	Acacia dominated woodland/shrubland	Semi-evergreen vine thicket	Grassland	Coastal wetland	Non-remnant cleared land
Threskiornithidae	<i>Threskiornis spinicollis</i>	straw-necked ibis	Marine	LC	15	1	4	0	2	0	0	22
Threskiornithidae	<i>Platalea flavipes</i>	yellow-billed spoonbill	-	LC	0	0	4	0	0	0	0	0
Turnicidae	<i>Turnix variegatus</i>	painted button-quail	-	LC	0	0	0	1	0	0	0	1
Tytonidae	<i>Tyto javanica</i>	Pacific barn owl	-	LC	2	0	0	1	0	0	0	1
Total bird species count					114	65	75	69	44	8	59	89
EPBC Act Status* – V: vulnerable; E: endangered; CE: critically endangered; I: introduced NC Act Status^ – LC: least concern; SLC: special least concern; NT: near threatened; V: vulnerable; E: endangered; I: introduced												

Threatened species locations (wet season field survey May/June 2013)

Species	Easting	Northing	Number/notes
Black-necked stork	615692	7793913	1
Squatter pigeon (southern)	574528	7663249	2
Squatter pigeon (southern)	577762	7649638	2
Squatter pigeon (southern)	512148	7612309	2
Squatter pigeon (southern)	546311	7605904	2
Freckled duck	518167	7614431	45
Freckled duck	583956	7684059	15
Cotton pygmy-goose	518167	7614431	6
Little pied bat	573248	7661498	Positive call identification
Little pied bat	580929	7648967	Positive call identification
Little pied bat	518198	7614435	Positive call identification
Little pied bat	518111	7614398	Positive call identification
Little pied bat	573535	7656644	Positive call identification
Little pied bat	578912	7667564	Species possibly present, but not reliably identified
Little pied bat	577495	7744278	Species possibly present, but not reliably identified
Little pied bat	576306	7745239	Species possibly present, but not reliably identified
<i>Eucalyptus raveretiana</i>	577970	7735649	-
<i>Eucalyptus raveretiana</i>	574878	7732187	-
<i>Eucalyptus raveretiana</i>	569360	7731751	-



Microbat Call Identification Report

Prepared for ("Client"):	GHD
Survey location/project name:	Abbot Pt – Gregory Dev Rd
Survey dates:	7-16 May 2013
Client project reference:	412645704
Job no.:	GHD-1306
Report date:	26 June 2013

DISCLAIMER:

© Copyright – Balance! Environmental, ABN 75 795 804 356. This document and its content are copyright and may not be copied, reproduced or distributed (in whole or part) without the prior written permission of Balance! Environmental other than by the Client for the purposes authorised by Balance! Environmental ("Intended Purpose"). To the extent that the Intended Purpose requires the disclosure of this document and/or its content to a third party, the Client must procure such agreements, acknowledgements and undertakings as may be necessary to ensure that the third party does not copy, reproduce, or distribute this document and its content other than for the Intended Purpose. This disclaimer does not limit any rights Balance! Environmental may have under the Copyright Act 1968 (Cth).

The Client acknowledges that the Final Report is intended for the sole use of the Client, and only to be used for the Intended Purpose. Any representation or recommendation contained in the Final Report is made only to the Client. Balance! Environmental will not be liable for any loss or damage whatsoever arising from the use and/or reliance on the Final Report by any third party.

Methods

Data receipt and processing

Bat calls were recorded using two Anabat detectors (Titley Scientific, Brisbane). The two Anabat data files were downloaded from the detectors by the client and submitted to *Balance! Environmental* for further processing and analysis.

The data files were processed with *CFCread* (Version 4.4n; Corben 2012) to produce more than 7000 Anabat sequence files (zero-crossing format).

Due to this large volume of files, the data was reprocessed with *Kaleidoscope* (Version 1.1.2; Wildlife Acoustics, Concord MA, USA) to filter out those files that contained only background noise (e.g. 'false triggers' from insect calls, wind, rain, etc.) or short-duration, weak/fragmented calls that would be of little use for species identification.

Zero-crossing analysis

All ZC files that passed the *Kaleidoscope* filter were viewed using *AnalookW* (Corben 2013) and a subset of files containing representative samples of all observed call types were selected for further identification.

Species identification was achieved manually by comparing the sonograms of the selected calls with those of reference calls from eastern Queensland and with reference to published call descriptions (e.g. Reinhold *et al.* 2001; Pennay *et al.* 2004).

Calls with fewer than four clearly-defined, non-fragmented pulses were excluded from the identification process.

Species' identification was also guided by considering probability of occurrence based on general distribution information (Churchill 2008; van Dyck & Strahan 2008) and/or database records obtained from the Queensland Museum, the Atlas of Living Australia (<http://www.ala.org.au>) and Wildlife Online (<http://www.ehp.qld.gov.au/wildlife/wildlife-online/index.html>).

Reporting standard

The format and content of this report follows Australasian Bat Society standards for the interpretation and reporting of bat call data (Reardon 2003), available on-line at <http://www.ausbats.org.au/>.

Species nomenclature follows Churchill (2008).

Results & Discussion

Data quantity and quality

The *Kaleidoscope* filtering process reduced the potentially identifiable data set to some 5444 ZC files, representing six detection nights from each detector (see Table 1). A high proportion of these files contained calls from just a few species, so only about 452 files were selected for identification.

Species identified

At least twelve and up to 19 microbat species were recorded during the Abbot Point to Gregory Development Rd surveys (Table 1).

Most calls were reliably attributed to known species, although several species that are likely to occur in the area have similar call characteristics and are difficult to differentiate.

Three call types each potentially represented at least two different but closely related species that cannot be reliably differentiated if they occur in the same site. These included:

- *Nyctophilus bifax* / *N. geoffroyi* / *N. gouldi*;
- *Scotorepens greyii* / *S. sanborni*; and
- *Vespadelus pumilus* / *V. troughtoni*.

Where these groups are shown as present in Table 1, it must be assumed that any or all of the relevant group members may have been present; however, *N. bifax* and *V. pumilus* probably only occur in more mesic habitats at the eastern end of the survey area (*N. bifax* near the coast and *V. pumilus* in the ranges).

In addition to the above groups, a number of other species are sometimes difficult to identify, including some with similar calls to those produced by the above species. Consequently, some calls could only be attributed to one of several other species groups depending on pulse shape, band-width and characteristic frequency (Fc). These groups included:

- *Chalinolobus gouldii*, *Scotorepens balstoni* and *Mormopterus ridei*;
- *Chalinolobus morio* and *V. pumilus* / *V. troughtoni*;
- *Chalinolobus nigrogriseus* and *S. greyii* / *S. sanborni*;
- *Chalinolobus picatus*, *S. greyii* / *S. sanborni* and *Vespadelus baverstocki*;
- *S. greyii* / *S. sanborni* and *Scoteanax rueppellii*;
- *Miniopterus orianae oceanensis* and *Vespadelus baverstocki*;
- *Chaerephon jobensis* and *Saccolaimus flaviventris*; and
- *Saccolaimus flaviventris* and *Mormopterus beccarii*.

In some cases, one or more species within a group were positively identified; however, where no calls from any group members were positively identified, all species are shown as possible in the results.

References

- Churchill, S. (2008). *Australian Bats*. Jacana Books, Allen & Unwin; Sydney.
- Corben, C. (2012). *CFCread Storage ZCAIM interface*. Version 4.4n, 04 November 2012.
- Corben, C. (2013). *AnalookW for bat call analysis using ZCA*. Version 3.9f, 22 March 2013.
- Pennay, M., Law, B. and Reinhold, L. (2004). *Bat Calls of New South Wales*. Department of Environment and Conservation, Hurstville.
- Reardon, T. (2003). Standards in bat detector based surveys. *Australasian Bat Society Newsletter* **20**, 41-43.
- Reinhold, L., Law, B., Ford, G. and Pennay, M. (2001). *Key to the bat calls of south-east Queensland and north-east New South Wales*. Department of Natural Resources and Mines, Brisbane.
- van Dyck, S. and Strahan, R. (ed.) (2008). *The Mammals of Australia* (Third Edition). New Holland; Sydney.

Table 1. Microbat species recorded during the Abbot Pt – Gregory Development Rd surveys, 7-16 May 2013.


♦ = species positively identified from call data; □ = species possibly present, but not reliably identified

Detector:	SN05917						SN80224					
Date:	7-May	8-May	9-May	11-May	14-May	16-May	7-May	8-May	9-May	10-May	11-May	14-May
Total sequence files:	745	232	319	36	47	120	2272*	51	109	177	55	1278*
No. calls identified:	51	73	118	12	24	19	31	19	44	29	5	27
SPECIES												
<i>Chalinolobus gouldii</i>	♦	♦	♦	♦			♦	♦	♦	♦		
<i>Chalinolobus morio</i>	□		□	♦		♦		□	♦	♦		
<i>Chalinolobus nigrogriseus</i>			□	□		□		□	□			
<i>Chalinolobus picatus</i>	♦	♦	♦		□		□		♦		♦	□
<i>Nyctophilus species</i>						♦	♦			♦		
<i>Scoteanax rueppellii</i>	□	□										
<i>Scotorepens balstoni</i>	♦			♦			♦	□	□	♦		
<i>Scotorepens greyii</i> / <i>S. sanborni</i>	♦	♦	♦		□		♦	♦	♦			♦
<i>Vespadelus baverstocki</i>	□	♦	□	♦	♦				□	♦	♦	♦
<i>Vespadelus pumilus</i> / <i>V. troungtoni</i>	♦		□			♦		♦	□		♦	
<i>Miniopterus orianae oceanensis</i>	□	□	□		□				□	□		□
<i>Chaerephon jobensis</i>	□	□	♦			□	♦	□	♦	□		□
<i>Mormopterus beccarii</i>	□	♦	□	♦	♦	□	□	♦	♦	♦		♦
<i>Mormopterus ridei</i>	♦	♦	♦	□			□	□	□	□	♦	
<i>Saccolaimus flaviventris</i>	□	□	♦	♦		□	♦	♦	♦	♦		♦


* Most of these files contained only insect calls (i.e. 'false trigger events').

Appendix

Representative call sequences from the GHD surveys, 7-16 May 2013.
(10msec per tick; time between pulses removed)



Appendix (cont) Representative call sequences from the GHD surveys, 7-16 May 2013.
(10msec per tick; time between pulses removed)



Appendix D – Aquatic, semi-aquatic and aquatic dependant flora species of the Burdekin River Basin

Scientific name	Common name	Status	Priority' status	Source
<i>Acacia salicina</i>	Doolan	LC ¹	None	ACA, WO, HERBRECS
<i>Acacia stenophylla</i>	Belalie	LC ¹	None	ACA, WO, HERBRECS
<i>Aeschynomene villosa</i>		I	None	ACA
<i>Ammannia multiflora</i>	Jerry-jerry	LC ¹	None	ACA, WO, HERBRECS
<i>Aponogeton queenslandicus</i>		R ¹	BOT	ACA, WO, HERBRECS
<i>Byblis liniflora</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Cabomba caroliniana</i> var. <i>caroliniana</i>		I	None	ACA
<i>Caldesia oligococca</i>		LC ¹	None	ACA
<i>Caldesia parnassifolia</i>		LC ¹	None	ACA
<i>Cardiospermum halicacabum</i> var. <i>halicacabum</i>		I	None	WO, HERBRECS
<i>Cartonema brachyantherum</i>		R ¹	None	ACA
<i>Casuarina cunninghamiana</i>		LC ¹	None	ACA
<i>Casuarina cunninghamiana</i> subsp. <i>cunninghamiana</i>		LC ¹	None	ACA
<i>Centipeda borealis</i>		LC ¹	None	ACA
<i>Centipeda minima</i>		LC ¹	None	ACA, HERBRECS
<i>Centrosema molle</i>		I	None	ACA
<i>Ceratopteris thalictroides</i>		LC ¹	ACA	ACA
<i>Chromolaena odorata</i>	Siam weed	I	None	ACA
<i>Corymbia tessellaris</i>	Moreton Bay ash	LC ¹	None	WO
<i>Cryptostegia grandiflora</i>	Rubber vine	I	None	ACA, WO, HERBRECS
<i>Cyanotis axillaris</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Cyperus bifax</i>	Western nutgrass	LC ¹	None	WO, HERBRECS
<i>Cyperus difformis</i>	Rice sedge	LC ¹	None	WO, HERBRECS

Scientific name	Common name	Status	Priority' status	Source
<i>Cyperus gilesii</i>		LC ¹	None	WO, HERBRECS
<i>Cyperus victoriensis</i>		LC ¹	None	WO, HERBRECS
<i>Echinochloa polystachya</i> cv. <i>Amity</i>	Aleman grass	I	None	ACA, WO, HERBRECS
<i>Eclipta prostrata</i>	White eclipta	LC ¹	None	ACA, WO, HERBRECS
<i>Eichhornia crassipes</i>	Water hyacinth	I	None	ACA
<i>Eleocharis acuta</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Eleocharis atropurpurea</i>		LC ¹	None	ACA
<i>Eleocharis cylindrostachys</i>		LC ¹	None	ACA
<i>Eleocharis dulcis</i>		LC ¹	ACA	ACA
<i>Eleocharis equisetina</i>		LC ¹	None	ACA
<i>Eleocharis geniculata</i>		LC ¹	None	ACA
<i>Eleocharis nuda</i>		LC ¹	None	ACA
<i>Eleocharis pallens</i>	Pale spikerush	LC ¹	None	ACA, WO, HERBRECS
<i>Eleocharis philippinensis</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Eleocharis plana</i>	Ribbed spikerush	LC ¹	None	ACA, WO, HERBRECS
<i>Eleocharis setifolia</i> subsp. <i>setifolia</i>		LC ¹	None	ACA
<i>Eleocharis spachelata</i>	Tall spikerush	LC ¹	ACA	ACA
<i>Eleocharis spiralis</i>		LC ¹	None	ACA
<i>Eleocharis tetraquetra</i>		LC ¹	None	ACA
<i>Eriocaulon athertonense</i>		LC ¹	None	ACA
<i>Eriocaulon carsonii</i> subsp. <i>orientale</i>		E ¹	None	ACA
<i>Eriocaulon cinereum</i>		LC ¹	None	ACA
<i>Eriocaulon nanum</i>		LC ¹	None	ACA, WO, HERBRECS

Scientific name	Common name	Status	Priority' status	Source
<i>Eriocaulon odontospermum</i>		LC ¹	None	ACA
<i>Eriocaulon pygmaeum</i>		LC ¹	None	ACA
<i>Eriocaulon scariosum</i>		LC ¹	None	ACA
<i>Eriocaulon setaceum</i>		LC ¹	None	ACA
<i>Eucalyptus camaldulensis</i>		LC ¹	None	ACA
<i>Eucalyptus camaldulensis</i> subsp. <i>simulata</i>		LC ¹	None	ACA
<i>Eucalyptus camaldulensis</i> var. <i>obtusa</i>		LC ¹	None	ACA
<i>Eucalyptus camaldulensis</i> x <i>E. platyphylla</i>		LC ¹	None	ACA
<i>Eucalyptus coolabah</i>	Coolabah	LC ¹	ACA	ACA, WO, HERBRECS
<i>Eucalyptus platyphylla</i>	Poplar gum	LC ¹	None	ACA, HERBRECS
<i>Eucalyptus raveretiana</i>	Black ironbox	V ^{1,2}	BOT	ACA, WO, HERBRECS
<i>Eucalyptus tereticornis</i>		LC ¹	ACA	ACA, HERBRECS
<i>Exocarya scleroides</i>		LC ¹	None	ACA, HERBRECS
<i>Ficus racemosa</i>		LC ¹	None	ACA
<i>Ficus racemosa</i> var. <i>racemosa</i>		LC ¹	None	ACA
<i>Fimbristylis aestivalis</i> var. <i>aestivalis</i>		LC ¹	None	ACA
<i>Fimbristylis bisumbellata</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Fimbristylis depauperata</i>		LC ¹	None	WO, HERBRECS
<i>Gonocarpus chinensis</i>		LC ¹	None	ACA
<i>Haloragis heterophylla</i>	Rough raspweed	LC ¹	None	ACA, WO, HERBRECS
<i>Hibiscus tiliaceus</i>	Cotton tree	LC ¹	None	ACA
<i>Hydrilla verticillata</i>	Hydrilla	LC ¹	ACA	ACA, HERBRECS
<i>Hydrocharis dubia</i>	Frogbit	V ¹	BOT	ACA

Scientific name	Common name	Status	Priority' status	Source
<i>Hydrocotyle dippleura</i>		LC ¹	BOT	ACA
<i>Hydrocotyle grammatocarpa</i>		LC ¹	None	ACA
<i>Hydrocotyle tripartita</i>		LC ¹	None	ACA
<i>Hydrocotyle verticillata</i>	Shield pennywort	LC ¹	None	ACA
<i>Hydrolea zeylanica</i>		LC ¹	None	ACA
<i>Hygrophila angustifolia</i>		LC ¹	None	ACA
<i>Hymenachne acutigluma</i>		LC ¹	ACA	ACA
<i>Hymenachne amplexicaulis</i> cv. Olive		I	None	ACA, WO, HERBRECS
<i>Ipomoea aquatica</i>		LC ¹	None	ACA
<i>Juncus continuus</i>		LC ¹	None	ACA
<i>Juncus polyanthemus</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Juncus usitatus</i>		LC ¹	None	ACA
<i>Leersia hexandra</i>	Swamp rice grass	LC ¹	ACA	ACA
<i>Lemna aequinoctialis</i>	Common duckweed	LC ¹	None	ACA
<i>Lemna trisulca</i>		LC ¹	None	ACA
<i>Leptospermum brachyandrum</i>	Weeping tea-tree	LC ¹	None	ACA
<i>Leucaena leucocephala</i> subsp. <i>glabrata</i>	Leucaena	I	None	ACA, WO, HERBRECS
<i>Leucaena leucocephala</i> subsp. <i>leucocephala</i>	Leucaena	I	None	ACA, WO, HERBRECS
<i>Livistona decora</i>		LC ¹	None	ACA
<i>Lomandra hystrix</i>		LC ¹	ACA	ACA
<i>Lophostemon grandiflorus</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Lophostemon grandiflorus</i> subsp. <i>riparius</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Lophostemon suaveolens</i>	Swamp box	LC ¹	None	ACA

Scientific name	Common name	Status	Priority' status	Source
<i>Macfadyena unguis-cati</i>	Cat's claw creeper	I	None	ACA
<i>Marsilea costulifera</i>	Narrow-leaved nardoo	LC ¹	None	ACA
<i>Marsilea crenata</i>		LC ¹	None	ACA
<i>Marsilea drummondii</i>	Common nardoo	LC ¹	ACA	ACA, WO, HERBRECS
<i>Marsilea exarata</i>	Sway-back nardoo	LC ¹	None	ACA, WO, HERBRECS
<i>Marsilea hirsuta</i>	Hairy nardoo	LC ¹	None	ACA, WO, HERBRECS
<i>Marsilea mutica</i>	Shiny nardoo	LC ¹	None	ACA
<i>Megathyrsus maximus</i> var. <i>coloratus</i>		I	None	
<i>Megathyrsus maximus</i> var. <i>maximus</i>	Guinea grass	I	None	ACA, WO, HERBRECS
<i>Megathyrsus maximus</i> var. <i>maximus</i> cv. <i>hamil</i>		I	None	
<i>Melaleuca bracteata</i>	Black tea-tree	LC ¹	None	ACA, WO, HERBRECS
<i>Melaleuca dealbata</i>	Swamp tea-tree	LC ¹	ACA	ACA
<i>Melaleuca fluviatilis</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Melaleuca leucadendra</i>	Broad-leaved teatree	LC ¹	ACA	ACA, HERBRECS
<i>Melaleuca linariifolia</i>	Snow-in summer	LC ¹	None	ACA
<i>Melaleuca trichostachya</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Melaleuca viminalis</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Millettia pinnata</i>		LC ¹	None	ACA
<i>Muehlenbeckia florulenta</i>	Lignum	LC ¹	None	
<i>Murdannia gigantea</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Murdannia graminea</i>	Murdannia	LC ¹	None	ACA, WO, HERBRECS
<i>Myriophyllum aquaticum</i>	Brazilian water milfoil	I	None	ACA
<i>Myriophyllum artesium</i>		E ¹	BOT	ACA

Scientific name	Common name	Status	Priority' status	Source
<i>Myriophyllum dicoccum</i>		LC ¹	None	ACA
<i>Myriophyllum filiforme</i>		LC ¹	None	ACA
<i>Myriophyllum implicatum</i>		R ¹	None	ACA
<i>Myriophyllum muricatum</i>		LC ¹	None	ACA
<i>Myriophyllum simulans</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Myriophyllum striatum</i>		LC ¹	None	ACA
<i>Myriophyllum verrucosum</i>	Water milfoil	LC ¹	None	ACA
<i>Nymphaea gigantea</i>		LC ¹	ACA	ACA, WO, HERBRECS
<i>Nymphaea immutabilis</i>		LC ¹	ACA	ACA
<i>Nymphoides aurantiaca</i>		LC ¹	None	ACA
<i>Nymphoides crenata</i>	Wavy marshwort	LC ¹	None	ACA, WO, HERBRECS
<i>Nymphoides exiliflora</i>		LC ¹	None	ACA
<i>Nymphoides geminata</i>		LC ¹	None	ACA
<i>Nymphoides indica</i>	Water snowflake	LC ¹	None	ACA
<i>Nymphoides parvifolia</i>		LC ¹	None	ACA
<i>Nymphoides quadriloba</i>		LC ¹	None	ACA
<i>Oryza australiensis</i>		LC ¹	ACA	ACA, WO, HERBRECS
<i>Oryza meridionalis</i>		LC ¹	ACA	ACA
<i>Oryza rufipogon</i>		LC ¹	ACA	ACA
<i>Ottelia alismoides</i>		LC ¹	ACA	ACA
<i>Ottelia ovalifolia</i>	Swamp lily	LC ¹	ACA	ACA, WO
<i>Parkinsonia aculeata</i>	Jerusalem thorn	I	None	ACA, WO, HERBRECS
<i>Paspalidium udum</i>		V ¹	None	ACA

Scientific name	Common name	Status	Priority' status	Source
<i>Pistia stratiotes</i>	Water lettuce	I	None	ACA
<i>Prosopis pallida</i>		I	None	WO, HERBRECS
<i>Pseudoraphis spinescens</i>	Spiny mudgrass	LC ¹	ACA	ACA, WO, HERBRECS
<i>Rhamphicarpa australiensis</i>		R ¹	None	ACA
<i>Rotala diandra</i>		LC ¹	None	ACA
<i>Rotala mexicana</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Rotala occuliflora</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Rotala tripartita</i>		LC ¹	None	ACA
<i>Salvinia molesta</i>	Salvinia	I	None	ACA
<i>Schoenoplectus lateriflorus</i>		LC ¹	None	WO, HERBRECS
<i>Schoenus apogon</i> var. <i>apogon</i>		LC ¹	None	ACA
<i>Sphagneticola trilobata</i>		I	None	ACA
<i>Sphenoclea zeylanica</i>		LC ¹	ACA	ACA, HERBRECS
<i>Spirodela punctata</i>	Thin duckweed	LC ¹	None	ACA
<i>Sporobolus pamela</i>		E ¹	None	ACA
<i>Syzygium angophoroides</i>		LC ¹	None	ACA
<i>Syzygium australe</i>	Scrub cherry	LC ¹	None	ACA, WO, HERBRECS
<i>Syzygium oleosum</i>	Blue cherry	LC ¹	None	ACA, WO, HERBRECS
<i>Syzygium tierneyanum</i>	River cherry	LC ¹	None	ACA
<i>Terminalia sericocarpa</i>	Damson	LC ¹	None	ACA
<i>Thunbergia grandiflora</i>	Sky flower	I	None	ACA
<i>Triglochin dubium</i>		LC ¹	None	ACA
<i>Triglochin multifructum</i>		LC ¹	None	ACA

Scientific name	Common name	Status	Priority' status	Source
<i>Triglochin procerum</i>		LC ¹	None	ACA
<i>Tristaniopsis exiliflora</i>	Kanuka box	LC ¹	None	ACA
<i>Typha domingensis</i>		LC ¹	None	ACA, HERBRECS
<i>Urochloa mutica</i>	Para grass	I	None	ACA, WO, HERBRECS
<i>Utricularia aurea</i>	Golden bladderwort	LC ¹	None	ACA
<i>Utricularia australis</i>	Yellow bladderwort	LC ¹	None	ACA
<i>Utricularia bifida</i>		LC ¹	None	ACA
<i>Utricularia caerulea</i>	Blue bladderwort	LC ¹	None	ACA, WO, HERBRECS
<i>Utricularia dichotoma</i>	Fairy aprons	LC ¹	None	ACA
<i>Utricularia gibba</i>	Floating bladderwort	LC ¹	None	ACA
<i>Utricularia lateriflora</i>	Small bladderwort	LC ¹	None	ACA
<i>Utricularia limosa</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Utricularia minutissima</i>		LC ¹	None	ACA, WO, HERBRECS
<i>Utricularia stellaris</i>		LC ¹	None	ACA
<i>Utricularia uliginosa</i>	Asian bladderwort	LC ¹	None	ACA
<i>Vallisneria annua</i>		LC ¹	None	ACA
<i>Vallisneria nana</i>		LC ¹	ACA	ACA
<i>Ziziphus mauritiana</i>	Indian jujube	I	None	ACA, WO, HERBRECS

¹ Queensland NC Act status (Endangered (E), Vulnerable (V), Rare (R), Least Concern (LC))

² EPBC Act status (Endangered (E), Vulnerable (V))

ACA 'Priority flora' listed in An Aquatic Conservation Assessment (ACA) for the riverine wetlands of the Great Barrier Reef catchment (Inglis and Howell 2009a) and An Aquatic Conservation Assessment for the non-riverine wetlands of the Great Barrier Reef catchment (Inglis and Howell 2009b)

BOT 'Priority flora' listed in Back on Track Actions for Biodiversity

Species introduced to Queensland are denoted by I.

Information source is denoted by ACA (Aquatic Conservation Assessments), HERBRECS and WO.

Appendix E – Fish community of the Burdekin River Basin

Species	Habitat preferences	Movement behaviour	Environmental tolerance
Catadromous			
marbled eel (<i>Anguilla reinhardtii</i>)	Occurs predominantly within fast flows in riffles and runs. Can occupy lakes, swamps, floodplains and impoundments. Adults occur c. 100 km upstream of the river mouth, with juveniles found towards the river mouth. Utilises oceanic waters are required for breeding.	Adults are catadromous and migrate to sea during late summer – autumn for spawning. Movement between freshwater and saltwater habitats an obligatory component of species' life history. Juveniles (elvers) – migrate back to coastal rivers during spring – summer.	Tolerant to a wide range of environmental conditions. Possess significant hypo-osmoregulatory ability. Tolerance to hypoxic conditions. Seasonal cues in rising flows and increasing water temperature possible cues for movement.
Pacific short-finned eel (<i>Anguilla obscura</i>)	Brackish coastal lagoons and lower reaches of river systems. Juveniles occur in estuarine and brackish environments. Requires access to the ocean for breeding.	Juveniles (elvers) migrate from the sea to coastal rivers during spring – summer. Adults migrate to sea for spawning during late summer – autumn. Also move within rivers. Passage between freshwater and saltwater habitats a necessary component of life history.	Increased flow and water temperature suspected as cues for movement. Possess significant hypo-osmoregulatory ability. Moderate tolerance to hypoxic conditions. Most common in slightly acidic environments with low salinities.
snub-nosed garfish (<i>Arrhamphys sclerolepis</i>)	Lower reaches of freshwater systems, shallow coastal and estuarine waters and freshwater impoundments. Found close to the surface in open stretches of river or large waterholes.	Under natural conditions, thought to spawn in estuaries. Capable of completing entire life-cycle in freshwater impoundments.	Information on this species' environmental tolerance is lacking. Decreasing turbidity and increasing salinity suspected to be a cue for movement.
flathead goby (<i>Glossogobius giuris</i>)	Occurs in freshwater streams with sand, gravel and rock substrates and macrophytes.	Under natural conditions, thought to spawn in marine waters. Thought to be capable of completing entire life-cycle if cut off from marine waters. Following the larval stage, rapid migration of juveniles back into the freshwater systems.	Tolerant to high salinities. Requires well-oxygenated water and can only tolerate a fairly narrow range of temperatures and pH.

Species	Habitat preferences	Movement behaviour	Environmental tolerance
jungle perch (<i>Kuhlia rupestris</i>)	Occurs in fast-flowing, rainforest streams and rivers with intact riparian canopies. Occasionally found in floodplain lagoons. Requires access to estuaries or nearshore marine habitats for reproduction.	Active species that migrates into estuaries and near-shore marine environments to spawn.	Intolerant to cool water and oxygen deficient environments. Prefers clear water for feeding. Can cope with short periods of increased suspended sediment.
barramundi [#] (<i>Lates calcarifer</i>)	Occurs in a variety of freshwater, brackish and coastal habitats. Prefers areas with submerged snags, logs and rock ledges. Requires access to river mouths and estuaries for breeding. Floodplain habitats are highly important for larvae.	Adults migrate from the freshwater or brackish estuaries to the sea to spawn. Requires passage between freshwater and saltwater habitats to complete its life cycle Juveniles move upstream from estuarine nursery habitats.	Require elevated salinity and temperature for breeding. Can tolerate a range of turbidity and pH (4.0 to 7.2). Seasonal rising flows and increasing water temperature suspected as cues for movement.
oxeye herring (<i>Megalops cyprinoides</i>)	Occur in a variety of habitats including rivers, wetlands, lagoons and estuaries. Thought to prefer lentic waters with macrophyte cover.	Adults migrate to nearshore marine habitats to spawn.	Can tolerate anoxic water as this species is an obligate air breather. Can also tolerate a broad range in turbidity and pH, but intolerant to low water temperatures.
bullrout (<i>Notesthes robusta</i>)	Occurs in a wide range of habitats but prefers riffle/runs. Often associated with underwater snags, vegetation and logs. Estuarine habitats may be required for breeding. Associated with downstream habitats and restricted to elevations of <60 metres above sea level.	Largely sedentary but possibly catadromous as passage between freshwater and estuarine habitats thought to be necessary to complete life cycle. Peak upstream movement in this species in the nearby Fitzroy River recorded between July and November. Seasonal low flows and cooler temperatures are suspected as cues for movement.	Tolerance to a range of salinities and temperatures. Typically occurs in low turbidity environments.

Species	Habitat preferences	Movement behaviour	Environmental tolerance
Amphidromous			
roman nose goby (<i>Awaous acritosus</i>)	Benthic in clear, flowing, lowland streams with aquatic vegetation and intact riparian vegetation. Common in riffles and runs. Occurs over areas of sand and fine gravel.	Amphidromous species with some larval development occurring in marine waters. Adults migrate downstream for spawning.	Not well adapted to cool water temperatures – range of 18 °C to 33 °C. Restricted to well-oxygenated water.
sea mullet (<i>Mugil cephalus</i>)	Adults prefer low-flow, freshwater environments. Juveniles confined to shallow estuaries with sandy mud bottom.	Spawning occurs in the marine environment. Passage between freshwater and saltwater habitats required to complete life cycle. Sub-adults reported to move through the nearby Fitzroy barrage in November.	Can tolerate a wide range of salinities and temperatures.
flathead gudgeon (<i>Philypnodon grandiceps</i>)	Occurs in small coastal streams, rivers and floodplain habitats in riffles. Also occurs within saline lakes and coastal wetlands. Generally found in low elevations. Prefers coarse substrates with macrophytes, roots, undercuts and leaf litter.	Reported to migrate to higher salinities to prey upon freshwater ectoparasites. Movement occurs between August and April in response to higher flows. Passive larval drift occurs prior to settlement.	Tolerates low dissolved oxygen, mild acidity and higher salinity. Prefers lower turbidity, but can tolerate higher levels. Sensitive to habitat degradation.
speckled goby (<i>Redigobius bikolanus</i>)	Broad range of habitats including brackish and estuarine habitats, and freshwater rivers and streams. Thought to prefer open, sunny habitats with fine substrates.	Eggs and larvae develop in downstream reaches of rivers and adults migrate upstream. Can close entire life cycle within freshwater.	Prefers freshwater but recorded in brackish waters. Intolerant of low levels of dissolved oxygen.
Potamodromous			
Agassiz's glassfish (<i>Ambassis agassizii</i>)	Occurs in low flow, well-vegetated areas of rivers, creeks, swamps and ponds; Macrophytes and submerged marginal vegetation preferred for spawning.	Adult fish move upstream during late autumn and spring. Remains in freshwater for entire life cycle.	Likely to be able to tolerate a wide range of physicochemical conditions (temperature, DO, pH and salinity).

Species	Habitat preferences	Movement behaviour	Environmental tolerance
sailfin glassfish [#] (<i>Ambassis agrammus</i>)	Found in a range of freshwater environments, but common in lentic waters with abundant macrophyte cover.	A mass migrator. Passive downstream dispersal is undergone by juveniles, with subsequent upstream migrations by adults. Some evidence that adults also undergo wet season downstream migrations.	Well-adapted to high temperatures up to 40 °C. Intolerant of hypoxic conditions, but capable of adapting to changes in pH (ranging between 3.8 and 8.4). Noted as being sensitive to reductions in water quality.
blue catfish (<i>Arius graeffei</i>)	Common in freshwater and estuarine habitats, but suspected to utilise marine waters. Known to inhabit impoundments and-channel floodplains.	Males migrate to deeper water when incubating offspring. Upstream movement occurs year round.	Can tolerate a range in water clarity but prefer clear waters. Tolerant of temperatures between 11 °C to 38 °C. Moves onto the floodplain during times of inundation.
fly-specked hardyhead [#] (<i>Craterocephalus stercusmuscarum</i>)	Occurs in a variety of habitats including flood plains, billabongs, brackish estuaries and impoundments. Prefers slow-flowing areas dominated by aquatic vegetation and gravel substrates.	Migration upstream occurs mainly in November with smaller numbers migrating in July and December. Entire life-cycle occurs in freshwater.	Tolerant of a wide range of environmental conditions including temperatures in excess of 30 °C.
sooty grunter [#] (<i>Hephaestus fuliginosus</i>)	Occurs in large flowing waterways, particularly the upstream reaches of rivers. Prefers habitats with woody debris on a sandy or rocky substrate.	Potamodromous with varying patterns of migration across its distribution. Migration to riffle areas occurs during the breeding season.	Found over a wide range of water acidities. Preference for moderately to well-oxygenated water. Can tolerant some turbidity. Turbidity may reduce feeding efficiency (visual predator).
empire gudgeon (<i>Hypseleotris compressa</i>)	Occurs in lower reaches of rivers, occasionally estuarine waters. Prefers still or slow flowing waters with underwater structures. Juveniles school in estuarine reaches. Oviposition likely to occur on aquatic macrophytes, rocks and woody debris. Likely to be found in riverine habitats in the preliminary investigation corridor.	A predominantly freshwater species. Access to estuarine or marine environments is not an essential to complete life cycle. Upstream migrations for spawning and juvenile dispersal occur in late spring and early summer. Higher flows suspected as cues for movement.	Species collected over a relatively wide range of physicochemical conditions.

Species	Habitat preferences	Movement behaviour	Environmental tolerance
western carp gudgeon (<i>Hypseleotris klunzingeri</i>)	Native, but possible translocated to the Burdekin basin. Occurs in areas of low flow with aquatic vegetation in rivers and streams. Prefers still water bodies such as lakes and impoundments. Aquatic macrophytes, submerged marginal vegetation and woody debris may be important for oviposition.	Possibly potamodromous – move upstream during the wet season.	Tolerant of a wide range of physicochemical conditions.
Midgley's carp gudgeon (<i>Hypseleotris species 1</i>)	Common in wetlands and swamps. Found in a variety of habitats, including coastal streams, rivers, floodplains and impoundments. Benthic species that is often in direct contact with the substrate. Hard surfaces near the substrate are preferred for oviposition.	Large aggregations move upstream during the summer months.	Can tolerate poor water quality and degraded habitats. Present in inland desert drainages suggesting tolerance of high temperatures and turbid environments. Increased water temperature and day length are suspected as cues for movement.
spangled perch [#] (<i>Leiopotherapon unicolor</i>)	Occurs in most permanent and temporary freshwater habitats including billabongs, bores, impoundments, rivers and streams. Non-flowing, shallow habitats with soft substrate are preferred for spawning.	Moves upstream or downstream within the freshwater environment to spawn. Spawning migrations coincide with the wet season (October – April). This species may also undertake substantial movements away from dry season habitats as they recede. Adept at colonising newly inundated habitat.	Highly tolerance of environmental variability. Can tolerant saline conditions but rarely encountered in estuarine areas. Despite being a visual predator can survive in turbid inland drainages.
yellowbelly (<i>Macquaria ambigua oriens</i>)	<i>Macquaria ambigua oriens</i> has been translocated to the Burdekin River. Endemic to the Fitzroy River. Inhabits billabongs, lakes, rivers and creeks – prefers deep, shaded, slow-flowing water with woody debris.	Moves large distances (up to 1000 km) for upstream spawning.	Information lacking, but thought to tolerate a broad range of temperatures and oxygen levels, and is tolerant of saline (and hypersaline) conditions. Prefers turbid waters.

Species	Habitat preferences	Movement behaviour	Environmental tolerance
eastern rainbowfish [#] (<i>Melanotaenia splendida splendida</i>)	Occurs in a wide range of still and slow-flowing freshwater habitats, such as creeks, swamps, wetlands, rivers and impoundments. Aquatic vegetation and root masses preferred for oviposition.	Does not require access to estuarine or marine environment during life cycle. Upstream movement by low numbers of individuals has been recorded year round. Undertakes lateral migration onto inundated floodplains.	Tolerant of a large range of water quality conditions and habitat disturbances such as reductions in riparian canopy. Will not survive abrupt changes in salinity. Seasonal rising flows cues for movement.
bony bream (<i>Nematalosa erebi</i>)	Occurs in a wide range of habitats, including salt lakes, rivers, billabongs, impoundments and streams. Shallow, still habitats required for spawning.	Adults and juveniles move upstream for dispersal. Does not require access to estuarine or marine environment during life cycle.	Can tolerate of a range of environmental conditions including high turbidity. However, is highly sensitive to reductions in dissolved oxygen.
black catfish (<i>Neosilurus ater</i>)	A benthic species that prefers still/slow flowing waters in streams and rivers. Occupies wetlands, pools, and slow-flowing tributaries and side-channels of rivers. Spawning occurs in riffles.	Migrations upstream thought to coincide with spawning at the outset of the wet season (January to February). Downstream migration of adults and juveniles post-spawning poorly understood.	Prefers higher temperatures of between 21 °C and 34 °C. Tolerates a wide range in dissolved oxygen, pH and turbidity, but is sensitive to saline conditions.
Hyrtl's tandan (<i>Neosilurus hyrtlii</i>)	Occurs in most freshwater habitats above estuarine reaches Benthic species associated with the substrate. Tributary streams and gravel substrates may be important for spawning.	Potamodromous in some areas, although not thought to undertake significant dispersal.	Can tolerate elevated turbidity and low light conditions. Prefers warm waters and is able to withstand hypoxic conditions.
leathery grunter (<i>Scortum hillii</i>)	Possibly native to the Burdekin River. Occurs in flowing streams and pools. Also found in brackish estuaries.	Potamodromous with adults undertaking upstream migrations for spawning.	Tolerates a broad range of temperatures.
tilapia* (<i>Oreochromis mossambicus</i>)	Tidal and freshwater habitats including creeks, rivers, lakes, and swamps. Particular preference for standing water bodies.	Potamodromous – adults actively move to inundated floodplains during the wet season.	Highly tolerant of a range of salinities and oxygen levels – qualities that have led to its successful establishment in Australian waterways.

Species	Habitat preferences	Movement behaviour	Environmental tolerance
three spot gourami* (<i>Trichogaster trichopterus</i>)	Inhabits shallow sluggish or standing-water lowlands. Prefers habitat with aquatic vegetation.	Potamodromous with specific information lacking.	Very tolerant of wide ranges of environmental conditions including pH, temperature and dissolved oxygen levels. The species possesses a labyrinth apparatus, which allows it to breathe air in hypoxic conditions.
Sedentary			
barred grunter (<i>Amniataba percooides</i>)	Benthic species that occurs in slow and fast flowing freshwater habitats. Collected in areas with a dominant substrate of sand. Not as associated with bank-side structure as other terapontids.	Sedentary with some upstream movement recorded.	Tolerant of wide range of temperatures and pH. Can tolerate turbidity, but prefers clearer waters. Preference for fast-flowing riffle/run habitat suggests need for well oxygenated water.
Marjorie's hardyhead (<i>Craterocephalus marjoriae</i>)	Translocated to the Burdekin River, but unknown success of establishment. Occurs in shallow, running waters with finer substrates. Often associated with root masses and aquatic macrophytes.	Adept at recolonising intermittently accessible waterways. No particular patterns of migration or dispersal are known.	Able to tolerate a wide range of environmental conditions, but is sensitive to poor water quality and turbidity.
mouth almighty (<i>Glossamia aprion</i>)	Occurs in a wide range of habitat, with a preference for well vegetated margins and submerged cover (leaf litter, root masses, aquatic macrophytes) in low flow environments. Uses structure as cover to launch ambush on prey. Most common at low elevations, and shallow depths.	A relatively sedentary species with no particular movement/migration patterns.	Is tolerant of a variety of environmental conditions. Freshwater only.

Species	Habitat preferences	Movement behaviour	Environmental tolerance
purple-spotted gudgeon (<i>Mogurnda adspersa</i>)	Occurs in pools in slack or slow waters of rivers, streams and billabongs. Prefers abundant cover (including riparian cover), particularly root masses, undercut banks and submerged vegetation.	Undertakes small-scale movements, but is not considered potamodromous. Possibly able to swim up hard, wet surfaces around waterfalls.	Tolerant of a wide range of physicochemical conditions, but prefers lower turbidity.
freshwater longtom (<i>Strongylura krefftii</i>)	Occurs in a variety of freshwater habitats including rivers, creeks and lagoons. Occurs in still and slow flowing water. Occurs in the water column and often ambushes prey on the surface. Aquatic macrophytes thought to be important spawning site.	No known migratory behaviour. Movement to off-channel habitats occurs in some areas.	Collected from areas with low conductivity and generally high water clarity.
mosquitofish* (<i>Gambusia holbrooki</i>)	Occurs in shallow, warm waters with little or no flow. Generally occurs along margins of stream bank.	Not known to undertake specific patterns of migration or dispersal.	Introduced species that can survive in degraded habitats and can tolerate a wide range of environmental conditions. Facultative air-breather.
sleepy cod (<i>Oxyeleotris lineolata</i>)	Occurs in slow-flowing water amongst submerged structures (vegetation, timber) in rivers, creeks, lagoons and billabongs. Found in both river and upper floodplain environment. Large woody debris is a key requirement for nests and general cover.	A relatively sedentary species that does not undergo any specific migration or dispersal events.	Tolerant of turbid conditions and a wide range of temperatures. Tolerant of hypoxia in still pools, although eggs are sensitive to oxygen depletion. Intolerant of saline conditions or pH values that deviate widely from neutral.
Pacific blue-eye# (<i>Pseudomugil signifer</i>)	Occurs in both marine to freshwater environments. Usually inhabits areas with submerged structure, but may also occur in pools and clear streams. Shallow, flowing water is favoured by this species. Breeding can occur in freshwater and saltwater habitats.	Can rapidly recolonise previously dry river banks, although is not considered potamodromous.	Collected over a wide range of physicochemical conditions; but is generally considered to be intolerant of poor water quality. Increased erosion and sediment may threaten spawning habitat and food resources.

Species	Habitat preferences	Movement behaviour	Environmental tolerance
freshwater catfish (<i>Tandanus tandanus</i>)	Has been translocated to the Burdekin River. Occurs in slow flowing streams, also lakes and impoundments. A benthic species that generally favours sandy or gravel substrates. Gravel substrate required for spawning.	A relatively sedentary species with a limited home range. Possibly territorial.	Tolerant to slightly brackish waters.
Rendahl's catfish (<i>Porochilus rendahli</i>)	Occurs in muddy river reaches. Benthic associated. Prefers low flow environments with aquatic vegetation.	Dispersal patterns are not well understood for this species, although spawning migration to muddy lagoons has been recorded.	Can tolerate highly turbid water. Well-developed tolerance to hypoxia. Intolerant of cooler waters.
Movement biology unknown			
southern saratoga (<i>Scleropages leichardti</i>)	Has been translocated to the Burdekin River. Occurs in deep waters of billabongs, large pools, impoundments and slow-flowing rivers and streams. Submerged structures and turbid waters are favoured by this species. Endemic to the Fitzroy River catchment.	Dispersal patterns are not understood for this species.	Tolerant of high levels of turbidity and temperature (7 °C to 40 °C).
flag-tailed glass fish (<i>Ambassis miops</i>)	Found in clear, flowing creeks usually within 20 km of the sea. Typically occurs near river mouths. Prefers cover from mangrove roots and snags.	No quantitative data available. Possible marine larval stage with associated movements upstream and downstream. Possible colonising migrations onto the floodplain.	No information is available. However, based on its distribution, it is probably tolerant of elevated turbidity and salinity, but sensitive to low water temperatures.
ebony gudgeon (<i>Eleotris melanosoma</i>)	Found predominantly in small, well-forested, lowland streams within c. 25 km of river mouths. These streams are typically of low gradient, shallow with a gentle flow. Can occur in estuarine habitats.	Little information is available. Larvae may be amphidromous.	Data are lacking within Australian waters. Likely demonstrate low tolerance to poor quality water. Can tolerate fresh, brackish and marine waters at various stages of their life cycle.

Species	Habitat preferences	Movement behaviour	Environmental tolerance
snakehead gudgeon (<i>Giurus margaritacea</i>)	Lowland freshwater streams with abundant instream cover and an intact riparian zone.	Dispersal patterns are not understood for this species.	Environmental tolerances poorly understood for this species
soft-spined catfish (<i>Neosilurus mollespiculum</i>)	Endemic to the Burdekin River drainage. Occurs throughout the Burdekin River both upstream and downstream of the Burdekin Falls. It is a benthic species observed in close association with the substrate.	Movement biology is unknown for this species. However, may be similar to closely related <i>N. ater</i> and <i>N. hyrtlui</i> .	Occurs in warm, relatively well oxygenated, fresh waters of near neutral acidity. Tolerance range of environmental variables is unknown.
small-headed grunter (<i>Scortum parviceps</i>)	Endemic to the Burdekin River drainage. Occurs predominantly in riverine reaches and rarely in tributaries. Substrate types include sand, fine gravel and occasional outcrops of bedrock.	No information is available. Possibly undertakes upstream migrations prior to spawning.	Quantitative data is unavailable. Possibly limited to warm, freshwaters. Found in clear and turbid waters.
seven-spot archerfish [#] (<i>Toxotes chatareus</i>)	Associated with intact riparian zones as much of its diet is sourced from terrestrial insects. Generally found in deeper, slow-flowing waterways.	Quantitative data is lacking, however the species is likely sedentary.	Susceptible to poor water quality. Tolerant of higher salinities. Can survive in turbid waters.

*Introduced fish species


[#] species observed during field surveys

Habitat preference information sourced from Allen *et al* (2002) and Pusey *et al* (2004).

Appendix F – Threatened species habitat mapping

Species confirmed present or considered likely to occur within the preliminary investigation corridor

Squatter pigeon
Common death adder
Brigalow scaly-foot
Black-necked stork
Cotton pygmy-goose and freckled duck
Black-throated finch
Australian painted snipe, little tern, and eastern curlew
Black-chinned honeyeater
Square-tailed kite
Ornamental Snake
Estuarine crocodile
Koala
Little pied bat
Black ironbox
Bonamia deitrichiana




LEGEND

- Population Centres
- Major Port
- Highway
- Main Road
- Carmichael
- Project (Rail)
- Railway
- Watercourse (Major)
- Watercourse (Minor)
- Potential Squatter Pigeon (Southern) Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013


Squatter Pigeon Potential Habitat Mapping

Figure 1

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1131_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemal@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Broad Vegetation Communities/2011. Created by:MS




LEGEND

- Population Centres
- Major Port
- Highway
- Main Road
- Carmichael Project (Rail)
- Railway
- Watercourses (Major)
- Potential Common Death Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013

Common Death Adder Potential Habitat Mapping


Figure 2

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1135_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS




LEGEND

- Population Centres
- Major Port
- Highway
- Main Road
- Carmichael Project (Rail)
- Railway
- Watercourses (Major)
- Potential Brigalow Scaly-foot Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013


Brigalow Scaly-foot Potential Habitat Mapping Figure 3

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1139_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemal@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS




LEGEND

- Population Centres
- Major Port
- Highway
- Main Road
- Carmichael Project (Rail)
- Watercourses (Major)
- Railway
- Potential Black-necked Stork Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013


Black-necked Stork Potential Habitat Mapping Figure 4

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1140_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemal@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS



LEGEND


- Population Centres
- Major Port
- Highway
- Main Road
- Carmichael Project (Rail)
- Railway
- Watercourses (Major)

Potential Cotton-pygmy Goose and Freckled Duck Habitat - Based on DNRM Wetland Classification Mapping

- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project
Cotton-pygmy Goose and
Freckled Duck Potential
Habitat Mapping


Job Number 41-26457
Revision A
Date 12 Jul 2013

Figure 5

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1141_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS




LEGEND

- Population Centres
- ⚓ Major Port
- Highway
- Main Road
- Carmichael Project (Rail)
- Railway
- Watercourses (Major)
- Potential Black-throated Finch Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013


Black-throated Finch Potential Habitat Mapping Figure 6

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1136_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemal@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS



LEGEND


- Population Centres
- Major Port
- Highway
- Main Road
- Carmichael Project (Rail)
- Railway
- Watercourses (Major)

Potential Australian Painted Snipe
Habitat - Based on Directory of
Important Wetlands and RAMSAR Wetlands

- North Galilee Basin
Rail 1000m Corridor
- North Galilee Basin
Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



adani

Adani Mining Pty Ltd
North Galilee Basin Rail Project
Australian Painted Snipe,
Little Turn and Eastern Curlew
Potential Habitat Mapping


Job Number 41-26457
Revision A
Date 12 Jul 2013

Figure 7

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1138_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS




LEGEND

- Population Centres
- ⚓ Major Port
- Highway
- Main Road
- Carmichael Project (Rail)
- Watercourses (Major)
- Railway
- Potential Black-chinned Honeyeater Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013

**Black-chinned Honeyeater
Potential Habitat Mapping**


Figure 8

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1142_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS




LEGEND

- Population Centres
- ⚓ Major Port
- Highway
- Main Road
- Carmichael Project (Rail)
- Railway
- Watercourses (Major)
- Potential Square-tailed Kite Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013

Squared-tailed Kite
Potential Habitat Mapping


Figure 9

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1143_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS




LEGEND

- | | | | |
|----------------------|-----------------------------|--|---|
| ● Population Centres | — Carmichael Project (Rail) | Potential Ornamental Snake Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1 | North Galilee Basin Rail 1000m Corridor |
| ⚓ Major Port | — Railway | | North Galilee Basin Rail 100m Corridor |
| — Highway | — Watercourses (Major) | | |
| — Main Road | | | |

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013


Ornamental Snake Potential Habitat Mapping Figure 10

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1133_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemal@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS



LEGEND


- Population Centres
- ⚓ Major Port
- Highway
- Main Road
- Carmichael Project (Rail)
- Railway
- Watercourses (Major)

Potential Estuarine Crocodile Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1

- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013

Estuarine Crocodile
Potential Habitat Mapping


Figure 11

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1144_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS




LEGEND

- Population Centres
- Major Port
- Highway
- Main Road
- Carmichael
- Project (Rail)
- Railway
- Watercourses (Major)
- Potential Koala Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013

Koala Potential Habitat Mapping


Figure 12

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1145_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS




LEGEND

- Population Centres
- ⚓ Major Port
- Highway
- Main Road
- Carmichael Project (Rail)
- Railway
- Watercourses (Major)
- Potential Little Pied Bat Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1
- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013

Little Pied Bat Potential Habitat Mapping


Figure 13

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1146_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemal@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS




LEGEND

- | | | |
|--|---|---|
| <ul style="list-style-type: none"> Population Centres Major Port Highway Main Road | <ul style="list-style-type: none"> Carmichael Project (Rail) Railway Watercourse (Major) Watercourse (Minor) Potential Black Ironbox Habitat - Based on DNRM Certified Regional Ecosystems Version 6.1 | <ul style="list-style-type: none"> North Galilee Basin Rail 1000m Corridor North Galilee Basin Rail 100m Corridor |
|--|---|---|

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013

Black Ironbox
Potential Habitat


Figure 14

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1137_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS



LEGEND


- Population Centres
- ⚓ Major Port
- Highway
- Main Road
- Carmichael Project (Rail)
- Railway
- Watercourses (Major)

Potential *Bonamia dietrichiana* Habitat -
Based on DNRM Certified
Regional Ecosystems Version 6.1

- North Galilee Basin Rail 1000m Corridor
- North Galilee Basin Rail 100m Corridor

Based on or contains data provided by the State of QLD (DNRM) [2013]. In consideration of the State permitting use of this data you acknowledge and agree that the State gives no warranty in relation to the data (including accuracy, reliability, completeness, currency or suitability) and accepts no liability (including without limitation, liability in negligence) for any loss, damage or costs (including consequential damage) relating to any use of the data. Data must not be used for marketing or be used in breach of the privacy laws.

1:1,100,000 Paper Size A4
0 10 20 40
Kilometres
Map Projection: Transverse Mercator
Horizontal Datum: GDA 1994
Grid: GDA 1994 MGA Zone 55



Adani Mining Pty Ltd
North Galilee Basin Rail Project

Job Number 41-26457
Revision A
Date 12 Jul 2013

Bonamia dietrichiana
Potential Habitat Mapping Figure 15

G:\41\26457\06 GIS\Maps\MXD\1100_Ecology\41_26457_1147_rev_a.mxd

145 Ann Street Brisbane QLD 4000 Australia T 61 7 3316 3000 F 61 7 3316 3333 E bnemal@ghd.com W www.ghd.com

© 2013. Whilst every care has been taken to prepare this map, GHD, GA, DNRM, Adani make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.

Data source: GA: Populated Places, Railway, Watercourse/2007; Adani: NGBR Corridor 13/05/2013 NGBR Corridor 06/06/2013, Carmichael Rail Project/2012; DNRM: Roads/2010, Potential Habitat/2011. Created by:MS

Appendix G – Desktop assessments

SEWPaC Protected Matters

Queensland Museum

Birds Australia

DEHP Wildlife Online

Queensland Herbarium HERBRECS



EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected.

Information on the coverage of this report and qualifications on data supporting this report are contained in the caveat at the end of the report.

Information is available about [Environment Assessments](#) and the EPBC Act including significance guidelines, forms and application process details.

Report created: 28/06/13 16:16:13

[Summary](#)

[Details](#)


[Matters of NES](#)

[Other Matters Protected by the EPBC Act](#)

[Extra Information](#)

[Caveat](#)

[Acknowledgements](#)



This map may contain data which are
©Commonwealth of Australia
(Geoscience Australia), ©PSMA 2010

[Coordinates](#)

[Buffer: 10.0Km](#)



Summary

Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the [Administrative Guidelines on Significance](#).

World Heritage Properties:	1
National Heritage Places:	1
Wetlands of International Importance:	None
Great Barrier Reef Marine Park:	2
Commonwealth Marine Areas:	1
Listed Threatened Ecological Communities:	3
Listed Threatened Species:	39
Listed Migratory Species:	43

Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As [heritage values](#) of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place and the heritage values of a place on the Register of the National Estate.

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

A [permit](#) may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

Commonwealth Land:	None
Commonwealth Heritage Places:	1
Listed Marine Species:	89
Whales and Other Cetaceans:	12
Critical Habitats:	None
Commonwealth Reserves:	None

Extra Information

This part of the report provides information that may also be relevant to the area you have nominated.

Place on the RNE:	6
State and Territory Reserves:	7
Regional Forest Agreements:	None
Invasive Species:	35
Nationally Important Wetlands:	4
Key Ecological Features (Marine)	None

Details

Matters of National Environmental Significance

World Heritage Properties			[Resource Information]
Name	State	Status	
Great Barrier Reef	QLD	Declared property	

National Heritage Properties		[Resource Information]
Name	State	Status
Natural		
Great Barrier Reef	QLD	Listed place

Great Barrier Reef Marine Park			[Resource Information]
Type	Zone	IUCN	
General Use	GU-16-6004	VI	
Habitat Protection	HP-19-5179	VI	

Commonwealth Marine Areas			[Resource Information]
Approval may be required for a proposed activity that is likely to have a significant impact on the environment in a Commonwealth Marine Area, when the action is outside the Commonwealth Marine Area, or the environment anywhere when the action is taken within the Commonwealth Marine Area. Generally the Commonwealth Marine Area stretches from three nautical miles to two hundred nautical miles from the coast.			
Name			
EEZ and Territorial Sea			

Listed Threatened Ecological Communities			[Resource Information]
For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.			

Name	Status	Type of Presence
Brigalow (Acacia harpophylla dominant and co-dominant)	Endangered	Community known to occur within area
Natural Grasslands of the Queensland Central Highlands and the northern Fitzroy Basin	Endangered	Community likely to occur within area
Semi-evergreen vine thickets of the Brigalow Belt (North and South) and Nandewar Bioregions	Endangered	Community likely to occur within area

Listed Threatened Species		[Resource Information]
Name	Status	Type of Presence
Birds		
Erythrotriorchis radiatus	Vulnerable	Species or species habitat known to occur within area
Red Goshawk [942]		
Fregetta grallaria grallaria	Vulnerable	Species or species habitat likely to occur within area
White-bellied Storm-Petrel (Tasman Sea), White-bellied Storm-Petrel (Australasian) [64438]		
Geophaps scripta scripta	Vulnerable	Species or species
Squatter Pigeon (southern) [64440]		

Name	Status	Type of Presence
Neochmia ruficauda_ruficauda Star Finch (eastern), Star Finch (southern) [26027]	Endangered	habitat known to occur within area Species or species habitat likely to occur within area
Poephila cincta_cincta Black-throated Finch (southern) [64447]	Endangered	Species or species habitat likely to occur within area
Rostratula australis Australian Painted Snipe [77037]	Endangered	Species or species habitat likely to occur within area
Tyto novaehollandiae_kimberli Masked Owl (northern) [26048]	Vulnerable	Species or species habitat may occur within area
Mammals		
Balaenoptera musculus Blue Whale [36]	Endangered	Species or species habitat may occur within area
Dasyurus hallucatus Northern Quoll [331]	Endangered	Species or species habitat likely to occur within area
Megaptera novaeangliae Humpback Whale [38]	Vulnerable	Congregation or aggregation known to occur within area
Phascolarctos cinereus (combined populations of Qld, NSW and the ACT) Koala (combined populations of Queensland, New South Wales and the Australian Capital Territory) [85104]	Vulnerable	Species or species habitat known to occur within area
Pteropus poliocephalus Grey-headed Flying-fox [186]	Vulnerable	Species or species habitat may occur within area
Rhinolophus philippinensis (large form) Greater Large-eared Horseshoe Bat [66890]	Endangered	Species or species habitat may occur within area
Saccolaimus saccolaimus_nudicluniatus Bare-rumped Sheathtail Bat [66889]	Critically Endangered	Species or species habitat likely to occur within area
Xeromys myoides Water Mouse, False Water Rat, Yirrkoo [66]	Vulnerable	Species or species habitat likely to occur within area
Other		
Cycas ophiolitica [55797]	Endangered	Species or species habitat likely to occur within area
Plants		
Aristida granitica [4065]	Endangered	Species or species habitat likely to occur within area
Bulbophyllum globuliforme Miniature Moss-orchid, Hoop Pine Orchid [6649]	Vulnerable	Species or species habitat may occur within area
Cajanus mareebensis [8635]	Endangered	Species or species habitat may occur within area
Dichanthium queenslandicum King Blue-grass [5481]	Endangered	Species or species habitat may occur within area

Name	Status	Type of Presence
Dichanthium setosum bluegrass [14159]	Vulnerable	Species or species habitat likely to occur within area
Eucalyptus raveretiana Black Ironbox [16344]	Vulnerable	Species or species habitat likely to occur within area
Omphalea celata [64586]	Vulnerable	Species or species habitat likely to occur within area
Ozothamnus eriocephalus [56133]	Vulnerable	Species or species habitat likely to occur within area
Streblus pendulinus Siah's Backbone, Sia's Backbone, Isaac Wood [21618]	Endangered	Species or species habitat likely to occur within area
Taeniophyllum muelleri Minute Orchid, Ribbon-root Orchid [10771]	Vulnerable	Species or species habitat may occur within area
Reptiles		
Caretta caretta Loggerhead Turtle [1763]	Endangered	Species or species habitat known to occur within area
Chelonia mydas Green Turtle [1765]	Vulnerable	Breeding known to occur within area
Denisonia maculata Ornamental Snake [1193]	Vulnerable	Species or species habitat known to occur within area
Dermochelys coriacea Leatherback Turtle, Leathery Turtle, Luth [1768]	Endangered	Breeding likely to occur within area
Egernia rugosa Yakka Skink [1420]	Vulnerable	Species or species habitat may occur within area
Eretmochelys imbricata Hawksbill Turtle [1766]	Vulnerable	Breeding likely to occur within area
Furina dunmalli Dunmall's Snake [59254]	Vulnerable	Species or species habitat may occur within area
Lepidochelys olivacea Olive Ridley Turtle, Pacific Ridley Turtle [1767]	Endangered	Breeding likely to occur within area
Lerista allanae Allan's Lerista, Retro Slider [1378]	Endangered	Species or species habitat may occur within area
Lerista vittata Mount Cooper Striped Lerista [1308]	Vulnerable	Species or species habitat may occur within area
Natator depressus Flatback Turtle [59257]	Vulnerable	Breeding known to occur within area
Sharks		
Pristis zijsron Green Sawfish, Dindagubba, Narrowsnout Sawfish [68442]	Vulnerable	Species or species habitat may occur within area
Rhincodon typus Whale Shark [66680]	Vulnerable	Species or species habitat may occur within area

Listed Migratory Species		[Resource Information]
* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.		
Name	Threatened	Type of Presence
Migratory Marine Birds		
Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area
Sterna albifrons Little Tern [813]		Species or species habitat may occur within area
Migratory Marine Species		
Balaenoptera edeni Bryde's Whale [35]		Species or species habitat may occur within area
Balaenoptera musculus Blue Whale [36]	Endangered	Species or species habitat may occur within area
Caretta caretta Loggerhead Turtle [1763]	Endangered	Species or species habitat known to occur within area
Chelonia mydas Green Turtle [1765]	Vulnerable	Breeding known to occur within area
Crocodylus porosus Salt-water Crocodile, Estuarine Crocodile [1774]		Species or species habitat likely to occur within area
Dermochelys coriacea Leatherback Turtle, Leathery Turtle, Luth [1768]	Endangered	Breeding likely to occur within area
Dugong dugon Dugong [28]		Species or species habitat known to occur within area
Eretmochelys imbricata Hawksbill Turtle [1766]	Vulnerable	Breeding likely to occur within area
Lamna nasus Porbeagle, Mackerel Shark [83288]		Species or species habitat may occur within area
Lepidochelys olivacea Olive Ridley Turtle, Pacific Ridley Turtle [1767]	Endangered	Breeding likely to occur within area
Megaptera novaeangliae Humpback Whale [38]	Vulnerable	Congregation or aggregation known to occur within area
Natator depressus Flatback Turtle [59257]	Vulnerable	Breeding known to occur within area
Orcaella brevirostris Irrawaddy Dolphin [45]		Species or species habitat likely to occur within area
Orcinus orca Killer Whale, Orca [46]		Species or species habitat may occur within area
Rhincodon typus Whale Shark [66680]	Vulnerable	Species or species habitat may occur within area
Sousa chinensis Indo-Pacific Humpback Dolphin [50]		Breeding known to occur within area
Migratory Terrestrial Species		

Name	Threatened	Type of Presence
Haliaeetus leucogaster White-bellied Sea-Eagle [943]		Species or species habitat known to occur within area
Hirundapus caudacutus White-throated Needletail [682]		Species or species habitat likely to occur within area
Hirundo rustica Barn Swallow [662]		Species or species habitat may occur within area
Merops ornatus Rainbow Bee-eater [670]		Species or species habitat may occur within area
Monarcha melanopsis Black-faced Monarch [609]		Species or species habitat known to occur within area
Monarcha trivirgatus Spectacled Monarch [610]		Species or species habitat known to occur within area
Myiagra cyanoleuca Satin Flycatcher [612]		Species or species habitat known to occur within area
Rhipidura rufifrons Rufous Fantail [592]		Species or species habitat known to occur within area
Migratory Wetlands Species		
Actitis hypoleucos Common Sandpiper [59309]		Roosting known to occur within area
Ardea alba Great Egret, White Egret [59541]		Species or species habitat known to occur within area
Ardea ibis Cattle Egret [59542]		Species or species habitat likely to occur within area
Calidris acuminata Sharp-tailed Sandpiper [874]		Roosting known to occur within area
Calidris ruficollis Red-necked Stint [860]		Roosting known to occur within area
Charadrius leschenaultii Greater Sand Plover, Large Sand Plover [877]		Roosting known to occur within area
Charadrius mongolus Lesser Sand Plover, Mongolian Plover [879]		Roosting known to occur within area
Gallinago hardwickii Latham's Snipe, Japanese Snipe [863]		Species or species habitat may occur within area
Heteroscelus brevipes Grey-tailed Tattler [59311]		Roosting known to occur within area
Limosa lapponica Bar-tailed Godwit [844]		Roosting known to occur within area
Numenius madagascariensis Eastern Curlew [847]		Roosting known to occur within area
Numenius minutus Little Curlew, Little Whimbrel [848]		Roosting likely to occur within area

Name	Threatened	Type of Presence
Numenius phaeopus Whimbrel [849]	Endangered*	Roosting known to occur within area
Pluvialis squatarola Grey Plover [865]		Roosting known to occur within area
Rostratula benghalensis (sensu lato) Painted Snipe [889]		Species or species habitat likely to occur within area
Tringa stagnatilis Marsh Sandpiper, Little Greenshank [833]		Species or species habitat likely to occur within area
Xenus cinereus Terek Sandpiper [59300]		Roosting known to occur within area

Other Matters Protected by the EPBC Act

Commonwealth Heritage Places		[Resource Information]
Name	State	Status
Natural		
Great Barrier Reef Region (Commonwealth)	QLD	Indicative Place

Listed Marine Species		[Resource Information]
* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.		
Name	Threatened	Type of Presence
Birds		
Actitis hypoleucos Common Sandpiper [59309]		Roosting known to occur within area
Anseranas semipalmata Magpie Goose [978]		Species or species habitat may occur within area
Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area
Ardea alba Great Egret, White Egret [59541]		Species or species habitat known to occur within area
Ardea ibis Cattle Egret [59542]		Species or species habitat likely to occur within area
Calidris acuminata Sharp-tailed Sandpiper [874]		Roosting known to occur within area
Calidris ruficollis Red-necked Stint [860]		Roosting known to occur within area
Charadrius leschenaultii Greater Sand Plover, Large Sand Plover [877]		Roosting known to occur within area
Charadrius mongolus Lesser Sand Plover, Mongolian Plover [879]		Roosting known to occur within area
Charadrius ruficapillus Red-capped Plover [881]		Roosting known to occur within area
Gallinago hardwickii Latham's Snipe, Japanese Snipe [863]		Species or species habitat may occur within area

Name	Threatened	Type of Presence
Gallinago megala Swinhoe's Snipe [864]		Roosting likely to occur within area
Gallinago stenura Pin-tailed Snipe [841]		Roosting likely to occur within area
Haliaeetus leucogaster White-bellied Sea-Eagle [943]		Species or species habitat known to occur within area
Heteroscelus brevipes Grey-tailed Tattler [59311]		Roosting known to occur within area
Hirundapus caudacutus White-throated Needletail [682]		Species or species habitat likely to occur within area
Hirundo rustica Barn Swallow [662]		Species or species habitat may occur within area
Limosa lapponica Bar-tailed Godwit [844]		Roosting known to occur within area
Merops ornatus Rainbow Bee-eater [670]		Species or species habitat may occur within area
Monarcha melanopsis Black-faced Monarch [609]		Species or species habitat known to occur within area
Monarcha trivirgatus Spectacled Monarch [610]		Species or species habitat known to occur within area
Myiagra cyanoleuca Satin Flycatcher [612]		Species or species habitat known to occur within area
Numenius madagascariensis Eastern Curlew [847]		Roosting known to occur within area
Numenius minutus Little Curlew, Little Whimbrel [848]		Roosting likely to occur within area
Numenius phaeopus Whimbrel [849]		Roosting known to occur within area
Pandion haliaetus Osprey [952]		Breeding known to occur within area
Pluvialis squatarola Grey Plover [865]		Roosting known to occur within area
Rhipidura rufifrons Rufous Fantail [592]		Species or species habitat known to occur within area
Rostratula benghalensis (sensu lato) Painted Snipe [889]	Endangered*	Species or species habitat likely to occur within area
Sterna albifrons Little Tern [813]		Species or species habitat may occur within area
Tringa stagnatilis Marsh Sandpiper, Little Greenshank [833]		Species or species habitat likely to occur within area

Name	Threatened	Type of Presence
Xenus cinereus Terek Sandpiper [59300]		Roosting known to occur within area
Fish		
Acentronura tentaculata Shortpouch Pygmy Pipehorse [66187]		Species or species habitat may occur within area
Campichthys tryoni Tryon's Pipefish [66193]		Species or species habitat may occur within area
Choeroichthys brachysoma Pacific Short-bodied Pipefish, Short-bodied Pipefish [66194]		Species or species habitat may occur within area
Choeroichthys suillus Pig-snouted Pipefish [66198]		Species or species habitat may occur within area
Corythoichthys amplexus Fijian Banded Pipefish, Brown-banded Pipefish [66199]		Species or species habitat may occur within area
Corythoichthys flavofasciatus Reticulate Pipefish, Yellow-banded Pipefish, Network Pipefish [66200]		Species or species habitat may occur within area
Corythoichthys intestinalis Australian Messmate Pipefish, Banded Pipefish [66202]		Species or species habitat may occur within area
Corythoichthys ocellatus Orange-spotted Pipefish, Ocellated Pipefish [66203]		Species or species habitat may occur within area
Corythoichthys paxtoni Paxton's Pipefish [66204]		Species or species habitat may occur within area
Corythoichthys schultzi Schultz's Pipefish [66205]		Species or species habitat may occur within area
Cosmocampus darrosanus D'Arros Pipefish [66207]		Species or species habitat may occur within area
Doryrhamphus excisus Bluestripe Pipefish, Indian Blue-stripe Pipefish, Pacific Blue-stripe Pipefish [66211]		Species or species habitat may occur within area
Festucalex cinctus Girdled Pipefish [66214]		Species or species habitat may occur within area
Halicampus dunckeri Red-hair Pipefish, Duncker's Pipefish [66220]		Species or species habitat may occur within area
Halicampus grayi Mud Pipefish, Gray's Pipefish [66221]		Species or species habitat may occur within area
Halicampus nitidus Glittering Pipefish [66224]		Species or species habitat may occur within area
Halicampus spinirostris Spiny-snout Pipefish [66225]		Species or species habitat may occur within area

Name	Threatened	Type of Presence
Hippichthys cyanospilos Blue-speckled Pipefish, Blue-spotted Pipefish [66228]		Species or species habitat may occur within area
Hippichthys heptagonus Madura Pipefish, Reticulated Freshwater Pipefish [66229]		Species or species habitat may occur within area
Hippichthys penicillus Beady Pipefish, Steep-nosed Pipefish [66231]		Species or species habitat may occur within area
Hippocampus bargibanti Pygmy Seahorse [66721]		Species or species habitat may occur within area
Hippocampus kuda Spotted Seahorse, Yellow Seahorse [66237]		Species or species habitat may occur within area
Hippocampus planifrons Flat-face Seahorse [66238]		Species or species habitat may occur within area
Hippocampus zebra Zebra Seahorse [66241]		Species or species habitat may occur within area
Micrognathus andersonii Anderson's Pipefish, Shortnose Pipefish [66253]		Species or species habitat may occur within area
Micrognathus brevirostris thorntail Pipefish, Thorn-tailed Pipefish [66254]		Species or species habitat may occur within area
Nannocampus pictus Painted Pipefish, Reef Pipefish [66263]		Species or species habitat may occur within area
Solegnathus hardwickii Pallid Pipehorse, Hardwick's Pipehorse [66272]		Species or species habitat may occur within area
Solenostomus cyanopterus Robust Ghostpipefish, Blue-finned Ghost Pipefish, [66183]		Species or species habitat may occur within area
Solenostomus paegnius Rough-snout Ghost Pipefish [68425]		Species or species habitat may occur within area
Solenostomus paradoxus Ornate Ghostpipefish, Harlequin Ghost Pipefish, Ornate Ghost Pipefish [66184]		Species or species habitat may occur within area
Syngnathoides biaculeatus Double-end Pipehorse, Double-ended Pipehorse, Alligator Pipefish [66279]		Species or species habitat may occur within area
Trachyrhamphus bicoarctatus Bentstick Pipefish, Bend Stick Pipefish, Short-tailed Pipefish [66280]		Species or species habitat may occur within area
Trachyrhamphus longirostris Straightstick Pipefish, Long-nosed Pipefish, Straight Stick Pipefish [66281]		Species or species habitat may occur within area
Mammals		
Dugong dugon Dugong [28]		Species or species habitat known to occur within area

Name	Threatened	Type of Presence
Reptiles		
Acalyptophis peronii Horned Seasnake [1114]		Species or species habitat may occur within area
Aipysurus duboisii Dubois' Seasnake [1116]		Species or species habitat may occur within area
Aipysurus eydouxii Spine-tailed Seasnake [1117]		Species or species habitat may occur within area
Aipysurus laevis Olive Seasnake [1120]		Species or species habitat may occur within area
Astrotia stokesii Stokes' Seasnake [1122]		Species or species habitat may occur within area
Caretta caretta Loggerhead Turtle [1763]	Endangered	Species or species habitat known to occur within area
Chelonia mydas Green Turtle [1765]	Vulnerable	Breeding known to occur within area
Crocodylus porosus Salt-water Crocodile, Estuarine Crocodile [1774]		Species or species habitat likely to occur within area
Dermochelys coriacea Leatherback Turtle, Leathery Turtle, Luth [1768]	Endangered	Breeding likely to occur within area
Disteira kingii Spectacled Seasnake [1123]		Species or species habitat may occur within area
Disteira major Olive-headed Seasnake [1124]		Species or species habitat may occur within area
Enhydrina schistosa Beaked Seasnake [1126]		Species or species habitat may occur within area
Eretmochelys imbricata Hawksbill Turtle [1766]	Vulnerable	Breeding likely to occur within area
Hydrophis elegans Elegant Seasnake [1104]		Species or species habitat may occur within area
Hydrophis mcdowellii null [25926]		Species or species habitat may occur within area
Hydrophis ornatus a seasnake [1111]		Species or species habitat may occur within area
Lapemis hardwickii Spine-bellied Seasnake [1113]		Species or species habitat may occur within area
Laticauda colubrina a sea krait [1092]		Species or species habitat may occur within area
Laticauda laticaudata a sea krait [1093]		Species or species habitat may occur within

Name	Threatened	Type of Presence
Lepidochelys olivacea Olive Ridley Turtle, Pacific Ridley Turtle [1767]	Endangered	Breeding likely to occur within area
Natator depressus Flatback Turtle [59257]	Vulnerable	Breeding known to occur within area
Pelamis platurus Yellow-bellied Seasnake [1091]		Species or species habitat may occur within area

Whales and other Cetaceans		[Resource Information]
Name	Status	Type of Presence
Mammals		
Balaenoptera acutorostrata Minke Whale [33]		Species or species habitat may occur within area
Balaenoptera edeni Bryde's Whale [35]		Species or species habitat may occur within area
Balaenoptera musculus Blue Whale [36]	Endangered	Species or species habitat may occur within area
Delphinus delphis Common Dophin, Short-beaked Common Dolphin [60]		Species or species habitat may occur within area
Grampus griseus Risso's Dolphin, Grampus [64]		Species or species habitat may occur within area
Megaptera novaeangliae Humpback Whale [38]	Vulnerable	Congregation or aggregation known to occur within area
Orcaella brevirostris Irrawaddy Dolphin [45]		Species or species habitat likely to occur within area
Orcinus orca Killer Whale, Orca [46]		Species or species habitat may occur within area
Sousa chinensis Indo-Pacific Humpback Dolphin [50]		Breeding known to occur within area
Stenella attenuata Spotted Dolphin, Pantropical Spotted Dolphin [51]		Species or species habitat may occur within area
Tursiops aduncus Indian Ocean Bottlenose Dolphin, Spotted Bottlenose Dolphin [68418]		Species or species habitat likely to occur within area
Tursiops truncatus s. str. Bottlenose Dolphin [68417]		Species or species habitat may occur within area

Extra Information

Places on the RNE [Resource Information]

Note that not all Indigenous sites may be listed.

Name	State	Status
Natural		
Great Barrier Reef Region	QLD	Registered
Great Barrier Reef Region (Commonwealth)	QLD	Registered
Highlanders Bonnet National Park	QLD	Registered
Mount Abbot	QLD	Registered
Mount Aberdeen National Park (1978 boundary)	QLD	Registered
Historic		
Old Bowen Downs Road (in part)	QLD	Indicative Place

State and Territory Reserves [Resource Information]

Name	State
Abbott Bay	QLD
Aberdeen	QLD
Edgecumbe Bay - Bowen	QLD
Great Barrier Reef Coast	QLD
Mount Aberdeen	QLD
Mount Pleasant	QLD
Nairana (Recovery)	QLD

Invasive Species [Resource Information]

Weeds reported here are the 20 species of national significance (WoNS), along with other introduced plants that are considered by the States and Territories to pose a particularly significant threat to biodiversity. The following feral animals are reported: Goat, Red Fox, Cat, Rabbit, Pig, Water Buffalo and Cane Toad. Maps from Landscape Health Project, National Land and Water Resouces Audit, 2001.

Name	Status	Type of Presence
Birds		
Acridotheres tristis Common Myna, Indian Myna [387]		Species or species habitat likely to occur within area
Anas platyrhynchos Mallard [974]		Species or species habitat likely to occur within area
Columba livia Rock Pigeon, Rock Dove, Domestic Pigeon [803]		Species or species habitat likely to occur within area
Lonchura punctulata Nutmeg Mannikin [399]		Species or species habitat likely to occur within area
Passer domesticus House Sparrow [405]		Species or species habitat likely to occur within area
Streptopelia chinensis Spotted Turtle-Dove [780]		Species or species habitat likely to occur within area
Sturnus vulgaris Common Starling [389]		Species or species habitat likely to occur within area
Frogs		
Bufo marinus Cane Toad [1772]		Species or species habitat likely to occur within area
Rhinella marina Cane Toad [83218]		Species or species habitat likely to occur

Name	Status	Type of Presence
within area		
Mammals		
Bos taurus Domestic Cattle [16]		Species or species habitat likely to occur within area
Canis lupus familiaris Domestic Dog [82654]		Species or species habitat likely to occur within area
Capra hircus Goat [2]		Species or species habitat likely to occur within area
Equus caballus Horse [5]		Species or species habitat likely to occur within area
Felis catus Cat, House Cat, Domestic Cat [19]		Species or species habitat likely to occur within area
Feral deer Feral deer species in Australia [85733]		Species or species habitat likely to occur within area
Lepus capensis Brown Hare [127]		Species or species habitat likely to occur within area
Mus musculus House Mouse [120]		Species or species habitat likely to occur within area
Oryctolagus cuniculus Rabbit, European Rabbit [128]		Species or species habitat likely to occur within area
Rattus rattus Black Rat, Ship Rat [84]		Species or species habitat likely to occur within area
Sus scrofa Pig [6]		Species or species habitat likely to occur within area
Vulpes vulpes Red Fox, Fox [18]		Species or species habitat likely to occur within area
Plants		
Acacia nilotica subsp. indica Prickly Acacia [6196]		Species or species habitat may occur within area
Asparagus aethiopicus Asparagus Fern, Ground Asparagus, Basket Fern, Sprengi's Fern, Bushy Asparagus, Emerald Asparagus [62425]		Species or species habitat likely to occur within area
Cryptostegia grandiflora Rubber Vine, Rubbervine, India Rubber Vine, India Rubbervine, Palay Rubbervine, Purple Allamanda [18913]		Species or species habitat likely to occur within area
Hymenachne amplexicaulis Hymenachne, Olive Hymenachne, Water Stargrass, West Indian Grass, West Indian Marsh Grass [31754]		Species or species habitat likely to occur within area
Jatropha gossypifolia Cotton-leaved Physic-Nut, Bellyache Bush, Cotton-leaf Physic Nut, Cotton-leaf Jatropha, Black Physic Nut [7507]		Species or species habitat likely to occur within area
Lantana camara Lantana, Common Lantana, Kamara Lantana,		Species or species

Name	Status	Type of Presence
Large-leaf Lantana, Pink Flowered Lantana, Red Flowered Lantana, Red-Flowered Sage, White Sage, Wild Sage [10892] Mimosa pigra		habitat likely to occur within area
Mimosa, Giant Mimosa, Giant Sensitive Plant, ThornySensitive Plant, Black Mimosa, Catclaw Mimosa, Bashful Plant [11223] Parkinsonia aculeata		Species or species habitat likely to occur within area
Parkinsonia, Jerusalem Thorn, Jelly Bean Tree, Horse Bean [12301] Parthenium hysterophorus		Species or species habitat likely to occur within area
Parthenium Weed, Bitter Weed, Carrot Grass, False Ragweed [19566] Prosopis spp.		Species or species habitat likely to occur within area
Mesquite, Algaroba [68407] Salvinia molesta		Species or species habitat likely to occur within area
Salvinia, Giant Salvinia, Aquarium Watermoss, Kariba Weed [13665] Vachellia nilotica		Species or species habitat likely to occur within area
Prickly Acacia, Blackthorn, Prickly Mimosa, Black Piquant, Babul [84351]		Species or species habitat likely to occur within area

Reptiles	
Hemidactylus frenatus Asian House Gecko [1708]	Species or species habitat likely to occur within area
Lepidodactylus lugubris Mourning Gecko [1712]	Species or species habitat likely to occur within area

Nationally Important Wetlands	[Resource Information]
Name	State
Abbot Point - Caley Valley	QLD
Bowen River: Birralee - Pelican Creek	QLD
Great Barrier Reef Marine Park	QLD
Southern Upstart Bay	QLD

Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [-Department of Environment, Climate Change and Water, New South Wales](#)
- [-Department of Sustainability and Environment, Victoria](#)
- [-Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [-Department of Environment and Natural Resources, South Australia](#)
- [-Parks and Wildlife Service NT, NT Dept of Natural Resources, Environment and the Arts](#)
- [-Environmental and Resource Management, Queensland](#)
- [-Department of Environment and Conservation, Western Australia](#)
- [-Department of the Environment, Climate Change, Energy and Water](#)
- [-Birds Australia](#)
- [-Australian Bird and Bat Banding Scheme](#)
- [-Australian National Wildlife Collection](#)
- Natural history museums of Australia
- [-Museum Victoria](#)
- [-Australian Museum](#)
- [-SA Museum](#)
- [-Queensland Museum](#)
- [-Online Zoological Collections of Australian Museums](#)
- [-Queensland Herbarium](#)
- [-National Herbarium of NSW](#)
- [-Royal Botanic Gardens and National Herbarium of Victoria](#)
- [-Tasmanian Herbarium](#)
- [-State Herbarium of South Australia](#)
- [-Northern Territory Herbarium](#)
- [-Western Australian Herbarium](#)
- [-Australian National Herbarium, Atherton and Canberra](#)
- [-University of New England](#)
- [-Ocean Biogeographic Information System](#)
- [-Australian Government, Department of Defence](#)
- [-State Forests of NSW](#)
- [-Geoscience Australia](#)
- [-CSIRO](#)
- Other groups and individuals

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.

Please feel free to provide feedback via the [Contact Us](#) page.

[© Commonwealth of Australia](#)

[Department of Sustainability, Environment, Water, Population and Communities](#)

GPO Box 787

Canberra ACT 2601 Australia

+61 2 6274 1111

Combined flora desktop assessment database searches

Family	Scientific Name	Common Name	Introduced [^]	NC Act [#]	EPBC Act [*]	WONS	LP Act	PMST	WO	HERBRECS
Fungi										
Parmeliaceae	<i>Parmotrema rimulosum</i>			C					✓	
Parmeliaceae	<i>Parmotrema austrosinense</i>								✓	
Physciaceae	<i>Physcia crispa</i>			C					✓	
Physciaceae	<i>Physcia stellaris</i>								✓	
Physciaceae	<i>Pyxine rugulosa</i>			C					✓	
Ramalinaceae	<i>Ramalina inflata</i>			C					✓	
Ramalinaceae	<i>Ramalina pacifica</i>			C					✓	
Ramalinaceae	<i>Ramalina subfraxinea</i>			C					✓	✓
Plants										
Acanthaceae	<i>Brunoniella acaulis</i>			C						✓
Acanthaceae	<i>Brunoniella acaulis</i> subsp. <i>acaulis</i>			C					✓	
Acanthaceae	<i>Brunoniella australis</i>	blue trumpet		C					✓	✓
Acanthaceae	<i>Dipteracanthus australasicus</i>			C						✓
Acanthaceae	<i>Dipteracanthus australasicus</i> subsp. <i>australasicus</i>			C					✓	
Acanthaceae	<i>Dipteracanthus australasicus</i> subsp. <i>corynothecus</i>			C					✓	✓
Acanthaceae	<i>Harnieria</i> sp.			C						✓
Acanthaceae	<i>Hypoestes floribunda</i>			C					✓	✓
Acanthaceae	<i>Nelsonia campestris</i>			C						✓
Acanthaceae	<i>Pseuderanthemum tenellum</i>			C					✓	✓
Acanthaceae	<i>Pseuderanthemum variabile</i>	pastel flower		C					✓	✓
Acanthaceae	<i>Rostellularia</i>			C					✓	✓
Acanthaceae	<i>Rostellularia adscendens</i>			C					✓	✓
Acanthaceae	<i>Rostellularia adscendens</i> var. <i>adscendens</i>			C					✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Acanthaceae	<i>Rostellularia adscendens</i> var. <i>clementii</i>			C					✓	
Acanthaceae	<i>Rostellularia adscendens</i> var. <i>latifolia</i>			C						✓
Acanthaceae	<i>Ruellia simplex</i>		Y						✓	✓
Adiantaceae	<i>Adiantum atroviride</i>			C					✓	✓
Adiantaceae	<i>Adiantum hispidulum</i> var. <i>hispidulum</i>			C					✓	✓
Adiantaceae	<i>Adiantum hispidulum</i> var. <i>hypoglaucum</i>			C					✓	✓
Adiantaceae	<i>Adiantum hispidulum</i> var. <i>minus</i>			C					✓	✓
Adiantaceae	<i>Cheilanthes brownii</i>			C					✓	✓
Adiantaceae	<i>Cheilanthes distans</i>	bristly cloak fern		C					✓	✓
Adiantaceae	<i>Cheilanthes nitida</i>			C					✓	✓
Adiantaceae	<i>Cheilanthes nudiuscula</i>			C					✓	✓
Adiantaceae	<i>Cheilanthes pumilio</i>			C						✓
Adiantaceae	<i>Cheilanthes sieberi</i>			C					✓	✓
Adiantaceae	<i>Cheilanthes sieberi</i> subsp. <i>sieberi</i>			C					✓	
Adiantaceae	<i>Cheilanthes tenuifolia</i>	rock fern		C					✓	
Adiantaceae	<i>Paraceterach muelleri</i>			C					✓	✓
Aizoaceae	<i>Sesuvium portulacastrum</i>	sea purslane		C						✓
Aizoaceae	<i>Trianthema</i> sp.			C					✓	
Aizoaceae	<i>Trianthema triquetra</i>	red spinach		C					✓	✓
Aizoaceae	<i>Zaleya galericulata</i>			C					✓	✓
Aizoaceae	<i>Trianthema portulacastrum</i>	black pigweed	Y						✓	✓
Amaranthaceae	<i>Achyranthes aspera</i>			C					✓	✓
Amaranthaceae	<i>Alternanthera denticulata</i>	lesser joyweed		C					✓	✓
Amaranthaceae	<i>Alternanthera denticulata</i> var. <i>micrantha</i>			C					✓	✓
Amaranthaceae	<i>Alternanthera nana</i>	hairy joyweed		C					✓	✓
Amaranthaceae	<i>Alternanthera nodiflora</i>	joyweed		C					✓	✓
Amaranthaceae	<i>Amaranthus cochleitepalus</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Amaranthaceae	<i>Amaranthus interruptus</i>			C					✓	✓
Amaranthaceae	<i>Deeringia amaranthoides</i>	redberry		C					✓	✓
Amaranthaceae	<i>Deeringia arborescens</i>	climbing deeringia		C					✓	✓
Amaranthaceae	<i>Gomphrena humilis</i>			C					✓	✓
Amaranthaceae	<i>Gomphrena lanata</i>			C					✓	✓
Amaranthaceae	<i>Kelita uncinella</i>			C					✓	✓
Amaranthaceae	<i>Nyssanthus diffusa</i>	barbed-wire weed		C					✓	✓
Amaranthaceae	<i>Nyssanthus erecta</i>			C					✓	✓
Amaranthaceae	<i>Ptilotus fusiformis</i>			C					✓	✓
Amaranthaceae	<i>Ptilotus nobilis</i>			C					✓	✓
Amaranthaceae	<i>Ptilotus obovatus</i>			C					✓	✓
Amaranthaceae	<i>Ptilotus polystachyus</i>			C					✓	✓
Amaranthaceae	<i>Aerva javanica</i>		Y						✓	✓
Amaranthaceae	<i>Alternanthera ficoidea</i>		Y						✓	✓
Amaranthaceae	<i>Alternanthera pungens</i>	khaki weed	Y						✓	✓
Amaranthaceae	<i>Amaranthus viridis</i>	green amaranth	Y						✓	✓
Amaranthaceae	<i>Celosia argentea</i>		Y						✓	
Amaranthaceae	<i>Gomphrena celosioides</i>	gomphrena weed	Y						✓	✓
Amaranthaceae	<i>Gomphrena sp.</i>		Y						✓	
Amaryllidaceae	<i>Crinum angustifolium</i>	field lily		C						✓
Amaryllidaceae	<i>Crinum flaccidum</i>	Murray lily		C					✓	✓
Anacardiaceae	<i>Euroschinus falcatus</i> var. <i>angustifolius</i>			C					✓	✓
Anacardiaceae	<i>Pleiogynium timorensis</i>	Burdekin plum		C					✓	✓
Anacardiaceae	<i>Mangifera indica</i>	mango	Y						✓	✓
Anacardiaceae	<i>Schinus terebinthifolius</i>	broad-leaved pepper tree	Y				Class 3		✓	✓
Annonaceae	<i>Fitzalania heteropetala</i>			C					✓	✓
Annonaceae	<i>Melodorum crassipetalum</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Annonaceae	<i>Melodorum leichhardtii</i>			C					✓	✓
Annonaceae	<i>Miliusa brahei</i>			C					✓	✓
Annonaceae	<i>Polyalthia nitidissima</i>	polyalthia		C					✓	✓
Annonaceae	<i>Annona squamosa</i>		Y						✓	✓
Apiaceae	<i>Actinotus gibbonsii</i>	dwarf flannel flower		C					✓	✓
Apiaceae	<i>Centella asiatica</i>			C					✓	✓
Apiaceae	<i>Platysace valida</i>			C					✓	✓
Apocynaceae	<i>Alstonia constricta</i>	bitterbark		C					✓	✓
Apocynaceae	<i>Alyxia ruscifolia</i>			C					✓	✓
Apocynaceae	<i>Alyxia spicata</i>			C					✓	✓
Apocynaceae	<i>Carissa lanceolata</i>			C					✓	✓
Apocynaceae	<i>Carissa ovata</i>	currantbush		C					✓	✓
Apocynaceae	<i>Cerbera dumicola</i>			NT					✓	✓
Apocynaceae	<i>Cynanchum leptolepis</i>			C						✓
Apocynaceae	<i>Gymnanthera oblonga</i>			C					✓	✓
Apocynaceae	<i>Hoya australis</i>			C					✓	✓
Apocynaceae	<i>Marsdenia cymulosa</i>			C						✓
Apocynaceae	<i>Marsdenia micradenia</i>	gymnema		C					✓	✓
Apocynaceae	<i>Marsdenia microlepis</i>			C					✓	✓
Apocynaceae	<i>Marsdenia pleiadenia</i>			C					✓	✓
Apocynaceae	<i>Marsdenia pumila</i>			V					✓	✓
Apocynaceae	<i>Marsdenia rostrata</i>			C					✓	✓
Apocynaceae	<i>Marsdenia sp.</i>			C					✓	
Apocynaceae	<i>Marsdenia viridiflora</i>			C						✓
Apocynaceae	<i>Marsdenia viridiflora</i> subsp. <i>tropica</i>			C					✓	✓
Apocynaceae	<i>Marsdenia viridiflora</i> subsp. <i>viridiflora</i>			C					✓	
Apocynaceae	<i>Parsonsia eucalyptophylla</i>	gargaloo		C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Apocynaceae	<i>Parsonsia lanceolata</i>	northern silkpod		C					✓	✓
Apocynaceae	<i>Parsonsia plaesiophylla</i>			C					✓	✓
Apocynaceae	<i>Parsonsia straminea</i>	monkey rope		C					✓	✓
Apocynaceae	<i>Parsonsia velutina</i>	hairy silkpod		C					✓	✓
Apocynaceae	<i>Secamone elliptica</i>			C					✓	✓
Apocynaceae	<i>Tabernaemontana orientalis</i>			C						✓
Apocynaceae	<i>Tylophora erecta</i>			C					✓	✓
Apocynaceae	<i>Wrightia pubescens</i>			C						✓
Apocynaceae	<i>Wrightia saligna</i>			C					✓	✓
Apocynaceae	<i>Wrightia versicolor</i>			C					✓	✓
Apocynaceae	<i>Asclepias curassavica</i>	red-head cottonbush	Y						✓	✓
Apocynaceae	<i>Cascabela thevetia</i>	yellow oleander	Y				Class 3		✓	✓
Apocynaceae	<i>Catharanthus roseus</i>	pink periwinkle	Y						✓	✓
Apocynaceae	<i>Cryptostegia grandiflora</i>	rubber vine	Y			WONS	Class 2	ü	✓	✓
Apocynaceae	<i>Gomphocarpus physocarpus</i>	balloon cottonbush	Y						✓	✓
Apocynaceae	<i>Hoya australis</i> subsp. <i>australis</i>			C					✓	
Apocynaceae	<i>Sarcostemma viminale</i> subsp. <i>australe</i>			C					✓	✓
Apocynaceae	<i>Sarcostemma viminale</i> subsp. <i>brunonianum</i>			C					✓	✓
Apocynaceae	<i>Wrightia pubescens</i> subsp. <i>penicillata</i>			C					✓	
Aponogetonaceae	<i>Aponogeton queenslandicus</i>			C					✓	✓
Araliaceae	<i>Hydrocotyle geraniifolia</i>	forest pennywort		C					✓	✓
Araliaceae	<i>Polyscias elegans</i>	celery wood		C					✓	✓
Araliaceae	<i>Schefflera actinophylla</i>	umbrella tree		C					✓	✓
Araliaceae	<i>Trachymene montana</i>			C					✓	✓
Araliaceae	<i>Schefflera arboricola</i>		Y						✓	
Araliaceae	<i>Astrotricha pterocarpa</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Araucariaceae	<i>Araucaria cunninghamii</i>			C						✓
Araucariaceae	<i>Araucaria cunninghamii</i> var. <i>cunninghamii</i>			C					✓	
Arecaceae	<i>Livistona australis</i>	cabbage tree palm		C					✓	✓
Arecaceae	<i>Phoenix dactylifera</i>		Y						✓	✓
Arecaceae	<i>Syagrus romanzoffiana</i>	Queen palm	Y						✓	
Aristolochiaceae	<i>Aristolochia pubera</i>			C						✓
Aristolochiaceae	<i>Aristolochia elegans</i>	calico-flower	Y				Class 3		✓	✓
Asparagaceae	<i>Asparagus racemosus</i>	native asparagus		C					✓	✓
Asparagaceae	<i>Asparagus aethiopicus</i>		Y				Class 3	✓		
Asphodelaceae	<i>Bulbine bulbosa</i>	golden lily		C					✓	✓
Aspleniaceae	<i>Asplenium paleaceum</i>	scaly asplenium		C					✓	✓
Aspleniaceae	<i>Asplenium polyodon</i>	mare's tail fern		C					✓	✓
Asteraceae	<i>Aster subulatus</i>	wild aster		C					✓	
Asteraceae	<i>Blumea diffusa</i>			C					✓	✓
Asteraceae	<i>Blumea mollis</i>			C					✓	✓
Asteraceae	<i>Blumea saxatilis</i>			C					✓	✓
Asteraceae	<i>Blumea tenella</i>			C						✓
Asteraceae	<i>Calotis cuneata</i>			C					✓	✓
Asteraceae	<i>Calotis cuneifolia</i>	burr daisy		C					✓	✓
Asteraceae	<i>Calotis dentex</i>	white burr daisy		C					✓	✓
Asteraceae	<i>Calotis xanthosioidea</i>			C					✓	✓
Asteraceae	<i>Camptacra barbata</i>			C					✓	✓
Asteraceae	<i>Camptacra gracilis</i>			C					✓	✓
Asteraceae	<i>Cassinia quinquefaria</i>			C					✓	✓
Asteraceae	<i>Centipeda minima</i>			C						✓
Asteraceae	<i>Centipeda nidiformis</i>			C					✓	✓
Asteraceae	<i>Centipeda sp.</i>			C					✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Asteraceae	<i>Chrysocephalum apiculatum</i>	yellow buttons		C					✓	✓
Asteraceae	<i>Coronidium lanosum</i>			C					✓	✓
Asteraceae	<i>Coronidium lanuginosum</i>			C					✓	✓
Asteraceae	<i>Coronidium rupicola</i>			C					✓	✓
Asteraceae	<i>Cyanthillium cinereum</i>			C					✓	✓
Asteraceae	<i>Eclipta prostrata</i>	white eclipta		C					✓	✓
Asteraceae	<i>Epaltes australis</i>	spreading nutheads		C					✓	✓
Asteraceae	<i>Epaltes sp.</i>			C						✓
Asteraceae	<i>Euchiton sp.</i>			C					✓	✓
Asteraceae	<i>Glossocardia refracta</i>			C					✓	✓
Asteraceae	<i>Gynura drymophila</i>			C					✓	✓
Asteraceae	<i>Helichrysum sp.</i>			C					✓	
Asteraceae	<i>Olearia canescens</i>			C					✓	✓
Asteraceae	<i>Olearia xerophila</i>			C					✓	✓
Asteraceae	<i>Ozothamnus eriocephalus</i>			V	V			✓	✓	✓
Asteraceae	<i>Peripleura hispidula</i>			C						✓
Asteraceae	<i>Peripleura hispidula</i> var. <i>hispidula</i>			C					✓	
Asteraceae	<i>Peripleura hispidula</i> var. <i>setosa</i>			C					✓	✓
Asteraceae	<i>Peripleura obovata</i>			C					✓	✓
Asteraceae	<i>Peripleura scabra</i>			NT					✓	✓
Asteraceae	<i>Pluchea rubelliflora</i>			C					✓	✓
Asteraceae	<i>Pterocaulon ciliolum</i>			C					✓	✓
Asteraceae	<i>Pterocaulon redolens</i>			C					✓	✓
Asteraceae	<i>Pterocaulon serrulatum</i>			C					✓	✓
Asteraceae	<i>Pterocaulon serrulatum</i> var. <i>serrulatum</i>			C					✓	
Asteraceae	<i>Rutidosia leucantha</i>			C						✓
Asteraceae	<i>Senecio pinnatifolius</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Asteraceae	<i>Sigesbeckia orientalis</i>	Indian weed		C						✓
Asteraceae	<i>Sphaeranthus africanus</i>			C					✓	✓
Asteraceae	<i>Sphaeranthus indicus</i>			C					✓	✓
Asteraceae	<i>Streptoglossa adscendens</i>	desert daisy		C					✓	✓
Asteraceae	<i>Vittadinia dissecta</i>			C						✓
Asteraceae	<i>Wedelia spilanthis</i>			C					✓	✓
Asteraceae	<i>Xerochrysum bracteatum</i>	golden everlasting daisy		C					✓	✓
Asteraceae	<i>Acanthospermum hispidum</i>	star burr	Y						✓	✓
Asteraceae	<i>Ageratum conyzoides</i>		Y							✓
Asteraceae	<i>Ageratum conyzoides</i> subsp. <i>conyzoides</i>		Y						✓	
Asteraceae	<i>Bidens bipinnata</i>	bipinnate beggar's ticks	Y						✓	✓
Asteraceae	<i>Bidens pilosa</i>		Y						✓	✓
Asteraceae	<i>Calyptracarpus vialis</i>	creeping cinderella weed	Y						✓	✓
Asteraceae	<i>Cirsium vulgare</i>	spear thistle	Y						✓	✓
Asteraceae	<i>Conyza aegyptiaca</i>		Y						✓	✓
Asteraceae	<i>Conyza bonariensis</i>		Y						✓	✓
Asteraceae	<i>Crassocephalum crepidioides</i>	thickhead	Y						✓	✓
Asteraceae	<i>Emilia sonchifolia</i>		Y						✓	✓
Asteraceae	<i>Emilia sonchifolia</i> var. <i>javanica</i>		Y						✓	
Asteraceae	<i>Emilia sonchifolia</i> var. <i>sonchifolia</i>		Y						✓	
Asteraceae	<i>Flaveria trinervia</i>		Y						✓	✓
Asteraceae	<i>Parthenium hysterophorus</i>	parthenium weed	Y			WONS	Class 2	✓	✓	✓
Asteraceae	<i>Praxelis clematidea</i>		Y						✓	✓
Asteraceae	<i>Sonchus oleraceus</i>	common sowthistle	Y						✓	✓
Asteraceae	<i>Tagetes minuta</i>	stinking roger	Y						✓	✓
Asteraceae	<i>Tridax procumbens</i>	tridax daisy	Y						✓	✓
Asteraceae	<i>Verbesina encelioides</i>	crownbeard	Y						✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Asteraceae	<i>Xanthium occidentale</i>		Y						✓	✓
Asteraceae	<i>Zinnia peruviana</i>	wild zinnia	Y						✓	✓
Asteraceae	<i>Acmella grandiflora</i> var. <i>brachyglossa</i>			C					✓	✓
Asteraceae	<i>Blumea lacera</i>			C					✓	✓
Asteraceae	<i>Centipeda minima</i> subsp. <i>minima</i>			C					✓	
Asteraceae	<i>Peripleura diffusa</i>			C					✓	✓
Asteraceae	<i>Pluchea xanthina</i>			C					✓	✓
Asteraceae	<i>Pseudognaphalium luteoalbum</i>	Jersey cudweed		C					✓	✓
Asteraceae	<i>Streptoglossa odora</i>			C					✓	✓
Avicenniaceae	<i>Avicennia marina</i> subsp. <i>australasica</i>			C						✓
Bignoniaceae	<i>Pandorea pandorana</i>	wonga vine		C					✓	✓
Bignoniaceae	<i>Tecoma stans</i> var. <i>velutina</i>		Y				Class 3		✓	✓
Bixaceae	<i>Bixa orellana</i>	analto	Y						✓	
Blechnaceae	<i>Doodia caudata</i>			C					✓	✓
Blechnaceae	<i>Doodia media</i>			C					✓	✓
Bombacaceae	<i>Lagunaria queenslandica</i>			C					✓	✓
Boraginaceae	<i>Cordia dichotoma</i>			C					✓	✓
Boraginaceae	<i>Ehretia grahamii</i>			C					✓	✓
Boraginaceae	<i>Ehretia membranifolia</i>	weeping koda		C					✓	✓
Boraginaceae	<i>Heliotropium consimile</i>			C					✓	✓
Boraginaceae	<i>Heliotropium cunninghamii</i>			C					✓	✓
Boraginaceae	<i>Heliotropium geocharis</i>			C					✓	✓
Boraginaceae	<i>Heliotropium ovalifolium</i>			C					✓	✓
Boraginaceae	<i>Heliotropium pauciflorum</i>			C					✓	✓
Boraginaceae	<i>Heliotropium peninsulare</i>			C					✓	✓
Boraginaceae	<i>Heliotropium tenuifolium</i>			C					✓	✓
Boraginaceae	<i>Trichodesma zeylanicum</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Boraginaceae	<i>Trichodesma zeylanicum</i> var. <i>latisepalum</i>			C					✓	✓
Boraginaceae	<i>Trichodesma zeylanicum</i> var. <i>zeylanicum</i>			C					✓	
Boraginaceae	<i>Heliotropium indicum</i>		Y						✓	✓
Boraginaceae	<i>Heliotropium moorei</i>			C					✓	✓
Boraginaceae	<i>Heliotropium muelleri</i>			C					✓	✓
Brassicaceae	<i>Rorippa eustylis</i>			C						✓
Brassicaceae	<i>Rorippa gigantea</i>			C					✓	✓
Brassicaceae	<i>Lepidium africanum</i>	common peppergrass	Y						✓	✓
Brassicaceae	<i>Lepidium bonariense</i>	Argentine peppergrass	Y						✓	✓
Brassicaceae	<i>Lepidium didymum</i>		Y						✓	✓
Brassicaceae	<i>Sisymbrium officinale</i>	hedge mustard		C					✓	
Burseraceae	<i>Canarium australicum</i>			C					✓	✓
Burseraceae	<i>Canarium australicum</i> var. <i>australicum</i>			C					✓	
Byblidaceae	<i>Byblis liniflora</i>			C					✓	✓
Byttneriaceae	<i>Keraudrenia collina</i>			C					✓	✓
Byttneriaceae	<i>Keraudrenia hookeriana</i>			C					✓	✓
Byttneriaceae	<i>Melochia corchorifolia</i>			C					✓	✓
Byttneriaceae	<i>Seringia corollata</i>			C					✓	✓
Byttneriaceae	<i>Waltheria indica</i>			C					✓	✓
Byttneriaceae	<i>Melochia pyramidata</i>		Y						✓	✓
Byttneriaceae	<i>Hannafordia shanesii</i>			C					✓	✓
Cactaceae	<i>Harrisia martinii</i>		Y				Class 2		✓	✓
Cactaceae	<i>Opuntia</i> sp.		Y						✓	
Cactaceae	<i>Opuntia tomentosa</i>	velvety tree pear	Y			WONS	Class 2		✓	
Caesalpiniaceae	<i>Caesalpinia bonduc</i>	nicker bean		C						✓
Caesalpiniaceae	<i>Cassia brewsteri</i>			C					✓	✓
Caesalpiniaceae	<i>Chamaecrista absus</i> var. <i>absus</i>			C					✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Caesalpiniaceae	<i>Chamaecrista concinna</i>			C					✓	✓
Caesalpiniaceae	<i>Chamaecrista nomame</i>			C					✓	✓
Caesalpiniaceae	<i>Labichea nitida</i>			C					✓	✓
Caesalpiniaceae	<i>Labichea rupestris</i>			C					✓	✓
Caesalpiniaceae	<i>Lysiphyllum binatum</i>			C					✓	✓
Caesalpiniaceae	<i>Lysiphyllum carronii</i>	ebony tree		C					✓	✓
Caesalpiniaceae	<i>Lysiphyllum hookeri</i>	Queensland ebony		C					✓	✓
Caesalpiniaceae	<i>Petalostylis labicheoides</i>			C					✓	✓
Caesalpiniaceae	<i>Senna</i>			C					✓	
Caesalpiniaceae	<i>Senna acclinis</i>			NT						✓
Caesalpiniaceae	<i>Senna aciphylla</i>	Australian senna		C					✓	✓
Caesalpiniaceae	<i>Senna artemisioides</i>			C					✓	✓
Caesalpiniaceae	<i>Senna artemisioides</i> subsp. <i>coriacea</i>			C						✓
Caesalpiniaceae	<i>Senna artemisioides</i> subsp. <i>filifolia</i>			C					✓	✓
Caesalpiniaceae	<i>Senna artemisioides</i> subsp. <i>oligophylla</i>			C					✓	✓
Caesalpiniaceae	<i>Senna artemisioides</i> subsp. <i>zygophylla</i>			C					✓	✓
Caesalpiniaceae	<i>Senna coronilloides</i>			C					✓	✓
Caesalpiniaceae	<i>Senna costata</i>			C					✓	✓
Caesalpiniaceae	<i>Senna gaudichaudii</i>			C						✓
Caesalpiniaceae	<i>Senna notabilis</i>			C					✓	✓
Caesalpiniaceae	<i>Senna pendula</i>			C					✓	✓
Caesalpiniaceae	<i>Senna planitiicola</i>			C					✓	✓
Caesalpiniaceae	<i>Caesalpinia gilliesii</i>	bird-of-paradise flower	Y						✓	
Caesalpiniaceae	<i>Cassia fistula</i>	Indian laburnum	Y						✓	✓
Caesalpiniaceae	<i>Chamaecrista absus</i>		Y							✓
Caesalpiniaceae	<i>Delonix regia</i>	poinciana	Y						✓	✓
Caesalpiniaceae	<i>Parkinsonia aculeata</i>	Jerusalem thorn	Y			WONS	Class 2	✓	✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Caesalpiniaceae	<i>Peltophorum pterocarpum</i>	yellow poinciana	Y						✓	✓
Caesalpiniaceae	<i>Senna alata</i>		Y						✓	✓
Caesalpiniaceae	<i>Senna didymobotrya</i>		Y							✓
Caesalpiniaceae	<i>Senna occidentalis</i>	coffee senna	Y						✓	✓
Caesalpiniaceae	<i>Tamarindus indica</i>		Y						✓	✓
Caesalpiniaceae	<i>Cassia tomentella</i>			C					✓	✓
Campanulaceae	<i>Wahlenbergia caryophylloides</i>			C					✓	✓
Campanulaceae	<i>Wahlenbergia communis</i>	tufted bluebell		C						✓
Campanulaceae	<i>Lobelia concolor</i>			C					✓	✓
Campanulaceae	<i>Wahlenbergia gracilis</i>	spawling bluebell		C					✓	✓
Capparaceae	<i>Apophyllum anomalum</i>	broom bush		C					✓	✓
Capparaceae	<i>Capparis canescens</i>			C					✓	✓
Capparaceae	<i>Capparis lasiantha</i>	nipan		C					✓	✓
Capparaceae	<i>Capparis mitchellii</i>			C					✓	✓
Capparaceae	<i>Capparis ornans</i>			C					✓	✓
Capparaceae	<i>Capparis sepiaria</i>			C					✓	✓
Capparaceae	<i>Capparis shanesiana</i>			C					✓	✓
Capparaceae	<i>Capparis umbonata</i>			C					✓	✓
Caricaceae	<i>Carica papaya</i>	pawpaw	Y						✓	✓
Caryophyllaceae	<i>Polycarpaea corymbosa</i>			C						✓
Caryophyllaceae	<i>Polycarpaea corymbosa</i> var. <i>corymbosa</i>			C					✓	
Caryophyllaceae	<i>Polycarpaea corymbosa</i> var. <i>minor</i>			C					✓	✓
Caryophyllaceae	<i>Polycarpaea spirostylis</i>			C					✓	✓
Caryophyllaceae	<i>Polycarpaea spirostylis</i> subsp. <i>compacta</i>			C						✓
Caryophyllaceae	<i>Polycarpaea spirostylis</i> subsp. <i>spirostylis</i>			C					✓	
Caryophyllaceae	<i>Sagina apetala</i>	annual pearlwort	Y						✓	✓
Casuarinaceae	<i>Allocasuarina littoralis</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Casuarinaceae	<i>Allocasuarina luehmannii</i>	bull oak		C					✓	✓
Casuarinaceae	<i>Casuarina equisetifolia</i>			C						✓
Casuarinaceae	<i>Casuarina cristata</i>	belah		C					✓	✓
Celastraceae	<i>Denhamia celastroides</i>	broad-leaved boxwood		C					✓	✓
Celastraceae	<i>Denhamia cunninghamii</i>			C					✓	✓
Celastraceae	<i>Denhamia disperma</i>			C					✓	✓
Celastraceae	<i>Denhamia oleaster</i>			C					✓	✓
Celastraceae	<i>Denhamia pittosporoides</i>			C						✓
Celastraceae	<i>Denhamia sp.</i>			C					✓	✓
Celastraceae	<i>Elaeodendron australe</i> var. <i>integrifolium</i>			C					✓	✓
Celastraceae	<i>Elaeodendron melanocarpum</i>			C					✓	✓
Celastraceae	<i>Maytenus sp.</i>			C						✓
Celastraceae	<i>Maytenus cunninghamii</i>	yellow berry bush		C					✓	
Centrolepidaceae	<i>Centrolepis exserta</i>			C					✓	✓
Ceratophyllaceae	<i>Ceratophyllum demersum</i>	hornwort		C					✓	✓
Chenopodiaceae	<i>Atriplex lindleyi</i>			C					✓	✓
Chenopodiaceae	<i>Atriplex lindleyi</i> subsp. <i>conduplicata</i>			C						✓
Chenopodiaceae	<i>Atriplex lindleyi</i> subsp. <i>lindleyi</i>			C					✓	
Chenopodiaceae	<i>Atriplex muelleri</i>	lagoon saltbush		C					✓	✓
Chenopodiaceae	<i>Atriplex semibaccata</i>	creeping saltbush		C					✓	✓
Chenopodiaceae	<i>Chenopodium auricomum</i>			C					✓	✓
Chenopodiaceae	<i>Dissocarpus biflorus</i> var. <i>cephalocarpus</i>			C					✓	✓
Chenopodiaceae	<i>Dysphania carinata</i>			C					✓	✓
Chenopodiaceae	<i>Dysphania glomulifera</i>			C					✓	✓
Chenopodiaceae	<i>Dysphania kalpari</i>			C					✓	✓
Chenopodiaceae	<i>Dysphania melanocarpa</i>			C					✓	✓
Chenopodiaceae	<i>Dysphania rhadinostachya</i> subsp. <i>inflata</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Chenopodiaceae	<i>Einadia nutans</i>			C						✓
Chenopodiaceae	<i>Einadia nutans</i> subsp. <i>linifolia</i>			C					✓	✓
Chenopodiaceae	<i>Enchylaena tomentosa</i>			C					✓	✓
Chenopodiaceae	<i>Enchylaena tomentosa</i> var. <i>tomentosa</i>			C					✓	
Chenopodiaceae	<i>Maireana microphylla</i>			C					✓	✓
Chenopodiaceae	<i>Maireana</i> sp.			C					✓	
Chenopodiaceae	<i>Salsola australis</i>			C					✓	✓
Chenopodiaceae	<i>Sclerolaena anisacanthoides</i>	yellow burr		C					✓	✓
Chenopodiaceae	<i>Sclerolaena bicornis</i>			C					✓	
Chenopodiaceae	<i>Sclerolaena bicornis</i> var. <i>horrida</i>			C					✓	✓
Chenopodiaceae	<i>Sclerolaena muricata</i>			C					✓	✓
Chenopodiaceae	<i>Sclerolaena tetracuspis</i>	brigalow burr		C					✓	✓
Chenopodiaceae	<i>Sclerolaena tricuspis</i>	giant red burr		C					✓	✓
Chenopodiaceae	<i>Tecticornia australasica</i>			C						✓
Chenopodiaceae	<i>Tecticornia indica</i>			C						✓
Chenopodiaceae	<i>Tecticornia pergranulata</i>			C						✓
Chenopodiaceae	<i>Salsola tragus</i>		Y						✓	✓
Chenopodiaceae	<i>Einadia hastata</i>			C					✓	✓
Chenopodiaceae	<i>Einadia trigonos</i> subsp. <i>stellulata</i>			C					✓	✓
Chenopodiaceae	<i>Maireana villosa</i>			C					✓	✓
Chenopodiaceae	<i>Sclerolaena birchii</i>	galvanised burr		C					✓	✓
Chenopodiaceae	<i>Sclerolaena convexula</i>			C					✓	✓
Chenopodiaceae	<i>Sclerolaena ramulosa</i>			C					✓	✓
Chlorophyceae	<i>Chaetomorpha linum</i>			C					✓	
Cleomaceae	<i>Cleome viscosa</i>	tick-weed		C					✓	✓
Cleomaceae	<i>Cleome aculeata</i>		Y						✓	✓
Cleomaceae	<i>Cleome gynandra</i>		Y						✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Clusiaceae	<i>Hypericum gramineum</i>			C					✓	✓
Cochlospermaceae	<i>Cochlospermum gillivraei</i>			C					✓	✓
Colchicaceae	<i>Iphigenia indica</i>			C					✓	✓
Combretaceae	<i>Terminalia melanocarpa</i>			C					✓	✓
Combretaceae	<i>Terminalia muelleri</i>			C					✓	✓
Combretaceae	<i>Terminalia oblongata</i>			C					✓	✓
Combretaceae	<i>Terminalia oblongata</i> subsp. <i>oblongata</i>			C					✓	
Combretaceae	<i>Terminalia porphyrocarpa</i>			C					✓	✓
Combretaceae	<i>Terminalia</i> sp.			C					✓	
Combretaceae	<i>Terminalia subacroptera</i>			C						✓
Combretaceae	<i>Quisqualis indica</i>		Y						✓	✓
Commelinaceae	<i>Commelina</i>			C						✓
Commelinaceae	<i>Commelina diffusa</i>	wandering jew		C					✓	✓
Commelinaceae	<i>Commelina ensifolia</i>	scurvy grass		C					✓	✓
Commelinaceae	<i>Commelina lanceolata</i>			C					✓	✓
Commelinaceae	<i>Cyanotis axillaris</i>			C					✓	✓
Commelinaceae	<i>Murdannia gigantea</i>			C					✓	✓
Commelinaceae	<i>Murdannia graminea</i>	murdannia		C					✓	✓
Commelinaceae	<i>Commelina benghalensis</i>		Y						✓	✓
Convolvulaceae	<i>Bonamia dietrichiana</i>			NT					✓	✓
Convolvulaceae	<i>Bonamia media</i>			C					✓	✓
Convolvulaceae	<i>Cressa australis</i>			C						✓
Convolvulaceae	<i>Evolvulus alsinoides</i>			C					✓	✓
Convolvulaceae	<i>Evolvulus alsinoides</i> var. <i>decumbens</i>			C					✓	✓
Convolvulaceae	<i>Evolvulus alsinoides</i> var. <i>villosicalyx</i>			C					✓	✓
Convolvulaceae	<i>Ipomoea abrupta</i>			C					✓	✓
Convolvulaceae	<i>Ipomoea aquatica</i>			C						✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Convolvulaceae	<i>Ipomoea argillicola</i>			C					✓	✓
Convolvulaceae	<i>Ipomoea brassii</i>			C					✓	✓
Convolvulaceae	<i>Ipomoea brownii</i>			C					✓	✓
Convolvulaceae	<i>Ipomoea calobra</i>			C					✓	✓
Convolvulaceae	<i>Ipomoea coptica</i>			C					✓	✓
Convolvulaceae	<i>Ipomoea diamantinensis</i>	desert cowvine		C					✓	✓
Convolvulaceae	<i>Ipomoea gracilis</i>			C					✓	✓
Convolvulaceae	<i>Ipomoea lonchophylla</i>			C					✓	✓
Convolvulaceae	<i>Ipomoea pes-caprae</i>			C					✓	
Convolvulaceae	<i>Ipomoea plebeia</i>	bellvine		C					✓	✓
Convolvulaceae	<i>Ipomoea polpha</i>			C						✓
Convolvulaceae	<i>Ipomoea polymorpha</i>			C					✓	✓
Convolvulaceae	<i>Jacquemontia paniculata</i>			C					✓	✓
Convolvulaceae	<i>Jacquemontia paniculata</i> var. <i>tomentosa</i>			C					✓	✓
Convolvulaceae	<i>Jacquemontia</i> sp.			C						✓
Convolvulaceae	<i>Merremia hederacea</i>			C					✓	✓
Convolvulaceae	<i>Merremia quinata</i>			C					✓	
Convolvulaceae	<i>Operculina aequiseipala</i>			C					✓	✓
Convolvulaceae	<i>Polymeria ambigua</i>			C					✓	✓
Convolvulaceae	<i>Polymeria marginata</i>			C					✓	✓
Convolvulaceae	<i>Polymeria pusilla</i>			C					✓	✓
Convolvulaceae	<i>Polymeria</i> sp.			C					✓	
Convolvulaceae	<i>Xenostegia tridentata</i>			C					✓	✓
Convolvulaceae	<i>Argyreia nervosa</i>		Y						✓	✓
Convolvulaceae	<i>Ipomoea triloba</i>		Y						✓	✓
Convolvulaceae	<i>Merremia dissecta</i>		Y						✓	✓
Cucurbitaceae	<i>Cucumis althaeoides</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Cucurbitaceae	<i>Cucumis melo</i>			C					✓	✓
Cucurbitaceae	<i>Diplocyclos palmatus</i>			C					✓	✓
Cucurbitaceae	<i>Neoachmandra cunninghamii</i>			C					✓	✓
Cucurbitaceae	<i>Citrullus lanatus</i>		Y						✓	✓
Cucurbitaceae	<i>Cucumis anguria</i>		Y							✓
Cucurbitaceae	<i>Cucumis anguria</i> var. <i>anguria</i>	West Indian gherkin	Y						✓	
Cucurbitaceae	<i>Cucumis myriocarpus</i>		Y							✓
Cucurbitaceae	<i>Cucumis myriocarpus</i> subsp. <i>myriocarpus</i>	prickly pademelon	Y						✓	
Cucurbitaceae	<i>Momordica charantia</i>	balsam pear	Y						✓	✓
Cucurbitaceae	<i>Sicyos australis</i>	star cucumber		C					✓	✓
Cyanophyceae	<i>Scytonema hofman-bangii</i>			C					✓	
Cyatheaaceae	<i>Cyathea cooperi</i>			C					✓	✓
Cyatheaaceae	<i>Cyathea rebeccae</i>	black tree fern		C						✓
Cycadaceae	<i>Cycas media</i>			C						✓
Cycadaceae	<i>Cycas media</i> subsp. <i>media</i>			C					✓	
Cycadaceae	<i>Cycas ophiolitica</i>			E	E			✓		
Cyperaceae	<i>Abildgaardia ovata</i>			C					✓	✓
Cyperaceae	<i>Abildgaardia vaginata</i>			C					✓	✓
Cyperaceae	<i>Bulbostylis barbata</i>			C					✓	✓
Cyperaceae	<i>Bulbostylis pyriformis</i>			C					✓	✓
Cyperaceae	<i>Carex brunnea</i>			C					✓	✓
Cyperaceae	<i>Carex</i> sp.			C					✓	✓
Cyperaceae	<i>Cyperus alopecuroides</i>			C					✓	✓
Cyperaceae	<i>Cyperus aquatilis</i>			C					✓	✓
Cyperaceae	<i>Cyperus betchei</i>			C						✓
Cyperaceae	<i>Cyperus betchei</i> subsp. <i>betchei</i>			C					✓	
Cyperaceae	<i>Cyperus bifax</i>	western nutgrass		C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Cyperaceae	<i>Cyperus castaneus</i>			C					✓	✓
Cyperaceae	<i>Cyperus conicus</i>			C					✓	✓
Cyperaceae	<i>Cyperus cuspidatus</i>			C					✓	✓
Cyperaceae	<i>Cyperus cyperoides</i>			C					✓	✓
Cyperaceae	<i>Cyperus dactylotes</i>			C					✓	✓
Cyperaceae	<i>Cyperus dietrichiae</i>			C					✓	✓
Cyperaceae	<i>Cyperus difformis</i>	rice sedge		C					✓	✓
Cyperaceae	<i>Cyperus enervis</i>			C					✓	✓
Cyperaceae	<i>Cyperus exaltatus</i>	tall flatsedge		C					✓	✓
Cyperaceae	<i>Cyperus fulvus</i>			C					✓	✓
Cyperaceae	<i>Cyperus gilesii</i>			C					✓	✓
Cyperaceae	<i>Cyperus gracilis</i>			C					✓	✓
Cyperaceae	<i>Cyperus iria</i>			C					✓	✓
Cyperaceae	<i>Cyperus javanicus</i>			C					✓	✓
Cyperaceae	<i>Cyperus leiocaulon</i>			C					✓	✓
Cyperaceae	<i>Cyperus pedunculatus</i>			C						✓
Cyperaceae	<i>Cyperus perangustus</i>			C					✓	✓
Cyperaceae	<i>Cyperus polystachyos</i>			C					✓	✓
Cyperaceae	<i>Cyperus polystachyos</i> var. <i>laxiflorus</i>			C					✓	✓
Cyperaceae	<i>Cyperus pulchellus</i>			C					✓	✓
Cyperaceae	<i>Cyperus scaber</i>			C					✓	✓
Cyperaceae	<i>Cyperus</i> sp.			C					✓	
Cyperaceae	<i>Cyperus squarrosus</i>	bearded flatsedge		C					✓	✓
Cyperaceae	<i>Cyperus subulatus</i>			C						✓
Cyperaceae	<i>Cyperus tetracarpus</i>			C						✓
Cyperaceae	<i>Cyperus zollingeri</i>			C					✓	✓
Cyperaceae	<i>Eleocharis acuta</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Cyperaceae	<i>Eleocharis pallens</i>	pale spikerush		C					✓	✓
Cyperaceae	<i>Eleocharis philippinensis</i>			C					✓	✓
Cyperaceae	<i>Fimbristylis aestivalis</i>			C					✓	✓
Cyperaceae	<i>Fimbristylis bisumbellata</i>			C					✓	✓
Cyperaceae	<i>Fimbristylis dichotoma</i>	common fringe-rush		C					✓	✓
Cyperaceae	<i>Fimbristylis ferruginea</i>			C						✓
Cyperaceae	<i>Fimbristylis microcarya</i>			C					✓	✓
Cyperaceae	<i>Fimbristylis nuda</i>			C					✓	✓
Cyperaceae	<i>Fimbristylis polytrichoides</i>			C						✓
Cyperaceae	<i>Fimbristylis sieberiana</i>			C					✓	✓
Cyperaceae	<i>Fimbristylis tristachya</i>			C					✓	✓
Cyperaceae	<i>Gahnia aspera</i>			C					✓	✓
Cyperaceae	<i>Lepidosperma laterale</i>			C					✓	✓
Cyperaceae	<i>Rhynchospora pterochaeta</i>			C					✓	✓
Cyperaceae	<i>Schoenoplectus dissachanthus</i>			C					✓	✓
Cyperaceae	<i>Schoenoplectus subulatus</i>			C					✓	
Cyperaceae	<i>Scleria mackaviensis</i>			C					✓	✓
Cyperaceae	<i>Scleria rugosa</i>			C					✓	✓
Cyperaceae	<i>Scleria sp.</i>			C					✓	
Cyperaceae	<i>Scleria sphacelata</i>			C					✓	✓
Cyperaceae	<i>Tetraria capillaris</i>			C					✓	✓
Cyperaceae	<i>Cyperus involucratus</i>		Y						✓	✓
Cyperaceae	<i>Cyperus rotundus</i>	nutgrass	Y						✓	✓
Cyperaceae	<i>Cyperus tuberosus</i>		Y						✓	✓
Cyperaceae	<i>Schoenoplectus erectus</i>		Y						✓	✓
Cyperaceae	<i>Bulbostylis densa</i>			C					✓	✓
Cyperaceae	<i>Cyperus bowmannii</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Cyperaceae	<i>Cyperus isabellinus</i>			C					✓	✓
Cyperaceae	<i>Cyperus procerus</i>			C					✓	✓
Cyperaceae	<i>Cyperus tenuispica</i>			C					✓	✓
Cyperaceae	<i>Cyperus victoriensis</i>			C					✓	✓
Cyperaceae	<i>Eleocharis plana</i>	ribbed spikerush		C					✓	✓
Cyperaceae	<i>Fimbristylis acicularis</i>			C					✓	✓
Cyperaceae	<i>Fimbristylis depauperata</i>			C					✓	✓
Cyperaceae	<i>Fimbristylis subaristata</i>			C					✓	✓
Cyperaceae	<i>Schoenoplectus lateriflorus</i>			C					✓	✓
Cyperaceae	<i>Schoenus kennyi</i>			C					✓	✓
Cyperaceae	<i>Scleria brownii</i>			C					✓	✓
Davalliaceae	<i>Davallia denticulata</i>			C						✓
Davalliaceae	<i>Davallia denticulata</i> var. <i>denticulata</i>			C					✓	
Davalliaceae	<i>Davallia pyxidata</i>			C					✓	✓
Dicksoniaceae	<i>Calochlaena dubia</i>			C					✓	✓
Dilleniaceae	<i>Hibbertia cistoidea</i>			C					✓	✓
Dioscoreaceae	<i>Dioscorea transversa</i>	native yam		C					✓	✓
Droseraceae	<i>Drosera indica</i>			C					✓	✓
Droseraceae	<i>Drosera lunata</i>			C					✓	✓
Droseraceae	<i>Drosera burmanni</i>			C					✓	✓
Dryopteridaceae	<i>Arachniodes aristata</i>	prickly shield fern		C					✓	✓
Dryopteridaceae	<i>Lastreopsis tenera</i>			C					✓	✓
Ebenaceae	<i>Diospyros australis</i>	black plum		C					✓	✓
Ebenaceae	<i>Diospyros geminata</i>	scaly ebony		C					✓	✓
Ebenaceae	<i>Diospyros humilis</i>	small-leaved ebony		C					✓	✓
Ebenaceae	<i>Diospyros pentamera</i>	myrtle ebony		C					✓	✓
Elaeocarpaceae	<i>Elaeocarpus obovatus</i>	blueberry ash		C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Elaeocarpaceae	<i>Sloanea macbrydei</i>	northern yellow carabeen		C					✓	✓
Ericaceae	<i>Leucopogon cuspidatus</i>			C				✓	✓	✓
Ericaceae	<i>Melichrus urceolatus</i>	honey gorse		C					✓	✓
Eriocaulaceae	<i>Eriocaulon nanum</i>			C					✓	✓
Erythroxylaceae	<i>Erythroxylum australe</i>	cocaine tree		C					✓	✓
Euphorbiaceae	<i>Acalypha eremorum</i>	soft acalypha		C					✓	✓
Euphorbiaceae	<i>Baloghia inophylla</i>	scrub bloodwood		C					✓	✓
Euphorbiaceae	<i>Claoxylon tenerifolium</i>	Queensland brittlewood		C						✓
Euphorbiaceae	<i>Claoxylon tenerifolium</i> subsp. <i>tenerifolium</i>			C					✓	
Euphorbiaceae	<i>Croton acronychioides</i>	thick-leaved croton		C					✓	✓
Euphorbiaceae	<i>Croton arnhemicus</i>			C					✓	✓
Euphorbiaceae	<i>Croton insularis</i>	Queensland cascarilla		C					✓	✓
Euphorbiaceae	<i>Croton magneticus</i>			V				✓	✓	✓
Euphorbiaceae	<i>Croton phebaloides</i>	narrow-leaved croton		C					✓	✓
Euphorbiaceae	<i>Euphorbia bifida</i>			C						✓
Euphorbiaceae	<i>Euphorbia coghlanii</i>			C					✓	✓
Euphorbiaceae	<i>Euphorbia dallachyana</i>			C					✓	✓
Euphorbiaceae	<i>Euphorbia drummondii</i>			C					✓	✓
Euphorbiaceae	<i>Euphorbia macdonaldii</i>			C					✓	✓
Euphorbiaceae	<i>Euphorbia mitchelliana</i>			C						✓
Euphorbiaceae	<i>Euphorbia</i> sp.			C					✓	
Euphorbiaceae	<i>Euphorbia stevenii</i>	bottle tree spurge		C					✓	✓
Euphorbiaceae	<i>Euphorbia tannensis</i> subsp. <i>eremophila</i>			C					✓	✓
Euphorbiaceae	<i>Euphorbia tannensis</i> subsp. <i>tannensis</i>			C					✓	
Euphorbiaceae	<i>Excoecaria agallocha</i>	milky mangrove		C					✓	
Euphorbiaceae	<i>Homalanthus stillingiifolius</i>			C					✓	✓
Euphorbiaceae	<i>Mallotus nesophilus</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Euphorbiaceae	<i>Mallotus philippensis</i>	red kamala		C					✓	✓
Euphorbiaceae	<i>Microstachys chamaelea</i>			C					✓	✓
Euphorbiaceae	<i>Ricinoscarpos ledifolius</i>	scrub wedding bush		C					✓	✓
Euphorbiaceae	<i>Tragia novae-hollandiae</i>	stinging-vine		C					✓	✓
Euphorbiaceae	<i>Euphorbia cyathophora</i>	dwarf poinsettia	Y						✓	✓
Euphorbiaceae	<i>Euphorbia heterophylla</i>		Y						✓	✓
Euphorbiaceae	<i>Euphorbia hirta</i>		Y						✓	✓
Euphorbiaceae	<i>Euphorbia hyssopifolia</i>		Y						✓	✓
Euphorbiaceae	<i>Euphorbia tirucalli</i>	naked lady	Y						✓	✓
Euphorbiaceae	<i>Jatropha curcas</i>	physic nut	Y						✓	✓
Euphorbiaceae	<i>Jatropha gossypifolia</i>	bellyache bush	Y				Class 2	✓	✓	✓
Euphorbiaceae	<i>Ricinus communis</i>	castor oil bush	Y						✓	✓
Euphorbiaceae	<i>Omphalea celata</i>			V	V			✓		
Fabaceae	<i>Abrus precatorius</i> subsp. <i>precatorius</i>			C					✓	✓
Fabaceae	<i>Aeschynomene brevifolia</i>			C					✓	
Fabaceae	<i>Aeschynomene indica</i>	budda pea		C					✓	✓
Fabaceae	<i>Aeschynomene micranthos</i>			C					✓	✓
Fabaceae	<i>Alysicarpus muelleri</i>			C					✓	✓
Fabaceae	<i>Aphyllodium biarticulatum</i>			C					✓	✓
Fabaceae	<i>Austrosteenisia blackii</i>	bloodvine		C					✓	✓
Fabaceae	<i>Cajanus acutifolius</i>			C					✓	✓
Fabaceae	<i>Cajanus confertiflorus</i>			C					✓	✓
Fabaceae	<i>Cajanus reticulatus</i>			C					✓	✓
Fabaceae	<i>Cajanus scarabaeoides</i>			C					✓	✓
Fabaceae	<i>Canavalia papuana</i>	wild jack bean		C					✓	✓
Fabaceae	<i>Chorizema parviflorum</i>	eastern flame pea		C					✓	✓
Fabaceae	<i>Crotalaria calycina</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Fabaceae	<i>Crotalaria dissitiflora</i>			C						✓
Fabaceae	<i>Crotalaria dissitiflora</i> subsp. <i>dissitiflora</i>			C					✓	
Fabaceae	<i>Crotalaria medicaginea</i> var. <i>medicaginea</i>			C					✓	
Fabaceae	<i>Crotalaria medicaginea</i> var. <i>neglecta</i>			C					✓	✓
Fabaceae	<i>Crotalaria mitchellii</i>			C					✓	✓
Fabaceae	<i>Crotalaria montana</i>			C					✓	✓
Fabaceae	<i>Crotalaria montana</i> var. <i>angustifolia</i>			C						✓
Fabaceae	<i>Crotalaria novae-hollandiae</i>			C					✓	✓
Fabaceae	<i>Crotalaria</i> sp.			C					✓	
Fabaceae	<i>Crotalaria verrucosa</i>			C					✓	✓
Fabaceae	<i>Cullen cinereum</i>			C					✓	✓
Fabaceae	<i>Desmodium campylocaulon</i>			C					✓	✓
Fabaceae	<i>Desmodium filiforme</i>			C					✓	✓
Fabaceae	<i>Desmodium gangeticum</i>			C					✓	✓
Fabaceae	<i>Desmodium muelleri</i>			C					✓	✓
Fabaceae	<i>Desmodium pullenii</i>			C					✓	
Fabaceae	<i>Desmodium rhytidophyllum</i>			C					✓	✓
Fabaceae	<i>Desmodium trichostachyum</i>			C					✓	✓
Fabaceae	<i>Erythrina vespertilio</i>			C						✓
Fabaceae	<i>Erythrina vespertilio</i> subsp. <i>vespertilio</i>			C					✓	
Fabaceae	<i>Flemingia parviflora</i>	flemingia		C					✓	✓
Fabaceae	<i>Galactia</i> sp.			C					✓	✓
Fabaceae	<i>Galactia tenuiflora</i>			C					✓	✓
Fabaceae	<i>Glycine falcata</i>			C					✓	✓
Fabaceae	<i>Glycine</i> sp.			C					✓	✓
Fabaceae	<i>Glycine tomentella</i>	woolly glycine		C					✓	✓
Fabaceae	<i>Hardenbergia perbrevidens</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Fabaceae	<i>Hovea lanceolata</i>			C					✓	
Fabaceae	<i>Hovea parvicalyx</i>			C					✓	✓
Fabaceae	<i>Indigofera colutea</i>	sticky indigo		C					✓	✓
Fabaceae	<i>Indigofera glandulosa</i>			C					✓	✓
Fabaceae	<i>Indigofera haplophylla</i>			C					✓	✓
Fabaceae	<i>Indigofera hirsuta</i>	hairy indigo		C					✓	✓
Fabaceae	<i>Indigofera leucotricha</i>			C					✓	✓
Fabaceae	<i>Indigofera linifolia</i>			C					✓	✓
Fabaceae	<i>Indigofera linnaei</i>	Birdsville indigo		C					✓	✓
Fabaceae	<i>Indigofera pratensis</i>			C					✓	✓
Fabaceae	<i>Indigofera queenslandica</i>			C					✓	✓
Fabaceae	<i>Indigofera sp.</i>			C					✓	✓
Fabaceae	<i>Indigofera tryonii</i>			C					✓	✓
Fabaceae	<i>Jacksonia ramosissima</i>			C					✓	✓
Fabaceae	<i>Leptosema oxylobioides</i>			C					✓	✓
Fabaceae	<i>Mirbelia pungens</i>			C					✓	✓
Fabaceae	<i>Rhynchosia acuminatissima</i>			C					✓	
Fabaceae	<i>Rhynchosia minima</i>			C						✓
Fabaceae	<i>Rhynchosia minima</i> var. <i>australis</i>			C					✓	✓
Fabaceae	<i>Rhynchosia minima</i> var. <i>minima</i>			C					✓	
Fabaceae	<i>Sesbania cannabina</i>			C						✓
Fabaceae	<i>Sesbania cannabina</i> var. <i>cannabina</i>			C					✓	
Fabaceae	<i>Swainsona campylantha</i>			C					✓	✓
Fabaceae	<i>Tephrosia astragaloides</i>			C					✓	✓
Fabaceae	<i>Tephrosia barbatala</i>			C					✓	✓
Fabaceae	<i>Tephrosia brachyodon</i>			C					✓	✓
Fabaceae	<i>Tephrosia filipes</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Fabaceae	<i>Tephrosia filipes</i> var. <i>latifolia</i>			C					✓	✓
Fabaceae	<i>Tephrosia flagellaris</i>			C					✓	✓
Fabaceae	<i>Tephrosia juncea</i>			C					✓	✓
Fabaceae	<i>Tephrosia leptoclada</i>			C					✓	✓
Fabaceae	<i>Tephrosia macrostachya</i>			C						✓
Fabaceae	<i>Tephrosia purpurea</i>			C					✓	✓
Fabaceae	<i>Tephrosia</i> sp.			C					✓	✓
Fabaceae	<i>Uraria lagopodioides</i>			C					✓	✓
Fabaceae	<i>Vigna lanceolata</i>			C					✓	✓
Fabaceae	<i>Vigna radiata</i>			C						✓
Fabaceae	<i>Vigna</i> sp.			C					✓	✓
Fabaceae	<i>Vigna vexillata</i>			C						✓
Fabaceae	<i>Zornia areolata</i>			C					✓	✓
Fabaceae	<i>Zornia dyctiocarpa</i> var. <i>filifolia</i>			C					✓	✓
Fabaceae	<i>Zornia floribunda</i>			C					✓	✓
Fabaceae	<i>Zornia muelleriana</i>			C						✓
Fabaceae	<i>Zornia muelleriana</i> subsp. <i>muelleriana</i>			C					✓	
Fabaceae	<i>Zornia muriculata</i> subsp. <i>angustata</i>			C					✓	✓
Fabaceae	<i>Zornia prostrata</i>			C					✓	✓
Fabaceae	<i>Zornia</i> sp.			C					✓	✓
Fabaceae	<i>Alysicarpus bupleurifolius</i>	sweet alys	Y						✓	✓
Fabaceae	<i>Alysicarpus ovalifolius</i>		Y						✓	✓
Fabaceae	<i>Alysicarpus vaginalis</i>		Y						✓	✓
Fabaceae	<i>Centrosema molle</i>		Y						✓	
Fabaceae	<i>Clitoria ternatea</i>	butterfly pea	Y						✓	✓
Fabaceae	<i>Crotalaria goreensis</i>	gambia pea	Y						✓	✓
Fabaceae	<i>Crotalaria incana</i>		Y							✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Fabaceae	<i>Crotalaria incana</i> subsp. <i>incana</i>		Y						✓	
Fabaceae	<i>Crotalaria juncea</i>	sunhemp	Y						✓	✓
Fabaceae	<i>Crotalaria laburnifolia</i>		Y						✓	✓
Fabaceae	<i>Crotalaria pallida</i> var. <i>obovata</i>		Y						✓	✓
Fabaceae	<i>Crotalaria spectabilis</i>	showy rattlepod	Y						✓	✓
Fabaceae	<i>Desmodium tortuosum</i>	Florida beggar-weed	Y						✓	✓
Fabaceae	<i>Desmodium triflorum</i>		Y						✓	✓
Fabaceae	<i>Indigofera tinctoria</i>		Y						✓	✓
Fabaceae	<i>Macroptilium atropurpureum</i>	siratro	Y						✓	✓
Fabaceae	<i>Macroptilium lathyroides</i>		Y						✓	✓
Fabaceae	<i>Macrotyloma uniflorum</i> var. <i>stenocarpum</i>		Y						✓	✓
Fabaceae	<i>Medicago polymorpha</i>	burr medic	Y							✓
Fabaceae	<i>Stylosanthes guianensis</i>		Y							✓
Fabaceae	<i>Stylosanthes hamata</i>		Y						✓	✓
Fabaceae	<i>Stylosanthes humilis</i>	Townsville stylo	Y						✓	✓
Fabaceae	<i>Stylosanthes scabra</i>		Y						✓	✓
Fabaceae	<i>Bossiaea brownii</i>			C					✓	✓
Fabaceae	<i>Cajanus mareebensis</i>			E	E			✓		
Fabaceae	<i>Cullen tenax</i>	emu-foot		C					✓	✓
Fabaceae	<i>Hovea longipes</i>	brush hovea		C					✓	✓
Fabaceae	<i>Leptosema chapmanii</i>			C					✓	✓
Fabaceae	<i>Vigna radiata</i> var. <i>sublobata</i>			C					✓	
Fabaceae	<i>Vigna vexillata</i> var. <i>youngiana</i>			C					✓	
Flacourtiaceae	<i>Scolopia braunii</i>	flintwood		C					✓	✓
Gentianaceae	<i>Schenkia australis</i>			C					✓	✓
Gesneriaceae	<i>Boea hygroskopica</i>			C					✓	✓
Gleicheniaceae	<i>Sticherus flabellatus</i>			C						✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Gleicheniaceae	<i>Sticherus flabellatus</i> var. <i>flabellatus</i>			C					✓	
Goodeniaceae	<i>Dampiera ferruginea</i>	velvet beauty-bush		C					✓	✓
Goodeniaceae	<i>Goodenia armitiana</i>			C					✓	✓
Goodeniaceae	<i>Goodenia byrnesii</i>			C					✓	✓
Goodeniaceae	<i>Goodenia fascicularis</i>			C					✓	✓
Goodeniaceae	<i>Goodenia glabra</i>			C					✓	✓
Goodeniaceae	<i>Goodenia gracilis</i>			C						✓
Goodeniaceae	<i>Goodenia grandiflora</i>			C					✓	✓
Goodeniaceae	<i>Goodenia hirsuta</i>			C					✓	✓
Goodeniaceae	<i>Goodenia pilosa</i>			C					✓	✓
Goodeniaceae	<i>Goodenia rosulata</i>			C					✓	✓
Goodeniaceae	<i>Goodenia rotundifolia</i>			C						✓
Goodeniaceae	<i>Goodenia</i> sp.			C					✓	✓
Goodeniaceae	<i>Scaevola spinescens</i>	prickly fan flower		C					✓	✓
Goodeniaceae	<i>Velleia pubescens</i>			C					✓	✓
Goodeniaceae	<i>Velleia spathulata</i>	wild pansies		C					✓	✓
Grammitidaceae	<i>Grammitis stenophylla</i>			C					✓	✓
Haemodoraceae	<i>Haemodorum coccineum</i>			C						✓
Haloragaceae	<i>Gonocarpus acanthocarpus</i>			C					✓	✓
Haloragaceae	<i>Gonocarpus chinensis</i> subsp. <i>verrucosus</i>			C					✓	✓
Haloragaceae	<i>Haloragis heterophylla</i>	rough raspweed		C					✓	✓
Haloragaceae	<i>Haloragis stricta</i>			C					✓	✓
Haloragaceae	<i>Myriophyllum simulans</i>			C					✓	✓
Haloragaceae	<i>Myriophyllum aquaticum</i>	Brazilian water milfoil	Y						✓	
Haloragaceae	<i>Haloragis aspera</i>	raspweed		C					✓	✓
Hemerocallidaceae	<i>Dianella caerulea</i>			C					✓	✓
Hemerocallidaceae	<i>Dianella longifolia</i>			C						✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Hemerocallidaceae	<i>Dianella longifolia</i> var. <i>longifolia</i>			C					✓	
Hemerocallidaceae	<i>Geitonoplesium cymosum</i>	scrambling lily		C					✓	✓
Hemerocallidaceae	<i>Dianella fruticans</i>			C					✓	✓
Hemerocallidaceae	<i>Dianella rara</i>			C					✓	✓
Hernandiaceae	<i>Gyrocarpus americanus</i>			C					✓	✓
Hernandiaceae	<i>Gyrocarpus americanus</i> subsp. <i>americanus</i>			C					✓	
Hydatellaceae	<i>Trithuria lanterna</i>			C					✓	✓
Hydrocharitaceae	<i>Halophila decipiens</i>			C					✓	✓
Hydrocharitaceae	<i>Halophila ovalis</i>			C					✓	✓
Hydrocharitaceae	<i>Halophila spinulosa</i>			C					✓	✓
Hydrocharitaceae	<i>Hydrilla verticillata</i>	hydrilla		C						✓
Hydrocharitaceae	<i>Ottelia ovalifolia</i>	swamp lily		C					✓	✓
Hydrocharitaceae	<i>Thalassia hemprichii</i>			C					✓	
Hypoxidaceae	<i>Hypoxis arillacea</i>			C					✓	✓
Hypoxidaceae	<i>Hypoxis pratensis</i>			C						✓
Hypoxidaceae	<i>Hypoxis pratensis</i> var. <i>pratensis</i>			C					✓	
Johnsoniaceae	<i>Caesia chlorantha</i>			C					✓	
Johnsoniaceae	<i>Tricoryne elatior</i>	yellow autumn lily		C					✓	✓
Johnsoniaceae	<i>Tricoryne</i> sp.			C					✓	
Juncaceae	<i>Juncus polyanthemus</i>			C					✓	✓
Juncaginaceae	<i>Cynnogeton procerum</i>			C					✓	✓
Lamiaceae	<i>Ajuga</i> sp.			C					✓	✓
Lamiaceae	<i>Anisomeles malabarica</i>			C					✓	✓
Lamiaceae	<i>Basilicum polystachyon</i>			C					✓	✓
Lamiaceae	<i>Callicarpa candicans</i>			C					✓	✓
Lamiaceae	<i>Clerodendrum floribundum</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Lamiaceae	<i>Clerodendrum longiflorum</i> var. <i>glabrum</i>			C						✓
Lamiaceae	<i>Clerodendrum tomentosum</i>			C					✓	✓
Lamiaceae	<i>Glossocarya hemiderma</i>			C					✓	✓
Lamiaceae	<i>Hemigenia</i> sp.			C					✓	✓
Lamiaceae	<i>Leucas decemdentata</i>			C					✓	✓
Lamiaceae	<i>Ocimum tenuiflorum</i>			C					✓	✓
Lamiaceae	<i>Plectranthus congestus</i>			C					✓	✓
Lamiaceae	<i>Plectranthus cyanophyllus</i>			C					✓	✓
Lamiaceae	<i>Plectranthus diversus</i>			C					✓	✓
Lamiaceae	<i>Plectranthus graveolens</i>	flea bush		C					✓	✓
Lamiaceae	<i>Premna dallachyana</i>			C					✓	✓
Lamiaceae	<i>Prostanthera cryptandroides</i>			C						✓
Lamiaceae	<i>Spartothamnella juncea</i>	native broom		C					✓	✓
Lamiaceae	<i>Spartothamnella puberula</i>			C					✓	✓
Lamiaceae	<i>Teucrium integrifolium</i>			C					✓	✓
Lamiaceae	<i>Vitex rotundifolia</i>			C						✓
Lamiaceae	<i>Vitex trifolia</i> var. <i>subtrisepta</i>			C						✓
Lamiaceae	<i>Leucas cephalotes</i>		Y						✓	✓
Lamiaceae	<i>Leucas lavandulifolia</i>		Y						✓	✓
Lamiaceae	<i>Mesosphaerum suaveolens</i>		Y						✓	✓
Lamiaceae	<i>Ocimum americanum</i>		Y							✓
Lamiaceae	<i>Ocimum americanum</i> var. <i>americanum</i>		Y						✓	
Lamiaceae	<i>Prostanthera collina</i>			C					✓	✓
Lamiaceae	<i>Prostanthera cryptandroides</i> subsp. <i>euphrasioides</i>			C					✓	
Lauraceae	<i>Cassytha filiformis</i>	dodder laurel		C					✓	✓
Lauraceae	<i>Cassytha</i> sp.			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Lauraceae	<i>Cryptocarya bidwillii</i>	yellow laurel		C					✓	✓
Lauraceae	<i>Cryptocarya triplinervis</i>			C						✓
Lauraceae	<i>Cryptocarya triplinervis</i> var. <i>triplinervis</i>			C					✓	
Lauraceae	<i>Endiandra muelleri</i> subsp. <i>bracteata</i>			C					✓	✓
Lauraceae	<i>Litsea glutinosa</i>			C					✓	✓
Lauraceae	<i>Neolitsea brassii</i>			C					✓	✓
Lauraceae	<i>Cryptocarya densiflora</i>			C					✓	✓
Laxmanniaceae	<i>Eustrephus latifolius</i>	wombat berry		C					✓	
Laxmanniaceae	<i>Lomandra filiformis</i>			C					✓	✓
Laxmanniaceae	<i>Thysanotus tuberosus</i>			C						✓
Laxmanniaceae	<i>Thysanotus tuberosus</i> subsp. <i>tuberosus</i>			C					✓	
Laxmanniaceae	<i>Lomandra longifolia</i>			C					✓	✓
Lecythidaceae	<i>Planchonia careya</i>	cockatoo apple		C					✓	✓
Lentibulariaceae	<i>Utricularia caerulea</i>	blue bladderwort		C					✓	✓
Lentibulariaceae	<i>Utricularia limosa</i>			C					✓	✓
Lentibulariaceae	<i>Utricularia minutissima</i>			C					✓	✓
Loganiaceae	<i>Mitrasacme brachystemonea</i>			C					✓	✓
Loganiaceae	<i>Mitrasacme laricifolia</i>			C					✓	✓
Loganiaceae	<i>Mitrasacme nudicaulis</i>			C						✓
Loganiaceae	<i>Mitrasacme prolifera</i>			C					✓	✓
Loganiaceae	<i>Mitrasacme</i> sp.			C						✓
Loganiaceae	<i>Strychnos psilosperma</i>	strychnine tree		C					✓	✓
Loganiaceae	<i>Logania albiflora</i>			C					✓	✓
Loganiaceae	<i>Mitrasacme nudicaulis</i> var. <i>nudicaulis</i>			C					✓	✓
Loganiaceae	<i>Mitrasacme pygmaea</i>			C					✓	✓
Loranthaceae	<i>Amyema biniflora</i>			C					✓	✓
Loranthaceae	<i>Amyema congener</i> subsp. <i>rotundifolia</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Loranthaceae	<i>Amyema conspicua</i>			C						✓
Loranthaceae	<i>Amyema conspicua</i> subsp. <i>conspicua</i>			C					✓	
Loranthaceae	<i>Amyema miquelii</i>			C					✓	✓
Loranthaceae	<i>Amyema quandang</i> var. <i>bancroftii</i>	broad-leaved grey mistletoe		C					✓	✓
Loranthaceae	<i>Amyema</i> sp.			C					✓	
Loranthaceae	<i>Dendrophthoe curvata</i>			C					✓	✓
Loranthaceae	<i>Dendrophthoe glabrescens</i>			C					✓	✓
Loranthaceae	<i>Dendrophthoe homoplastica</i>			C					✓	✓
Loranthaceae	<i>Dendrophthoe vitellina</i>	long-flowered mistletoe		C					✓	✓
Loranthaceae	<i>Lysiana spathulata</i>			C						✓
Loranthaceae	<i>Lysiana subfalcata</i>			C					✓	✓
Loranthaceae	<i>Diplatia grandibractea</i>			C					✓	✓
Loranthaceae	<i>Lysiana spathulata</i> subsp. <i>parvifolia</i>			C					✓	
Lythraceae	<i>Ammannia multiflora</i>	jerry-jerry		C					✓	✓
Lythraceae	<i>Rotala occultiflora</i>			C					✓	✓
Lythraceae	<i>Ammannia auriculata</i>		Y	C					✓	✓
Lythraceae	<i>Rotala mexicana</i>			C					✓	✓
Malpighiaceae	<i>Stigmaphyllon timoriense</i>			C					✓	✓
Malvaceae	<i>Abelmoschus ficulneus</i>	native rosella		C					✓	✓
Malvaceae	<i>Abutilon albescens</i>			C						✓
Malvaceae	<i>Abutilon auritum</i>	Chinese lantern		C					✓	✓
Malvaceae	<i>Abutilon cunninghamii</i>			C					✓	✓
Malvaceae	<i>Abutilon fraseri</i>	dwarf lantern flower		C					✓	✓
Malvaceae	<i>Abutilon guineense</i>			C					✓	✓
Malvaceae	<i>Abutilon hannii</i>			C					✓	
Malvaceae	<i>Abutilon leucopetalum</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Malvaceae	<i>Abutilon micropetalum</i>			C					✓	✓
Malvaceae	<i>Abutilon otocarpum</i>			C					✓	✓
Malvaceae	<i>Abutilon oxycarpum</i>			C					✓	✓
Malvaceae	<i>Abutilon oxycarpum</i> var. <i>incanum</i>			C					✓	✓
Malvaceae	<i>Abutilon oxycarpum</i> var. <i>oxycarpum</i>			C					✓	
Malvaceae	<i>Abutilon oxycarpum</i> var. <i>subsagittatum</i>			C					✓	✓
Malvaceae	<i>Abutilon</i> sp.			C					✓	✓
Malvaceae	<i>Gossypium australe</i>			C					✓	✓
Malvaceae	<i>Gossypium sturtianum</i>			C					✓	✓
Malvaceae	<i>Herissantia crispa</i>			C					✓	✓
Malvaceae	<i>Hibiscus brachysiphonius</i>			C					✓	✓
Malvaceae	<i>Hibiscus burtonii</i>			C					✓	✓
Malvaceae	<i>Hibiscus divaricatus</i>			C					✓	✓
Malvaceae	<i>Hibiscus heterophyllus</i>			C					✓	✓
Malvaceae	<i>Hibiscus krichauffianus</i>			C					✓	✓
Malvaceae	<i>Hibiscus leptocladus</i>			C					✓	✓
Malvaceae	<i>Hibiscus meraukensis</i>	Merauke hibiscus		C					✓	✓
Malvaceae	<i>Hibiscus normanii</i>			C					✓	✓
Malvaceae	<i>Hibiscus</i> sp.			C					✓	✓
Malvaceae	<i>Hibiscus sturtii</i>			C					✓	✓
Malvaceae	<i>Hibiscus sturtii</i> var. <i>grandiflorus</i>			C					✓	✓
Malvaceae	<i>Hibiscus sturtii</i> var. <i>sturtii</i>			C					✓	✓
Malvaceae	<i>Hibiscus verdcourtii</i>			C					✓	✓
Malvaceae	<i>Hibiscus vitifolius</i>			C					✓	✓
Malvaceae	<i>Malvastrum americanum</i> var. <i>stellatum</i>			C					✓	
Malvaceae	<i>Sida aprica</i>			C					✓	✓
Malvaceae	<i>Sida aprica</i> var. <i>aprica</i>			C					✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Malvaceae	<i>Sida aprica</i> var. <i>solanacea</i>			C					✓	
Malvaceae	<i>Sida atherophora</i>			C					✓	✓
Malvaceae	<i>Sida brachypoda</i>			C					✓	✓
Malvaceae	<i>Sida everistiana</i>			C					✓	✓
Malvaceae	<i>Sida fibulifera</i>			C					✓	✓
Malvaceae	<i>Sida hackettiana</i>			C					✓	✓
Malvaceae	<i>Sida laevis</i>			C					✓	✓
Malvaceae	<i>Sida magnifica</i>			C					✓	✓
Malvaceae	<i>Sida pleiantha</i>			C					✓	✓
Malvaceae	<i>Sida rohlenae</i>			C					✓	✓
Malvaceae	<i>Sida</i> sp.			C					✓	✓
Malvaceae	<i>Sida trichopoda</i>			C					✓	✓
Malvaceae	<i>Malvastrum americanum</i>		Y						✓	✓
Malvaceae	<i>Malvastrum americanum</i> var. <i>americanum</i>		Y						✓	
Malvaceae	<i>Malvastrum coromandelianum</i>		Y							✓
Malvaceae	<i>Malvastrum coromandelianum</i> subsp. <i>coromandelianum</i>		Y						✓	
Malvaceae	<i>Sida acuta</i>	spinyhead sida	Y						✓	✓
Malvaceae	<i>Sida cordifolia</i>		Y						✓	✓
Malvaceae	<i>Sida rhombifolia</i>		Y						✓	✓
Malvaceae	<i>Sida spinosa</i>	spiny sida	Y						✓	✓
Malvaceae	<i>Abutilon nobile</i>								✓	✓
Malvaceae	<i>Sida macropoda</i>			C					✓	✓
Marsileaceae	<i>Marsilea drummondii</i>	common nardoo		C					✓	✓
Marsileaceae	<i>Marsilea hirsuta</i>	hairy nardoo		C					✓	✓
Marsileaceae	<i>Marsilea exarata</i>	sway-back nardoo		C					✓	✓
Martyniaceae	<i>Martynia annua</i>	small-fruited devil's claw	Y						✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Melastomataceae	<i>Memecylon pauciflorum</i>			C					✓	✓
Meliaceae	<i>Owenia acidula</i>	emu apple		C					✓	
Meliaceae	<i>Turraea pubescens</i>	native honeysuckle		C					✓	✓
Meliaceae	<i>Xylocarpus moluccensis</i>			C					✓	✓
Menispermaceae	<i>Pachygone ovata</i>			C					✓	✓
Menispermaceae	<i>Pleogyne australis</i>	wiry grape		C					✓	✓
Menispermaceae	<i>Tinospora smilacina</i>	snakevine		C					✓	✓
Menyanthaceae	<i>Nymphoides crenata</i>	wavy marshwort		C					✓	✓
Mimosaceae	<i>Acacia abbatiana</i>			C					✓	✓
Mimosaceae	<i>Acacia argyrodendron</i>			C					✓	✓
Mimosaceae	<i>Acacia aulacocarpa</i>			C					✓	✓
Mimosaceae	<i>Acacia bancroftiorum</i>			C					✓	✓
Mimosaceae	<i>Acacia blakei</i> subsp. <i>blakei</i>			C					✓	✓
Mimosaceae	<i>Acacia cambagei</i>	gidgee		C					✓	✓
Mimosaceae	<i>Acacia catenulata</i>	bendee		C					✓	✓
Mimosaceae	<i>Acacia complanata</i>	flatstem wattle		C					✓	✓
Mimosaceae	<i>Acacia crassa</i> subsp. <i>crassa</i>			C					✓	✓
Mimosaceae	<i>Acacia decora</i>	pretty wattle		C					✓	✓
Mimosaceae	<i>Acacia dietrichiana</i>			C					✓	✓
Mimosaceae	<i>Acacia fasciculifera</i>	scaly bark		C					✓	✓
Mimosaceae	<i>Acacia flavescens</i>	toothed wattle		C					✓	✓
Mimosaceae	<i>Acacia fodinalis</i>			C					✓	✓
Mimosaceae	<i>Acacia galioides</i>			C					✓	✓
Mimosaceae	<i>Acacia harpophylla</i>	brigalow		C					✓	✓
Mimosaceae	<i>Acacia holosericea</i>			C					✓	✓
Mimosaceae	<i>Acacia hyaloneura</i>			C					✓	✓
Mimosaceae	<i>Acacia jackesiana</i>			C					✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Mimosaceae	<i>Acacia julifera</i> subsp. <i>curvinervia</i>			C					✓	✓
Mimosaceae	<i>Acacia julifera</i> subsp. <i>julifera</i>			C					✓	✓
Mimosaceae	<i>Acacia laccata</i>			C					✓	
Mimosaceae	<i>Acacia lazaridis</i>			C					✓	✓
Mimosaceae	<i>Acacia leptocarpa</i>	north coast wattle		C					✓	✓
Mimosaceae	<i>Acacia leptostachya</i>	Townsville wattle		C					✓	✓
Mimosaceae	<i>Acacia ligulata</i>			C						✓
Mimosaceae	<i>Acacia melanoxylon</i>	blackwood		C					✓	✓
Mimosaceae	<i>Acacia melleodora</i>			C					✓	✓
Mimosaceae	<i>Acacia multisiliqua</i>			C					✓	✓
Mimosaceae	<i>Acacia oraria</i>			C					✓	✓
Mimosaceae	<i>Acacia orthocarpa</i>			C						✓
Mimosaceae	<i>Acacia oswaldii</i>	miljee		C					✓	✓
Mimosaceae	<i>Acacia platycarpa</i>			C					✓	✓
Mimosaceae	<i>Acacia ramiflora</i>			C				✓	✓	✓
Mimosaceae	<i>Acacia rhodoxylon</i>	ringy rosewood		C					✓	✓
Mimosaceae	<i>Acacia salicina</i>	doolan		C					✓	✓
Mimosaceae	<i>Acacia sericophylla</i>			C					✓	✓
Mimosaceae	<i>Acacia shirleyi</i>	lancewood		C					✓	✓
Mimosaceae	<i>Acacia simsii</i>			C					✓	✓
Mimosaceae	<i>Acacia sp.</i>			C					✓	
Mimosaceae	<i>Acacia sparsiflora</i>			C					✓	✓
Mimosaceae	<i>Acacia spirorbis</i> subsp. <i>solandri</i> subsp. <i>solandri</i>			C					✓	✓
Mimosaceae	<i>Acacia stenophylla</i>	belalie		C					✓	✓
Mimosaceae	<i>Acacia tenuissima</i>			C					✓	✓
Mimosaceae	<i>Acacia tephрина</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Mimosaceae	<i>Acacia triptera</i>			C					✓	✓
Mimosaceae	<i>Acacia umbellata</i>			C					✓	✓
Mimosaceae	<i>Albizia lebbeck</i>	Indian siris		C					✓	✓
Mimosaceae	<i>Albizia sp.</i>			C					✓	✓
Mimosaceae	<i>Archidendropsis basaltica</i>	red lancewood		C					✓	✓
Mimosaceae	<i>Archidendropsis thozetiana</i>			C					✓	✓
Mimosaceae	<i>Falcataria toona</i>			C					✓	✓
Mimosaceae	<i>Neptunia dimorphantha</i>			C					✓	✓
Mimosaceae	<i>Neptunia gracilis</i>			C					✓	✓
Mimosaceae	<i>Neptunia major</i>			C					✓	✓
Mimosaceae	<i>Neptunia monosperma</i>			C					✓	✓
Mimosaceae	<i>Vachellia bidwillii</i>			C					✓	✓
Mimosaceae	<i>Acacia colei</i>		Y						✓	✓
Mimosaceae	<i>Leucaena leucocephala</i>		Y							✓
Mimosaceae	<i>Leucaena leucocephala</i> subsp. <i>glabrata</i>		Y						✓	✓
Mimosaceae	<i>Leucaena leucocephala</i> subsp. <i>leucocephala</i>		Y						✓	
Mimosaceae	<i>Mimosa pigra</i>	mimosa	Y					✓		
Mimosaceae	<i>Mimosa pudica</i>		Y						✓	
Mimosaceae	<i>Prosopis pallida</i>		Y						✓	✓
Mimosaceae	<i>Vachellia farnesiana</i>		Y						✓	✓
Mimosaceae	<i>Acacia armitii</i>			NT					✓	✓
Mimosaceae	<i>Acacia excelsa</i>			C					✓	✓
Molluginaceae	<i>Glinus lotoides</i>	hairy carpet weed		C					✓	✓
Molluginaceae	<i>Glinus oppositifolius</i>			C					✓	✓
Molluginaceae	<i>Mollugo verticillata</i>		Y						✓	✓
Molluginaceae	<i>Mollugo cerviana</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Monimiaceae	<i>Wilkiea macrophylla</i>	large-leaved wilkiea		C					✓	✓
Moraceae	<i>Ficus coronata</i>	creek sandpaper fig		C					✓	✓
Moraceae	<i>Ficus obliqua</i>			C					✓	
Moraceae	<i>Ficus rubiginosa</i>			C					✓	✓
Moraceae	<i>Ficus virens</i>			C						✓
Moraceae	<i>Ficus virens</i> var. <i>sublanceolata</i>			C					✓	✓
Moraceae	<i>Maclura cochinchinensis</i>	cockspur thorn		C					✓	
Moraceae	<i>Streblus brunonianus</i>	whalebone tree		C					✓	
Moraceae	<i>Streblus pendulinus</i>			C	E			✓	✓	✓
Moraceae	<i>Trophis scandens</i>			C					✓	✓
Moraceae	<i>Trophis scandens</i> subsp. <i>scandens</i>			C					✓	
Myoporaceae	<i>Eremophila debilis</i>	winter apple		C					✓	✓
Myoporaceae	<i>Eremophila deserti</i>			C					✓	✓
Myoporaceae	<i>Eremophila longifolia</i>	berrigan		C					✓	✓
Myoporaceae	<i>Eremophila maculata</i>			C						✓
Myoporaceae	<i>Eremophila maculata</i> subsp. <i>maculata</i>			C					✓	
Myoporaceae	<i>Eremophila mitchellii</i>			C					✓	✓
Myoporaceae	<i>Eremophila polyclada</i>	flowering lignum		C						✓
Myoporaceae	<i>Myoporum acuminatum</i>	coastal boobialla		C					✓	✓
Myoporaceae	<i>Eremophila latrobei</i>			C					✓	✓
Myrsinaceae	<i>Myrsine porosa</i>			C					✓	✓
Myrsinaceae	<i>Myrsine variabilis</i>			C					✓	✓
Myrsinaceae	<i>Tapeinosperma pseudojambosa</i>	tapeinosperma		C					✓	✓
Myrsinaceae	<i>Aegiceras corniculatum</i>	river mangrove		C					✓	✓
Myrtaceae	<i>Acmena resa</i>	red Eungella satinash		C					✓	✓
Myrtaceae	<i>Corymbia brachycarpa</i>			C					✓	✓
Myrtaceae	<i>Corymbia citriodora</i>	lemon scented gum		C						✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Myrtaceae	<i>Corymbia clarksoniana</i>			C					✓	✓
Myrtaceae	<i>Corymbia dallachiana</i>			C					✓	✓
Myrtaceae	<i>Corymbia erythrophloia</i>	variable-barked bloodwood		C					✓	✓
Myrtaceae	<i>Corymbia lamprophylla</i>			C					✓	✓
Myrtaceae	<i>Corymbia leichhardtii</i>	rustyjacket		C					✓	✓
Myrtaceae	<i>Corymbia tessellaris</i>	Moreton Bay ash		C					✓	
Myrtaceae	<i>Corymbia torelliana</i>	cadaghi		C					✓	✓
Myrtaceae	<i>Eucalyptus brownii</i>	Reid River box		C					✓	✓
Myrtaceae	<i>Eucalyptus camaldulensis</i> subsp. <i>acuta</i>			C					✓	✓
Myrtaceae	<i>Eucalyptus cambageana</i>	Dawson gum		C					✓	✓
Myrtaceae	<i>Eucalyptus coolabah</i>	coolabah		C					✓	✓
Myrtaceae	<i>Eucalyptus crebra</i>	narrow-leaved red ironbark		C					✓	
Myrtaceae	<i>Eucalyptus drepanophylla</i>			C					✓	✓
Myrtaceae	<i>Eucalyptus exserta</i>	Queensland peppermint		C					✓	✓
Myrtaceae	<i>Eucalyptus melanophloia</i>			C						✓
Myrtaceae	<i>Eucalyptus melanophloia</i> subsp. <i>melanophloia</i>			C					✓	
Myrtaceae	<i>Eucalyptus moluccana</i>	gum-topped box		C					✓	✓
Myrtaceae	<i>Eucalyptus orgadophila</i>	mountain coolibah		C					✓	✓
Myrtaceae	<i>Eucalyptus persistsens</i>			C					✓	✓
Myrtaceae	<i>Eucalyptus platyphylla</i>	poplar gum		C					✓	✓
Myrtaceae	<i>Eucalyptus raveretiana</i>	black ironbox		V	V			✓	✓	✓
Myrtaceae	<i>Eucalyptus shirleyi</i>			C					✓	✓
Myrtaceae	<i>Eucalyptus</i> sp.			C						✓
Myrtaceae	<i>Eucalyptus tereticornis</i>			C						✓
Myrtaceae	<i>Eucalyptus tereticornis</i> subsp. <i>tereticornis</i>			C					✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Myrtaceae	<i>Eucalyptus whitei</i>	White's ironbark		C					✓	✓
Myrtaceae	<i>Eucalyptus xanthoclada</i>	yellow-branched ironbark		C					✓	✓
Myrtaceae	<i>Eugenia reinwardtiana</i>	beach cherry		C					✓	✓
Myrtaceae	<i>Gossia bidwillii</i>			C					✓	✓
Myrtaceae	<i>Leptospermum anfractum</i>			C					✓	✓
Myrtaceae	<i>Leptospermum neglectum</i>			C					✓	✓
Myrtaceae	<i>Lophostemon confertus</i>	brush box		C					✓	✓
Myrtaceae	<i>Lophostemon grandiflorus</i>			C					✓	✓
Myrtaceae	<i>Lophostemon grandiflorus</i> subsp. <i>riparius</i>			C					✓	✓
Myrtaceae	<i>Lysicarpus angustifolius</i>	budgeroo		C					✓	✓
Myrtaceae	<i>Melaleuca bracteata</i>			C					✓	✓
Myrtaceae	<i>Melaleuca fluviatilis</i>			C					✓	✓
Myrtaceae	<i>Melaleuca leucadendra</i>	broad-leaved tea-tree		C					✓	✓
Myrtaceae	<i>Melaleuca linariifolia</i>	snow-in summer		C					✓	
Myrtaceae	<i>Melaleuca nervosa</i>			C					✓	✓
Myrtaceae	<i>Melaleuca nervosa</i> subsp. <i>nervosa</i>			C					✓	
Myrtaceae	<i>Melaleuca pallescens</i>			C					✓	✓
Myrtaceae	<i>Melaleuca recurva</i>			C					✓	✓
Myrtaceae	<i>Melaleuca</i> sp.			C					✓	✓
Myrtaceae	<i>Melaleuca trichostachya</i>			C					✓	✓
Myrtaceae	<i>Melaleuca viminalis</i>			C					✓	✓
Myrtaceae	<i>Melaleuca viridiflora</i>			C					✓	✓
Myrtaceae	<i>Micromyrtus capricornia</i>			C					✓	✓
Myrtaceae	<i>Rhodamnia costata</i>			C					✓	✓
Myrtaceae	<i>Sannantha collina</i>			C					✓	✓
Myrtaceae	<i>Syzygium australe</i>	scrub cherry		C					✓	✓
Myrtaceae	<i>Syzygium endophloium</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Myrtaceae	<i>Syzygium oleosum</i>	blue cherry		C					✓	✓
Myrtaceae	<i>Triplarina calophylla</i>			C					✓	✓
Myrtaceae	<i>Corymbia citriodora</i> subsp. <i>citriodora</i>			C					✓	
Myrtaceae	<i>Corymbia dimorpha</i>			C					✓	✓
Myrtaceae	<i>Corymbia trachyphloia</i>			C					✓	✓
Myrtaceae	<i>Eucalyptus similis</i>	Queensland yellowjacket		C					✓	✓
Myrtaceae	<i>Eucalyptus tenuipes</i>	narrow-leaved white mahogany		C					✓	✓
Myrtaceae	<i>Eucalyptus tholiformis</i>			C					✓	✓
Myrtaceae	<i>Eucalyptus thozetiana</i>			C					✓	✓
Myrtaceae	<i>Leptospermum lamellatum</i>			C					✓	✓
Myrtaceae	<i>Lithomyrtus microphylla</i>			C					✓	✓
Myrtaceae	<i>Melaleuca chisholmii</i>			C					✓	✓
Myrtaceae	<i>Melaleuca tamariscina</i>			C					✓	✓
Myrtaceae	<i>Micromyrtus gracilis</i>			C					✓	✓
Najadaceae	<i>Najas tenuifolia</i>	water nymph		C						✓
Nephrolepidaceae	<i>Arthropteris tenella</i>	climbing fern		C					✓	✓
Nephrolepidaceae	<i>Nephrolepis brownii</i>			C					✓	
Nyctaginaceae	<i>Boerhavia dominii</i>			C					✓	✓
Nyctaginaceae	<i>Boerhavia pubescens</i>			C					✓	✓
Nyctaginaceae	<i>Boerhavia</i> sp.			C					✓	✓
Nyctaginaceae	<i>Bougainvillea glabra</i>		Y						✓	✓
Nymphaeaceae	<i>Nymphaea gigantea</i>			C					✓	✓
Olacaceae	<i>Ximenia americana</i>			C					✓	✓
Oleaceae	<i>Jasminum didymum</i>			C					✓	
Oleaceae	<i>Jasminum didymum</i> subsp. <i>racemosum</i>			C					✓	✓
Oleaceae	<i>Ligustrum australianum</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Oleaceae	<i>Notelaea microcarpa</i>			C					✓	✓
Oleaceae	<i>Notelaea microcarpa</i> var. <i>microcarpa</i> var. <i>microcarpa</i>			C					✓	
Oleaceae	<i>Olea paniculata</i>			C					✓	✓
Onagraceae	<i>Ludwigia octovalvis</i>	willow primrose		C					✓	✓
Onagraceae	<i>Ludwigia perennis</i>			C					✓	✓
Orchidaceae	<i>Bulbophyllum macphersonii</i>			C					✓	✓
Orchidaceae	<i>Bulbophyllum schillerianum</i>	red rope orchid		C					✓	✓
Orchidaceae	<i>Caladenia carnea</i>			C					✓	✓
Orchidaceae	<i>Cymbidium canaliculatum</i>			C					✓	
Orchidaceae	<i>Dendrobium discolor</i>			C					✓	✓
Orchidaceae	<i>Dockrillia bowmanii</i>	scrub pencil orchid		C					✓	✓
Orchidaceae	<i>Oberonia palmicola</i>			C					✓	✓
Orchidaceae	<i>Pterostylis nutans</i>			C					✓	✓
Orchidaceae	<i>Taeniophyllum muelleri</i>			C	V			✓	✓	✓
Orchidaceae	<i>Bulbophyllum globuliforme</i>	miniature moss orchid		NT	V			✓		
Oxalidaceae	<i>Oxalis chnoodes</i>			C					✓	✓
Oxalidaceae	<i>Oxalis radicata</i>			C					✓	✓
Oxalidaceae	<i>Oxalis</i> sp.			C					✓	✓
Oxalidaceae	<i>Oxalis corniculata</i>		Y						✓	✓
Oxalidaceae	<i>Oxalis thompsoniae</i>			C					✓	✓
Pandanaceae	<i>Pandanus cookii</i>			C					✓	✓
Pandanaceae	<i>Pandanus spiralis</i>			C						✓
Papaveraceae	<i>Argemone ochroleuca</i>		Y							✓
Papaveraceae	<i>Argemone ochroleuca</i> subsp. <i>ochroleuca</i>	Mexican poppy	Y						✓	
Passifloraceae	<i>Passiflora aurantia</i>			C						✓
Passifloraceae	<i>Passiflora foetida</i>		Y						✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Passifloraceae	<i>Passiflora suberosa</i>	corky passion flower	Y						✓	✓
Pentapetaceae	<i>Melhania oblongifolia</i>			C					✓	✓
Pentapetaceae	<i>Melhania ovata</i>			C					✓	✓
Phaeophyceae	<i>Cystoseira trinodis</i>			C					✓	
Phyllanthaceae	<i>Antidesma parvifolium</i>			C					✓	✓
Phyllanthaceae	<i>Breynia oblongifolia</i>			C					✓	✓
Phyllanthaceae	<i>Bridelia leichhardtii</i>			C					✓	✓
Phyllanthaceae	<i>Cleistanthus dallachyanus</i>			C					✓	✓
Phyllanthaceae	<i>Flueggea leucopyrus</i>			C					✓	✓
Phyllanthaceae	<i>Flueggea virosa</i> subsp. <i>melanthesoides</i>			C					✓	✓
Phyllanthaceae	<i>Glochidion</i> sp.			C					✓	✓
Phyllanthaceae	<i>Phyllanthus carpentariae</i>			C					✓	✓
Phyllanthaceae	<i>Phyllanthus collinus</i>			C					✓	✓
Phyllanthaceae	<i>Phyllanthus fuernrohrii</i>			C					✓	✓
Phyllanthaceae	<i>Phyllanthus gunnii</i>			C					✓	✓
Phyllanthaceae	<i>Phyllanthus hebecarpus</i>			C						✓
Phyllanthaceae	<i>Phyllanthus maderaspatensis</i>			C					✓	✓
Phyllanthaceae	<i>Phyllanthus maderaspatensis</i> var. <i>maderaspatensis</i>			C					✓	
Phyllanthaceae	<i>Phyllanthus novae-hollandiae</i>			C					✓	✓
Phyllanthaceae	<i>Phyllanthus similis</i>			C					✓	✓
Phyllanthaceae	<i>Phyllanthus</i> sp.			C					✓	✓
Phyllanthaceae	<i>Phyllanthus virgatus</i>			C					✓	✓
Phyllanthaceae	<i>Poranthera microphylla</i>	small poranthera		C					✓	✓
Phyllanthaceae	<i>Sauropus albiflorus</i>	snowbush		C					✓	✓
Phyllanthaceae	<i>Sauropus hubbardii</i>			C					✓	✓
Phyllanthaceae	<i>Sauropus trachyspermus</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Phyllanthaceae	<i>Phyllanthus amarus</i>		Y						✓	✓
Picrodendraceae	<i>Petalostigma banksii</i>			C					✓	✓
Picrodendraceae	<i>Petalostigma pubescens</i>	quinine tree		C					✓	✓
Picrodendraceae	<i>Pseudanthus ligulatus</i>			C					✓	✓
Piperaceae	<i>Peperomia blanda</i> var. <i>floribunda</i>			C					✓	✓
Piperaceae	<i>Peperomia tetraphylla</i>			C					✓	✓
Pittosporaceae	<i>Bursaria incana</i>			C					✓	✓
Pittosporaceae	<i>Bursaria spinosa</i>			C					✓	✓
Pittosporaceae	<i>Bursaria tenuifolia</i>			C					✓	✓
Pittosporaceae	<i>Pittosporum spinescens</i>			C					✓	✓
Plumbaginaceae	<i>Plumbago zeylanica</i>	native plumbago		C					✓	✓
Poaceae	<i>Alloteropsis cimicina</i>			C					✓	✓
Poaceae	<i>Alloteropsis semialata</i>	cockatoo grass		C					✓	✓
Poaceae	<i>Ancistrachne uncinulata</i>	hooky grass		C					✓	✓
Poaceae	<i>Aristida acuta</i>			C					✓	✓
Poaceae	<i>Aristida benthamii</i>			C					✓	✓
Poaceae	<i>Aristida biglandulosa</i>			C					✓	
Poaceae	<i>Aristida calycina</i>			C					✓	✓
Poaceae	<i>Aristida calycina</i> var. <i>calycina</i>			C					✓	
Poaceae	<i>Aristida calycina</i> var. <i>praealta</i>			C					✓	✓
Poaceae	<i>Aristida caput-medusae</i>			C					✓	✓
Poaceae	<i>Aristida exserta</i>			C						✓
Poaceae	<i>Aristida gracilipes</i>			C					✓	✓
Poaceae	<i>Aristida granitica</i>			E	E			✓	✓	✓
Poaceae	<i>Aristida holathera</i>			C						✓
Poaceae	<i>Aristida holathera</i> var. <i>holathera</i>			C					✓	
Poaceae	<i>Aristida hygrometrica</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Poaceae	<i>Aristida inaequiglumis</i>			C					✓	✓
Poaceae	<i>Aristida ingrata</i>			C					✓	✓
Poaceae	<i>Aristida jerichoensis</i>			C					✓	✓
Poaceae	<i>Aristida jerichoensis</i> var. <i>subspinulifera</i>			C					✓	✓
Poaceae	<i>Aristida latifolia</i>	feathertop wiregrass		C					✓	✓
Poaceae	<i>Aristida lazaridis</i>			C						✓
Poaceae	<i>Aristida leptopoda</i>	white speargrass		C					✓	✓
Poaceae	<i>Aristida lignosa</i>			C						✓
Poaceae	<i>Aristida pernicioso</i>			C						✓
Poaceae	<i>Aristida personata</i>			C					✓	✓
Poaceae	<i>Aristida queenslandica</i>			C					✓	✓
Poaceae	<i>Aristida queenslandica</i> var. <i>dissimilis</i>			C					✓	✓
Poaceae	<i>Aristida</i> sp.			C					✓	
Poaceae	<i>Aristida spuria</i>			C					✓	✓
Poaceae	<i>Arthrargrostis deschampsoides</i>			C					✓	✓
Poaceae	<i>Arundinella nepalensis</i>	reedgrass		C					✓	✓
Poaceae	<i>Astrebula elymoides</i>	hoop mitchell grass		C					✓	✓
Poaceae	<i>Astrebula lappacea</i>	curly mitchell grass		C					✓	✓
Poaceae	<i>Astrebula squarrosa</i>	bull mitchell grass		C					✓	✓
Poaceae	<i>Bothriochloa bladhii</i>			C					✓	✓
Poaceae	<i>Bothriochloa decipiens</i>			C						✓
Poaceae	<i>Bothriochloa decipiens</i> var. <i>cloncurrans</i>			C					✓	✓
Poaceae	<i>Bothriochloa decipiens</i> var. <i>decipiens</i>			C					✓	
Poaceae	<i>Bothriochloa erianthoides</i>	satintop grass		C					✓	✓
Poaceae	<i>Bothriochloa ewartiana</i>	desert bluegrass		C					✓	✓
Poaceae	<i>Brachyachne ciliaris</i>	hairy native couch		C					✓	✓
Poaceae	<i>Brachyachne convergens</i>	common native couch		C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Poaceae	<i>Brachyachne tenella</i>			C					✓	✓
Poaceae	<i>Calyptochloa gracillima</i>			C					✓	✓
Poaceae	<i>Calyptochloa gracillima</i> subsp. <i>gracillima</i>			C					✓	
Poaceae	<i>Capillipedium spicigerum</i>	spicytop		C					✓	✓
Poaceae	<i>Chionachne hubbardiana</i>			C						✓
Poaceae	<i>Chloris divaricata</i>			C					✓	✓
Poaceae	<i>Chloris pectinata</i>	comb chloris		C					✓	✓
Poaceae	<i>Chloris pumilio</i>			C						✓
Poaceae	<i>Chloris</i> sp.			C					✓	
Poaceae	<i>Chloris ventricosa</i>	tall chloris		C					✓	✓
Poaceae	<i>Chrysopogon fallax</i>			C					✓	✓
Poaceae	<i>Chrysopogon filipes</i>			C					✓	✓
Poaceae	<i>Cleistochloa subjuncea</i>			C					✓	✓
Poaceae	<i>Cylindrosperma</i> sp.			C						✓
Poaceae	<i>Cymbopogon ambiguus</i>	lemon grass		C					✓	
Poaceae	<i>Cymbopogon bombycinus</i>	silky oilgrass		C					✓	✓
Poaceae	<i>Cymbopogon gratus</i>			C					✓	✓
Poaceae	<i>Cymbopogon oblectus</i>			C					✓	✓
Poaceae	<i>Cymbopogon queenslandicus</i>			C						✓
Poaceae	<i>Cymbopogon refractus</i>	barbed-wire grass		C					✓	✓
Poaceae	<i>Dactyloctenium radulans</i>	button grass		C					✓	✓
Poaceae	<i>Dichanthium fecundum</i>	curly bluegrass		C					✓	✓
Poaceae	<i>Dichanthium queenslandicum</i>	king bluegrass		V	V			✓	✓	✓
Poaceae	<i>Dichanthium sericeum</i>			C						✓
Poaceae	<i>Dichanthium sericeum</i> subsp. <i>polystachyum</i>			C					✓	✓
Poaceae	<i>Dichanthium sericeum</i> subsp. <i>sericeum</i>			C					✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Poaceae	<i>Dichanthium setosum</i>			C	V			✓	✓	✓
Poaceae	<i>Digitaria ammophila</i>	silky umbrella grass		C					✓	✓
Poaceae	<i>Digitaria breviglumis</i>			C					✓	✓
Poaceae	<i>Digitaria brownii</i>			C					✓	✓
Poaceae	<i>Digitaria diffusa</i>			C					✓	✓
Poaceae	<i>Digitaria divaricatissima</i>	spreading umbrella grass		C						✓
Poaceae	<i>Digitaria divaricatissima</i> var. <i>divaricatissima</i>			C					✓	
Poaceae	<i>Digitaria divaricatissima</i> var. <i>macractinia</i>			C						✓
Poaceae	<i>Digitaria fumida</i>			C					✓	✓
Poaceae	<i>Digitaria hystrichoides</i>	umbrella grass		C					✓	✓
Poaceae	<i>Digitaria longiflora</i>			C					✓	✓
Poaceae	<i>Digitaria orbata</i>			C					✓	✓
Poaceae	<i>Digitaria parviflora</i>			C					✓	
Poaceae	<i>Digitaria porrecta</i>			NT	E			✓	✓	✓
Poaceae	<i>Digitaria</i> sp.			C					✓	
Poaceae	<i>Dinebra decipiens</i>			C						✓
Poaceae	<i>Dinebra decipiens</i> var. <i>asthenes</i>			C					✓	✓
Poaceae	<i>Dinebra decipiens</i> var. <i>decipiens</i>			C					✓	
Poaceae	<i>Dinebra ligulata</i>			C					✓	✓
Poaceae	<i>Dinebra neesii</i>			C					✓	✓
Poaceae	<i>Diplachne fusca</i>			C					✓	✓
Poaceae	<i>Ectrosia agrostoides</i>			C					✓	✓
Poaceae	<i>Ectrosia leporina</i>			C					✓	✓
Poaceae	<i>Elionurus citreus</i>	lemon-scented grass		C					✓	✓
Poaceae	<i>Elytrophorus spicatus</i>			C					✓	✓
Poaceae	<i>Enneapogon gracilis</i>	slender nineawn		C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Poaceae	<i>Enneapogon lindleyanus</i>			C					✓	✓
Poaceae	<i>Enneapogon nigricans</i>	niggerheads		C					✓	✓
Poaceae	<i>Enneapogon polyphyllus</i>	leafy nineawn		C					✓	✓
Poaceae	<i>Enneapogon robustissimus</i>			C					✓	✓
Poaceae	<i>Enneapogon sp.</i>			C					✓	
Poaceae	<i>Enneapogon virens</i>			C					✓	✓
Poaceae	<i>Enteropogon acicularis</i>	curly windmill grass		C					✓	✓
Poaceae	<i>Enteropogon ramosus</i>			C					✓	✓
Poaceae	<i>Enteropogon unispiceus</i>			C					✓	✓
Poaceae	<i>Entolasia stricta</i>	wiry panic		C					✓	
Poaceae	<i>Eragrostis brownii</i>	Brown's lovegrass		C					✓	✓
Poaceae	<i>Eragrostis interrupta</i>			C					✓	✓
Poaceae	<i>Eragrostis lacunaria</i>	purple lovegrass		C					✓	✓
Poaceae	<i>Eragrostis leptocarpa</i>	drooping lovegrass		C					✓	✓
Poaceae	<i>Eragrostis leptostachya</i>			C					✓	✓
Poaceae	<i>Eragrostis megalosperma</i>			C						✓
Poaceae	<i>Eragrostis microcarpa</i>			C					✓	✓
Poaceae	<i>Eragrostis parviflora</i>	weeping lovegrass		C					✓	✓
Poaceae	<i>Eragrostis pubescens</i>			C					✓	✓
Poaceae	<i>Eragrostis sororia</i>			C					✓	✓
Poaceae	<i>Eragrostis sp.</i>			C					✓	
Poaceae	<i>Eragrostis spartinoides</i>			C					✓	✓
Poaceae	<i>Eragrostis speciosa</i>			C					✓	✓
Poaceae	<i>Eragrostis tenellula</i>	delicate lovegrass		C					✓	✓
Poaceae	<i>Eremochloa bimaclata</i>	poverty grass		C					✓	✓
Poaceae	<i>Eriachne ciliata</i>			C					✓	✓
Poaceae	<i>Eriachne mucronata</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Poaceae	<i>Eriachne obtusa</i>			C					✓	✓
Poaceae	<i>Eriachne pallescens</i>			C					✓	✓
Poaceae	<i>Eriachne rara</i>			C					✓	✓
Poaceae	<i>Eriachne sp.</i>			C					✓	
Poaceae	<i>Eriachne triodioides</i>			C						✓
Poaceae	<i>Eriochloa crebra</i>	spring grass		C					✓	✓
Poaceae	<i>Eriochloa pseudoacrotricha</i>			C					✓	✓
Poaceae	<i>Eriochloa sp.</i>			C					✓	
Poaceae	<i>Eulalia aurea</i>	silky browntop		C					✓	✓
Poaceae	<i>Heteropogon contortus</i>	black speargrass		C					✓	✓
Poaceae	<i>Heteropogon triticeus</i>	giant speargrass		C					✓	✓
Poaceae	<i>Hyparrhenia</i>			C					✓	
Poaceae	<i>Iseilema macratherrum</i>			C					✓	✓
Poaceae	<i>Iseilema membranaceum</i>	small flinders grass		C					✓	✓
Poaceae	<i>Iseilema vaginiflorum</i>	red flinders grass		C					✓	✓
Poaceae	<i>Leptochloa digitata</i>			C					✓	✓
Poaceae	<i>Leptochloa sp.</i>			C					✓	
Poaceae	<i>Lepturus repens</i>	stalky grass		C					✓	✓
Poaceae	<i>Micraira subulifolia</i>			C					✓	✓
Poaceae	<i>Mnesithea granularis</i>			C					✓	✓
Poaceae	<i>Mnesithea rottboellioides</i>			C					✓	✓
Poaceae	<i>Oplismenus aemulus</i>	creeping shade grass		C					✓	✓
Poaceae	<i>Oryza australiensis</i>			C					✓	✓
Poaceae	<i>Ottochloa nodosa</i>			C					✓	✓
Poaceae	<i>Oxychloris scariosa</i>	winged chloris		C					✓	✓
Poaceae	<i>Panicum buncei</i>			C						✓
Poaceae	<i>Panicum coloratum</i>			C					✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Poaceae	<i>Panicum decompositum</i>			C					✓	✓
Poaceae	<i>Panicum effusum</i>			C					✓	✓
Poaceae	<i>Panicum laevinode</i>	pepper grass		C					✓	✓
Poaceae	<i>Panicum larcomianum</i>			C					✓	✓
Poaceae	<i>Panicum mitchellii</i>			C					✓	✓
Poaceae	<i>Panicum queenslandicum</i>			C						✓
Poaceae	<i>Panicum queenslandicum</i> var. <i>queenslandicum</i>			C					✓	
Poaceae	<i>Panicum seminudum</i>			C						✓
Poaceae	<i>Panicum seminudum</i> var. <i>cairnsianum</i>			C					✓	✓
Poaceae	<i>Panicum seminudum</i> var. <i>seminudum</i>			C					✓	
Poaceae	<i>Panicum simile</i>			C					✓	
Poaceae	<i>Panicum trichoides</i>			C					✓	✓
Poaceae	<i>Paspalidium albobillosum</i>			C					✓	✓
Poaceae	<i>Paspalidium aversum</i>			C						✓
Poaceae	<i>Paspalidium caespitosum</i>	brigalow grass		C					✓	✓
Poaceae	<i>Paspalidium constrictum</i>			C					✓	✓
Poaceae	<i>Paspalidium disjunctum</i>			C					✓	✓
Poaceae	<i>Paspalidium distans</i>	shotgrass		C					✓	✓
Poaceae	<i>Paspalidium gausum</i>			C					✓	✓
Poaceae	<i>Paspalidium globoideum</i>	sago grass		C					✓	✓
Poaceae	<i>Paspalidium gracile</i>	slender panic		C					✓	✓
Poaceae	<i>Paspalidium jubiflorum</i>	warrego grass		C					✓	✓
Poaceae	<i>Paspalidium rarum</i>			C					✓	✓
Poaceae	<i>Paspalidium scabrifolium</i>			NT					✓	✓
Poaceae	<i>Paspalum scrobiculatum</i>	ditch millet		C					✓	✓
Poaceae	<i>Paspalum vaginatum</i>	saltwater couch		C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Poaceae	<i>Perotis rara</i>	comet grass		C					✓	✓
Poaceae	<i>Poa labillardierei</i>			C					✓	✓
Poaceae	<i>Pseudoraphis spinescens</i>	spiny mudgrass		C					✓	✓
Poaceae	<i>Sarga angustum</i>			C					✓	✓
Poaceae	<i>Sarga leiocladum</i>			C					✓	✓
Poaceae	<i>Schizachyrium fragile</i>	firegrass		C					✓	✓
Poaceae	<i>Schizachyrium pachyarthron</i>			C						✓
Poaceae	<i>Schizachyrium pseudoulalia</i>			C					✓	✓
Poaceae	<i>Sehima nervosum</i>			C					✓	✓
Poaceae	<i>Setaria australiensis</i>	scrub pigeon grass		C					✓	✓
Poaceae	<i>Setaria oplismenoides</i>			C					✓	✓
Poaceae	<i>Setaria surgens</i>			C					✓	✓
Poaceae	<i>Sorghum nitidum</i>			C					✓	✓
Poaceae	<i>Sorghum sp.</i>			C					✓	✓
Poaceae	<i>Sporobolus actinocladus</i>	katoora grass		C					✓	✓
Poaceae	<i>Sporobolus australasicus</i>			C					✓	✓
Poaceae	<i>Sporobolus caroli</i>	fairy grass		C					✓	✓
Poaceae	<i>Sporobolus contiguus</i>			C					✓	✓
Poaceae	<i>Sporobolus creber</i>			C					✓	✓
Poaceae	<i>Sporobolus disjunctus</i>			C					✓	✓
Poaceae	<i>Sporobolus mitchellii</i>	rat's tail couch		C					✓	✓
Poaceae	<i>Sporobolus scabridus</i>			C					✓	✓
Poaceae	<i>Sporobolus sp.</i>			C					✓	
Poaceae	<i>Sporobolus virginicus</i>	sand couch		C					✓	✓
Poaceae	<i>Thaumastochloa major</i>			C					✓	✓
Poaceae	<i>Thaumastochloa pubescens</i>			C					✓	✓
Poaceae	<i>Thellungia advena</i>	coolibah grass		C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Poaceae	<i>Themeda arguens</i>			C					✓	✓
Poaceae	<i>Themeda avenacea</i>			C					✓	✓
Poaceae	<i>Themeda triandra</i>	kangaroo grass		C					✓	✓
Poaceae	<i>Thyridolepis</i> sp.			C					✓	✓
Poaceae	<i>Thyridolepis xerophila</i>			C					✓	✓
Poaceae	<i>Tragus australianus</i>	small burr grass		C					✓	
Poaceae	<i>Triodia bitextura</i>			C					✓	✓
Poaceae	<i>Triodia longiceps</i>	giant grey spinifex		C					✓	✓
Poaceae	<i>Triodia pungens</i>			C					✓	✓
Poaceae	<i>Triodia</i> sp.			C					✓	
Poaceae	<i>Triodia stenostachya</i>			C					✓	
Poaceae	<i>Tripogon loliiformis</i>	five minute grass		C					✓	✓
Poaceae	<i>Urochloa holosericea</i>			C						✓
Poaceae	<i>Urochloa piligera</i>			C					✓	✓
Poaceae	<i>Urochloa pubigera</i>			C					✓	✓
Poaceae	<i>Urochloa reptans</i>			C					✓	✓
Poaceae	<i>Andropogon gayanus</i>	gamba grass	Y						✓	✓
Poaceae	<i>Bothriochloa pertusa</i>		Y						✓	✓
Poaceae	<i>Cenchrus ciliaris</i>		Y						✓	✓
Poaceae	<i>Cenchrus echinatus</i>	Mossman River grass	Y						✓	✓
Poaceae	<i>Cenchrus setigerus</i>		Y						✓	✓
Poaceae	<i>Chloris gayana</i>	rhodes grass	Y						✓	✓
Poaceae	<i>Chloris inflata</i>	purpletop chloris	Y						✓	✓
Poaceae	<i>Chloris virgata</i>	feathertop rhodes grass	Y						✓	✓
Poaceae	<i>Cynodon dactylon</i>		Y							✓
Poaceae	<i>Cynodon dactylon</i> var. <i>dactylon</i>		Y						✓	
Poaceae	<i>Cynodon nlemfuensis</i>		Y						✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Poaceae	<i>Dichanthium annulatum</i>	sheda grass	Y						✓	✓
Poaceae	<i>Dichanthium aristatum</i>	angleton grass	Y						✓	✓
Poaceae	<i>Digitaria ciliaris</i>	summer grass	Y						✓	✓
Poaceae	<i>Digitaria milaniana</i>		Y						✓	✓
Poaceae	<i>Echinochloa colona</i>	awnless barnyard grass	Y						✓	✓
Poaceae	<i>Echinochloa crus-galli</i>	barnyard grass	Y						✓	✓
Poaceae	<i>Echinochloa polystachya</i>		Y						✓	✓
Poaceae	<i>Eleusine indica</i>	crowsfoot grass	Y						✓	✓
Poaceae	<i>Eragrostis cilianensis</i>		Y						✓	✓
Poaceae	<i>Eragrostis pilosa</i>	soft lovegrass	Y						✓	✓
Poaceae	<i>Eriochloa meyeriana</i>		Y						✓	✓
Poaceae	<i>Hymenachne amplexicaulis</i>	hymenachne	Y			WONS	Class 2	✓	✓	✓
Poaceae	<i>Hyparrhenia rufa</i>		Y						✓	✓
Poaceae	<i>Megathyrsus maximus</i>		Y							✓
Poaceae	<i>Megathyrsus maximus</i> var. <i>coloratus</i>		Y						✓	
Poaceae	<i>Megathyrsus maximus</i> var. <i>maximus</i>		Y						✓	
Poaceae	<i>Megathyrsus maximus</i> var. <i>pubiglumis</i>		Y						✓	✓
Poaceae	<i>Melinis repens</i>	red natal grass	Y						✓	✓
Poaceae	<i>Panicum antidotale</i>	giant panic	Y							✓
Poaceae	<i>Paspalum dilatatum</i>	paspalum	Y						✓	✓
Poaceae	<i>Saccharum officinarum</i>	sugarcane	Y						✓	✓
Poaceae	<i>Setaria sphacelata</i>		Y						✓	✓
Poaceae	<i>Sorghum halepense</i>	Johnson grass	Y						✓	✓
Poaceae	<i>Sporobolus africanus</i>	Parramatta grass	Y				Class 2		✓	✓
Poaceae	<i>Sporobolus coromandelianus</i>		Y						✓	✓
Poaceae	<i>Sporobolus fertilis</i>	giant Parramatta grass	Y				Class 2		✓	✓
Poaceae	<i>Sporobolus jacquemontii</i>		Y				Class 2		✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Poaceae	<i>Themeda quadrivalvis</i>	grader grass	Y						✓	✓
Poaceae	<i>Urochloa mosambicensis</i>	sabi grass	Y						✓	✓
Poaceae	<i>Urochloa mutica</i>		Y						✓	✓
Poaceae	<i>Urochloa panicoides</i>		Y						✓	✓
Poaceae	<i>Urochloa subquadrifera</i>		Y						✓	✓
Poaceae	<i>Acrachne racemosa</i>			C					✓	
Poaceae	<i>Calptochloa cylindrosperma</i>								✓	✓
Poaceae	<i>Chloris lobata</i>			C					✓	✓
Poaceae	<i>Digitaria bicornis</i>			C					✓	✓
Poaceae	<i>Digitaria minima</i>								✓	
Poaceae	<i>Digitaria ramularis</i>			C					✓	✓
Poaceae	<i>Enneapogon truncatus</i>			C					✓	✓
Poaceae	<i>Eragrostis cumingii</i>			C					✓	✓
Poaceae	<i>Eragrostis elongata</i>			C					✓	✓
Poaceae	<i>Eriochloa procera</i>	slender cupgrass		C					✓	✓
Poaceae	<i>Mnesithea formosa</i>			C					✓	✓
Poaceae	<i>Ophiuros exaltatus</i>			C					✓	✓
Poaceae	<i>Sarga plumosum</i>			C					✓	✓
Poaceae	<i>Triodia mitchellii</i>	buck spinifex		C					✓	✓
Poaceae	<i>Urochloa holosericea</i> subsp. <i>holosericea</i>			C					✓	
Poaceae	<i>Walwhalleya subxerophila</i>			C					✓	✓
Polygalaceae	<i>Polygala</i>			C						✓
Polygalaceae	<i>Polygala linariifolia</i>			C					✓	✓
Polygalaceae	<i>Polygala triflora</i>			C					✓	✓
Polygalaceae	<i>Polygala crassitesta</i>			C					✓	✓
Polygalaceae	<i>Polygala longifolia</i>			C					✓	✓
Polygonaceae	<i>Duma florulenta</i>			C						✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Polygonaceae	<i>Muehlenbeckia</i>			C					✓	
Polygonaceae	<i>Muehlenbeckia zippelii</i>			C					✓	✓
Polygonaceae	<i>Persicaria attenuata</i>			C					✓	✓
Polygonaceae	<i>Persicaria decipiens</i>	slender knotweed		C					✓	
Polygonaceae	<i>Polygonum plebeium</i>	small knotweed		C					✓	✓
Polygonaceae	<i>Antigonon leptopus</i>		Y						✓	
Polypodiaceae	<i>Platynerium bifurcatum</i>			C					✓	✓
Polypodiaceae	<i>Platynerium veitchii</i>	silver elkhorn		C					✓	✓
Polypodiaceae	<i>Pyrrosia confluens</i>			C					✓	✓
Pontederiaceae	<i>Monochoria cyanea</i>			C					✓	✓
Portulacaceae	<i>Calandrinia pickeringii</i>			C					✓	✓
Portulacaceae	<i>Calandrinia</i> sp.			C					✓	✓
Portulacaceae	<i>Portulaca</i>			C					✓	✓
Portulacaceae	<i>Portulaca australis</i>			C						✓
Portulacaceae	<i>Portulaca bicolor</i>			C					✓	✓
Portulacaceae	<i>Portulaca filifolia</i>			C					✓	✓
Portulacaceae	<i>Portulaca oleracea</i>	pigweed	Y						✓	✓
Portulacaceae	<i>Portulaca pilosa</i>		Y						✓	✓
Potamogetonaceae	<i>Potamogeton tricarlinatus</i>	floating pondweed		C					✓	✓
Pottiaceae	<i>Weissia</i>			C					✓	
Proteaceae	<i>Banksia integrifolia</i> subsp. <i>compar</i>			C					✓	✓
Proteaceae	<i>Grevillea decora</i>			C					✓	✓
Proteaceae	<i>Grevillea decora</i> subsp. <i>decora</i>			C					✓	
Proteaceae	<i>Grevillea helmsiae</i>			C					✓	✓
Proteaceae	<i>Grevillea hilliana</i>			C					✓	✓
Proteaceae	<i>Grevillea parallela</i>			C					✓	✓
Proteaceae	<i>Grevillea sessilis</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Proteaceae	<i>Grevillea striata</i>	beefwood		C					✓	✓
Proteaceae	<i>Hakea lorea</i>			C					✓	✓
Proteaceae	<i>Helicia glabriflora</i>	pale oak		C					✓	✓
Proteaceae	<i>Persoonia falcata</i>			C					✓	✓
Psilotaceae	<i>Psilotum nudum</i>	skeleton fork fern		C					✓	✓
Pterigynandraceae	<i>Trachyphyllum inflexum</i>			C					✓	
Putranjivaceae	<i>Drypetes deplanchei</i>	grey boxwood		C					✓	✓
Ranunculaceae	<i>Clematis glycinoides</i>			C					✓	✓
Rhamnaceae	<i>Alphitonia excelsa</i>	soap tree		C					✓	✓
Rhamnaceae	<i>Pomaderris argyrophylla</i>			C					✓	✓
Rhamnaceae	<i>Ventilago viminalis</i>	supplejack		C					✓	✓
Rhamnaceae	<i>Ziziphus mauritiana</i>	Indian jujube	Y				Class 2		✓	✓
Rhamnaceae	<i>Polianthion minutiflorum</i>			V	V				✓	✓
Rhizophoraceae	<i>Ceriops australis</i>			C						✓
Rhizophoraceae	<i>Rhizophora stylosa</i>	spotted mangrove		C						✓
Rubiaceae	<i>Aidia racemosa</i>			C					✓	✓
Rubiaceae	<i>Antirhea putaminosa</i>			C					✓	✓
Rubiaceae	<i>Coelospermum reticulatum</i>			C					✓	✓
Rubiaceae	<i>Cyclophyllum coprosmoides</i>			C						✓
Rubiaceae	<i>Cyclophyllum coprosmoides</i> var. <i>coprosmoides</i>			C					✓	
Rubiaceae	<i>Dentella repens</i>	dentella		C					✓	✓
Rubiaceae	<i>Everistia vacciniifolia</i>			C					✓	✓
Rubiaceae	<i>Galium spathulatum</i>			C					✓	✓
Rubiaceae	<i>Gynochthodes canthoides</i>			C					✓	✓
Rubiaceae	<i>Knoxia sumatrensis</i>			C					✓	✓
Rubiaceae	<i>Larsenaikia jardinei</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Rubiaceae	<i>Larsenaikia ochreatea</i>			C					✓	
Rubiaceae	<i>Oldenlandia coerulescens</i>			C						✓
Rubiaceae	<i>Oldenlandia galioides</i>			C					✓	✓
Rubiaceae	<i>Oldenlandia mitrasacmoides</i>			C						✓
Rubiaceae	<i>Oldenlandia mitrasacmoides</i> subsp. <i>mitrasacmoides</i>			C					✓	
Rubiaceae	<i>Oldenlandia mitrasacmoides</i> subsp. <i>trachymenoides</i>			C					✓	✓
Rubiaceae	<i>Opercularia diphylla</i>			C					✓	✓
Rubiaceae	<i>Pavetta australiensis</i>			C						✓
Rubiaceae	<i>Pavetta australiensis</i> var. <i>australiensis</i>			C					✓	
Rubiaceae	<i>Pavetta granitica</i>			C					✓	✓
Rubiaceae	<i>Psychotria daphnoides</i>			C					✓	✓
Rubiaceae	<i>Psydrax attenuata</i>			C					✓	✓
Rubiaceae	<i>Psydrax forsteri</i>			C					✓	✓
Rubiaceae	<i>Psydrax johnsonii</i>			C					✓	✓
Rubiaceae	<i>Psydrax lamprophylla</i>			C					✓	✓
Rubiaceae	<i>Psydrax odorata</i>			C					✓	✓
Rubiaceae	<i>Psydrax odorata</i> subsp. <i>australiana</i>			C					✓	✓
Rubiaceae	<i>Psydrax saligna</i>			C					✓	✓
Rubiaceae	<i>Spermacoce brachystema</i>			C					✓	✓
Rubiaceae	<i>Spermacoce</i> sp.			C						✓
Rubiaceae	<i>Triflorensia ixoroides</i>			C					✓	✓
Rubiaceae	<i>Oldenlandia corymbosa</i>		Y						✓	✓
Rubiaceae	<i>Richardia brasiliensis</i>	white eye	Y						✓	✓
Rubiaceae	<i>Pomax umbellata</i>			C					✓	✓
Rutaceae	<i>Acronychia laevis</i>	glossy acronychia		C					✓	✓
Rutaceae	<i>Citrus glauca</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Rutaceae	<i>Coatesia paniculata</i>			C					✓	✓
Rutaceae	<i>Dinosperma erythrococcum</i>			C					✓	✓
Rutaceae	<i>Flindersia australis</i>	crow's ash		C					✓	✓
Rutaceae	<i>Flindersia dissosperma</i>			C					✓	✓
Rutaceae	<i>Geijera parviflora</i>	wilga		C					✓	✓
Rutaceae	<i>Geijera salicifolia</i>	brush wilga		C					✓	✓
Rutaceae	<i>Micromelum minutum</i>	clusterberry		C					✓	✓
Rutaceae	<i>Muraya ovatifoliolata</i>			C					✓	✓
Rutaceae	<i>Muraya paniculata</i>			C					✓	✓
Rutaceae	<i>Phebalium glandulosum</i>			C						✓
Rutaceae	<i>Phebalium glandulosum</i> subsp. <i>glandulosum</i>			C					✓	
Rutaceae	<i>Phebalium nottii</i>	pink phebalium		C					✓	✓
Rutaceae	<i>Zieria aspalathoides</i>			C						✓
Rutaceae	<i>Zieria smithii</i>			C					✓	✓
Rutaceae	<i>Zieria aspalathoides</i> subsp. <i>aspalathoides</i>			C					✓	
Salvinaceae	<i>Salvinia molesta</i>	salvinia	Y					✓		
Santalaceae	<i>Anthobolus filifolius</i>			C						✓
Santalaceae	<i>Anthobolus leptomerioides</i>			C						✓
Santalaceae	<i>Exocarpos latifolius</i>			C					✓	✓
Santalaceae	<i>Santalum lanceolatum</i>			C					✓	✓
Sapindaceae	<i>Alectryon connatus</i>	grey birds-eye		C					✓	✓
Sapindaceae	<i>Alectryon diversifolius</i>	scrub boonaree		C					✓	✓
Sapindaceae	<i>Alectryon oleifolius</i> subsp. <i>elongatus</i>			C					✓	✓
Sapindaceae	<i>Arytera divaricata</i>	coogera		C					✓	✓
Sapindaceae	<i>Atalaya calcicola</i>			C					✓	✓
Sapindaceae	<i>Atalaya hemiglauca</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Sapindaceae	<i>Atalaya multiflora</i>	broad-leaved whitewood		C					✓	✓
Sapindaceae	<i>Atalaya rigida</i>			C					✓	✓
Sapindaceae	<i>Cupaniopsis anacardioides</i>	tuckeroo		C						✓
Sapindaceae	<i>Cupaniopsis parvifolia</i>	small-leaved tuckeroo		C					✓	✓
Sapindaceae	<i>Cupaniopsis simulata</i>			C					✓	✓
Sapindaceae	<i>Dodonaea dodecandra</i>			C					✓	✓
Sapindaceae	<i>Dodonaea lanceolata</i>			C					✓	✓
Sapindaceae	<i>Dodonaea malvacea</i>			C					✓	✓
Sapindaceae	<i>Dodonaea stenophylla</i>			C					✓	✓
Sapindaceae	<i>Dodonaea triangularis</i>			C					✓	✓
Sapindaceae	<i>Dodonaea viscosa</i> subsp. <i>burmanniana</i>			C					✓	✓
Sapindaceae	<i>Dodonaea viscosa</i> subsp. <i>spatulata</i>			C					✓	✓
Sapindaceae	<i>Ganophyllum falcatum</i>			C					✓	
Sapindaceae	<i>Harpullia pendula</i>			C					✓	✓
Sapindaceae	<i>Jagera pseudorhus</i>			C					✓	✓
Sapindaceae	<i>Mischocarpus anodontus</i>	veiny pearfruit		C					✓	✓
Sapindaceae	<i>Mischocarpus macrocarpus</i>			C					✓	✓
Sapindaceae	<i>Mischocarpus stipitatus</i>			C					✓	✓
Sapindaceae	<i>Cardiospermum halicacabum</i>		Y							✓
Sapindaceae	<i>Cardiospermum halicacabum</i> var. <i>halicacabum</i>		Y						✓	
Sapindaceae	<i>Alectryon reticulatus</i>	wild quince		C					✓	✓
Sapindaceae	<i>Dodonaea filifolia</i>			C					✓	✓
Sapotaceae	<i>Mimusops elengi</i>			C					✓	✓
Sapotaceae	<i>Planchonella myrsinifolia</i>			C					✓	✓
Sapotaceae	<i>Planchonella myrsinoides</i>			C					✓	✓
Sapotaceae	<i>Planchonella pohlmaniana</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Sapotaceae	<i>Planchonella pubescens</i>			C					✓	
Sapotaceae	<i>Pouteria queenslandica</i>			C					✓	✓
Sapotaceae	<i>Sersalisia sericea</i>			C					✓	✓
Sapotaceae	<i>Amorphospermum antilogum</i>			C					✓	✓
Sapotaceae	<i>Planchonella cotinifolia</i>			C					✓	✓
Schizaeaceae	<i>Lygodium microphyllum</i>	snake fern		C					✓	✓
Scrophulariaceae	<i>Bacopa floribunda</i>			C					✓	✓
Scrophulariaceae	<i>Buchnera gracilis</i>			C					✓	✓
Scrophulariaceae	<i>Limosella australis</i>	mudwort		C					✓	
Scrophulariaceae	<i>Lindernia crustacea</i>			C					✓	✓
Scrophulariaceae	<i>Peplidium maritimum</i>			C					✓	✓
Scrophulariaceae	<i>Stemodia florulenta</i>			C					✓	✓
Scrophulariaceae	<i>Stemodia glabella</i>			C					✓	✓
Scrophulariaceae	<i>Stemodia sp.</i>			C						✓
Scrophulariaceae	<i>Striga parviflora</i>			C					✓	✓
Scrophulariaceae	<i>Mecardonia procumbens</i>		Y						✓	✓
Scrophulariaceae	<i>Scoparia dulcis</i>	Scoparia	Y						✓	✓
Sematophyllaceae	<i>Sematophyllum</i>			C					✓	
Simaroubaceae	<i>Samadera sp.</i>			C						✓
Smilacaceae	<i>Smilax australis</i>	barbed-wire vine		C					✓	✓
Solanaceae	<i>Lycianthes shanesii</i>			C					✓	✓
Solanaceae	<i>Nicotiana forsteri</i>			C					✓	✓
Solanaceae	<i>Nicotiana megalosiphon</i>			C					✓	✓
Solanaceae	<i>Solanum cleistogamum</i>			C					✓	✓
Solanaceae	<i>Solanum ellipticum</i>	potato bush		C					✓	✓
Solanaceae	<i>Solanum esuriale</i>	quena		C					✓	✓
Solanaceae	<i>Solanum furfuraceum</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Solanaceae	<i>Solanum galbinum</i>			C					✓	✓
Solanaceae	<i>Solanum opacum</i>	green berry nightshade		C					✓	✓
Solanaceae	<i>Solanum parvifolium</i>			C						✓
Solanaceae	<i>Solanum parvifolium</i> subsp. <i>parvifolium</i>			C					✓	
Solanaceae	<i>Solanum parvifolium</i> subsp. <i>tropicum</i>			C					✓	✓
Solanaceae	<i>Solanum</i> sp.			C					✓	
Solanaceae	<i>Capsicum frutescens</i>		Y						✓	✓
Solanaceae	<i>Datura inoxia</i>		Y						✓	✓
Solanaceae	<i>Datura leichhardtii</i>	native thornapple	Y						✓	✓
Solanaceae	<i>Nicotiana glauca</i>	tree tobacco	Y						✓	✓
Solanaceae	<i>Physalis angulata</i>		Y						✓	✓
Solanaceae	<i>Physalis lanceifolia</i>		Y						✓	✓
Solanaceae	<i>Physalis pubescens</i>		Y						✓	✓
Solanaceae	<i>Solanum nigrum</i>		Y						✓	✓
Solanaceae	<i>Solanum nodiflorum</i>		Y							✓
Solanaceae	<i>Solanum seaforthianum</i>	Brazilian nightshade	Y						✓	✓
Solanaceae	<i>Solanum torvum</i>	devil's fig	Y						✓	✓
Solanaceae	<i>Solanum crebrispinum</i>			C					✓	✓
Sparrmanniaceae	<i>Corchorus aestuans</i>			C					✓	✓
Sparrmanniaceae	<i>Corchorus hygrophilus</i>			V					✓	✓
Sparrmanniaceae	<i>Corchorus olitorius</i>	jute		C					✓	✓
Sparrmanniaceae	<i>Corchorus sidoides</i> subsp. <i>vermicularis</i>			C					✓	
Sparrmanniaceae	<i>Corchorus trilocularis</i>			C					✓	✓
Sparrmanniaceae	<i>Grewia latifolia</i>	dysentery plant		C					✓	✓
Sparrmanniaceae	<i>Grewia papuana</i>			C					✓	✓
Sparrmanniaceae	<i>Grewia retusifolia</i>			C					✓	✓
Sparrmanniaceae	<i>Grewia scabrella</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Sparrmanniaceae	<i>Grewia asiatica</i>		Y						✓	✓
Sparrmanniaceae	<i>Triumfetta pentandra</i>		Y						✓	✓
Sparrmanniaceae	<i>Triumfetta rhomboidea</i>	chinese burr	Y						✓	✓
Sparrmanniaceae	<i>Corchorus pumilio</i>								✓	
Sparrmanniaceae	<i>Corchorus tomentellus</i>			C					✓	✓
Sphenocleaceae	<i>Sphenoclea zeylanica</i>			C						✓
Stackhousiaceae	<i>Stackhousia intermedia</i>			C					✓	✓
Sterculiaceae	<i>Brachychiton australis</i>	broad-leaved bottle tree		C					✓	✓
Sterculiaceae	<i>Brachychiton</i> sp. (Blackwall Range R.J.Fensham 971)			E					✓	✓
Sterculiaceae	<i>Sterculia quadrifida</i>	peanut tree		C					✓	✓
Stylidiaceae	<i>Stylidium adenophorum</i>			C					✓	✓
Stylidiaceae	<i>Stylidium eglandulosum</i>			C						✓
Stylidiaceae	<i>Stylidium eriorhizum</i>			C					✓	✓
Stylidiaceae	<i>Stylidium tenerum</i>			C						✓
Symplocaceae	<i>Symplocos stawellii</i>			C					✓	✓
Tamaricaceae	<i>Tamarix aphylla</i>	athel tree	Y			WONS	Class 3		✓	✓
Thelypteridaceae	<i>Macrothelypteris torresiana</i>	pale wood fern		C					✓	✓
Thymelaeaceae	<i>Pimelea haematostachya</i>			C					✓	✓
Thymelaeaceae	<i>Pimelea linifolia</i>			C						✓
Thymelaeaceae	<i>Pimelea linifolia</i> subsp. <i>linifolia</i>			C					✓	
Thymelaeaceae	<i>Wikstroemia indica</i>	tie bush		C					✓	✓
Thymelaeaceae	<i>Thecanthes cornucopiae</i>			C					✓	✓
Tmesipteridaceae	<i>Tmesipteris truncata</i>			C					✓	✓
Typhaceae	<i>Typha domingensis</i>			C						✓
Ulmaceae	<i>Celtis paniculata</i>	native celtis		C					✓	✓
Ulmaceae	<i>Trema tomentosa</i>			C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Ulvaceae	<i>Enteromorpha sp.</i>			C					✓	
Urticaceae	<i>Pipturus argenteus</i>	white nettle		C					✓	✓
Verbenaceae	<i>Lantana camara</i>		Y			WONS	Class 3	✓	✓	✓
Verbenaceae	<i>Stachytarpheta jamaicensis</i>	Jamaica snakeweed	Y						✓	✓
Verbenaceae	<i>Verbena litoralis</i>	verbena	Y							✓
Verbenaceae	<i>Verbena litoralis</i> var. <i>litoralis</i>		Y						✓	
Verbenaceae	<i>Verbena macrostachya</i>			C					✓	✓
Violaceae	<i>Hybanthus enneaspermus</i>			C					✓	✓
Violaceae	<i>Hybanthus stellarioides</i>			C					✓	✓
Viscaceae	<i>Viscum articulatum</i>	flat mistletoe		C					✓	✓
Vitaceae	<i>Cayratia clematidea</i>	slender grape		C					✓	✓
Vitaceae	<i>Cissus adnata</i>			C					✓	✓
Vitaceae	<i>Cissus cardiophylla</i>			C					✓	✓
Vitaceae	<i>Cissus hypoglauca</i>			C					✓	✓
Vitaceae	<i>Cissus oblonga</i>			C					✓	✓
Vitaceae	<i>Cissus reniformis</i>			C					✓	✓
Vitaceae	<i>Cissus repens</i>			C					✓	✓
Vitaceae	<i>Clematicissus opaca</i>			C					✓	✓
Winteraceae	<i>Tasmannia insipida</i>	brush pepperbush		C					✓	✓
Xanthorrhoeaceae	<i>Xanthorrhoea johnsonii</i>			C					✓	✓
Xyridaceae	<i>Xyris oligantha</i>			C					✓	✓
Xyridaceae	<i>Xyris sp.</i>			C					✓	✓
Xyridaceae	<i>Xyris complanata</i>	yellow-eye		C					✓	✓
Zingiberaceae	<i>Alpinia caerulea</i>	wild ginger		C					✓	✓
Zygophyllaceae	<i>Tribulopsis angustifolia</i>			C					✓	✓
Zygophyllaceae	<i>Tribulus cistoides</i>	bulls head vine		C					✓	✓
Zygophyllaceae	<i>Tribulus micrococcus</i>	yellow vine		C					✓	✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Zygophyllaceae	<i>Tribulus terrestris</i>	caltrop		C					✓	✓
Protists										
Chlorophyceae	<i>Anadyomene plicata</i>			C					✓	
Chlorophyceae	<i>Caulerpa</i>			C					✓	
Chlorophyceae	<i>Caulerpa peltata</i>			C					✓	
Chlorophyceae	<i>Caulerpa racemosa</i>			C					✓	
Chlorophyceae	<i>Caulerpa racemosa</i> var. <i>laetevirens</i>			C					✓	
Chlorophyceae	<i>Caulerpa sertularioides</i>			C					✓	
Chlorophyceae	<i>Caulerpa taxifolia</i>			C					✓	
Chlorophyceae	<i>Chaetomorpha</i>			C					✓	
Chlorophyceae	<i>Chaetomorpha exposita</i>			C					✓	
Chlorophyceae	<i>Cladophora</i>			C					✓	
Chlorophyceae	<i>Cladophora catenata</i>			C					✓	
Chlorophyceae	<i>Cladophoropsis</i>			C					✓	
Chlorophyceae	<i>Cladophoropsis vaucheriiformis</i>			C					✓	
Chlorophyceae	<i>Codium geppiorum</i>			C					✓	
Chlorophyceae	<i>Dictyosphaeria cavernosa</i>			C					✓	
Chlorophyceae	<i>Dictyosphaeria versluysii</i>			C					✓	
Chlorophyceae	<i>Halimeda macroloba</i>			C					✓	
Chlorophyceae	<i>Ulva lactuca</i>			C					✓	
Cyanophyceae	<i>Anacystis montana</i>			C					✓	
Cyanophyceae	<i>Blennothrix lyngbyacea</i>			C					✓	
Cyanophyceae	<i>Brachytrichia quoyi</i>			C					✓	
Cyanophyceae	<i>Calothrix crustacea</i>			C					✓	
Cyanophyceae	<i>Calothrix scopulorum</i>			C					✓	
Cyanophyceae	<i>Entophysalis deusta</i>			C					✓	
Cyanophyceae	<i>Kyrtuthrix maculans</i>			C					✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Cyanophyceae	<i>Schizothrix calcicola</i>			C					✓	
Cystocloniaceae	<i>Hypnea sp.</i>								✓	
Dasycladaceae	<i>Bornetella sp.</i>								✓	
Dasycladaceae	<i>Halicoryne sp.</i>								✓	
Dasycladaceae	<i>Neomeris sp.</i>								✓	
Dictyotaceae	<i>Gelidium sp.</i>								✓	
Lomentariaceae	<i>Gelidiopsis sp.</i>								✓	
Phaeophyceae	<i>Chnoospora minima</i>			C					✓	
Phaeophyceae	<i>Colpomenia sinuosa</i>			C					✓	
Phaeophyceae	<i>Dictyopteris acrostichoides</i>			C					✓	
Phaeophyceae	<i>Dictyopteris australis</i>			C					✓	
Phaeophyceae	<i>Dictyopteris delicatula</i>			C					✓	
Phaeophyceae	<i>Dictyota bartayresiana</i>			C					✓	
Phaeophyceae	<i>Dictyota ciliolata</i>			C					✓	
Phaeophyceae	<i>Dictyota dichotoma</i>			C					✓	
Phaeophyceae	<i>Dictyota divaricata</i>			C					✓	
Phaeophyceae	<i>Dictyota intermedia</i>			C					✓	
Phaeophyceae	<i>Dictyota sp.</i>								✓	
Phaeophyceae	<i>Hormophysa cuneiformis</i>			C					✓	
Phaeophyceae	<i>Lobophora variegata</i>			C					✓	
Phaeophyceae	<i>Mesospora schmidtii</i>			C					✓	
Phaeophyceae	<i>Padina australis</i>			C					✓	
Phaeophyceae	<i>Padina boergesenii</i>			C					✓	
Phaeophyceae	<i>Padina gymnospora</i>			C					✓	
Phaeophyceae	<i>Padina tetrastromatica</i>			C					✓	
Phaeophyceae	<i>Ralfsia</i>			C					✓	
Phaeophyceae	<i>Sargassum</i>			C					✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Phaeophyceae	<i>Sargassum decurrens</i>			C					✓	
Phaeophyceae	<i>Sargassum microcystum</i>			C					✓	
Phaeophyceae	<i>Sargassum myriocystum</i>			C					✓	
Phaeophyceae	<i>Sargassum tenerrimum</i>			C					✓	
Phaeophyceae	<i>Spatoglossum macrodontum</i>			C					✓	
Phaeophyceae	<i>Sphacelaria rigidula</i>			C					✓	
Polyphysaceae	<i>Acetabularia sp.</i>								✓	
Rhodomelaceae	<i>Herposiphonia sp.</i>								✓	
Rhodophyceae	<i>Acanthophora spicifera</i>			C					✓	
Rhodophyceae	<i>Amphiroa</i>			C					✓	
Rhodophyceae	<i>Amphiroa fragilissima</i>			C					✓	
Rhodophyceae	<i>Asparagopsis taxiformis</i>			C					✓	
Rhodophyceae	<i>Ceratodictyon spongiosum</i>			C					✓	
Rhodophyceae	<i>Digenea simplex</i>			C					✓	
Rhodophyceae	<i>Ganonema samaense</i>			C					✓	
Rhodophyceae	<i>Gelidiella acerosa</i>			C					✓	
Rhodophyceae	<i>Gracilaria arcuata</i>			C					✓	
Rhodophyceae	<i>Gracilaria edulis</i>			C					✓	
Rhodophyceae	<i>Gracilaria purpurascens</i>			C					✓	
Rhodophyceae	<i>Gracilaria sp.</i>								✓	
Rhodophyceae	<i>Jania adhaerens</i>			C					✓	
Rhodophyceae	<i>Jania sp.</i>								✓	
Rhodophyceae	<i>Laurencia brongniartii</i>			C					✓	
Rhodophyceae	<i>Laurencia filiformis</i>			C					✓	
Rhodophyceae	<i>Laurencia flexilis</i>			C					✓	
Rhodophyceae	<i>Laurencia gracilis</i>			C					✓	
Rhodophyceae	<i>Laurencia majuscula</i>			C					✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	WONS	LP Act	PMST	WO	HERBRECS
Rhodophyceae	<i>Laurencia obtusa</i>			C					✓	
Rhodophyceae	<i>Laurencia papillosa</i>			C					✓	
Rhodophyceae	<i>Laurencia pygmaea</i>			C					✓	
Rhodophyceae	<i>Laurencia sp.</i>								✓	
Rhodophyceae	<i>Laurencia tenera</i>			C					✓	
Rhodophyceae	<i>Leveillea jungermannioides</i>			C					✓	
Rhodophyceae	<i>Liagora australasica</i>			C					✓	
Rhodophyceae	<i>Melanamansia glomerata</i>			C					✓	
Rhodophyceae	<i>Peyssonnelia</i>			C					✓	
Rhodophyceae	<i>Polysiphonia</i>			C					✓	
Rhodophyceae	<i>Spyridia filamentosa</i>			C					✓	
Rhodophyceae	<i>Tolypocladia glomerulata</i>			C					✓	
Rhodophyceae	<i>Tricleocarpa cylindrica</i>			C					✓	
Rhodophyceae	<i>Yamadaella caenomyce</i>			C					✓	
Siphonocladaceae	<i>Boodlea sp.</i>								✓	
Streptosporangiaceae	<i>Corallina sp.</i>								✓	
Introduced^	Y indicates that the taxon is introduced to Queensland and has naturalised.									
EPBC Act and NC Act status*	Indicates the Australian conservation status of each taxon under the Environment Protection and Biodiversity Conservation Act 1999. The values of EPBC are Conservation Dependent (CD), Critically Endangered (CE), Endangered (E), Extinct (EX), Extinct in the Wild (XW) and Vulnerable (V).									
NC Act [#]	Indicates the Queensland conservation status of each taxon under the Nature Conservation Act 1992. The codes are Extinct in the Wild (PE), Endangered (E), Vulnerable (V), Near Threatened (NT), Least Concern (C) or Not Protected ().									

Combined fauna desktop database search results

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Amphibians									
Bufonidae	<i>Rhinella marina</i>	cane toad	Y		-	✓	✓		✓
Hylidae	<i>Cyclorana alboguttata</i>	greenstripe frog		C	-		✓		✓
Hylidae	<i>Cyclorana brevipes</i>	superb collared frog		C	-		✓		✓
Hylidae	<i>Cyclorana cultripes</i>	grassland collared frog		C	-		✓		
Hylidae	<i>Cyclorana novaehollandiae</i>	eastern snapping frog		C	-		✓		✓
Hylidae	<i>Litoria bicolor</i>	northern sedgefrog		C	-		✓		✓
Hylidae	<i>Litoria caerulea</i>	common green treefrog		C	-		✓		✓
Hylidae	<i>Litoria chloris</i>	southern orange-eyed treefrog		C	-				✓
Hylidae	<i>Litoria fallax</i>	eastern sedgefrog		C	-		✓		✓
Hylidae	<i>Litoria gracilentia</i>	graceful treefrog		C	-		✓		✓
Hylidae	<i>Litoria inermis</i>	bumpy rocketfrog		C	-		✓		✓
Hylidae	<i>Litoria latopalmata</i>	broad palmed rocketfrog		C	-		✓		✓
Hylidae	<i>Litoria nasuta</i>	striped rocketfrog		C	-		✓		✓
Hylidae	<i>Litoria pallida</i>	pale frog		C	-				✓
Hylidae	<i>Litoria rothii</i>	northern laughing treefrog		C	-		✓		✓
Hylidae	<i>Litoria rubella</i>	ruddy treefrog		C	-		✓		✓
Hylidae	<i>Litoria sp.</i>			C			✓		
Hylidae	<i>Litoria wilcoxii</i>			C	-				✓
Limnodynastidae	<i>Limnodynastes fletcheri</i>	long-thumbed frog		C					✓
Limnodynastidae	<i>Limnodynastes peronii</i>	striped marshfrog		C	-		✓		✓
Limnodynastidae	<i>Limnodynastes salmini</i>	salmon striped frog		C	-				✓
Limnodynastidae	<i>Limnodynastes tasmaniensis</i>	spotted grassfrog		C	-		✓		✓
Limnodynastidae	<i>Limnodynastes terraereginae</i>	scarlet sided pobblebonk		C	-		✓		✓
Limnodynastidae	<i>Notaden bennettii</i>	holy cross frog		C	-		✓		✓
Limnodynastidae	<i>Platyplectrum ornatum</i>	ornate burrowing frog		C	-		✓		✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Myobatrachidae	<i>Crinia deserticola</i>	chirping froglet		C	-		✓		✓
Myobatrachidae	<i>Pseudophryne major</i>	great brown broodfrog		C	-		✓		✓
Myobatrachidae	<i>Uperoleia littlejohni</i>	little John's toad		C	-				✓
Myobatrachidae	<i>Uperoleia mimula</i>	mimic toadlet		C	-				✓
Myobatrachidae	<i>Uperoleia sp.</i>						✓		
Birds									
Acanthizidae	<i>Acanthiza apicalis</i>	inland thornbill		C	-		✓		
Acanthizidae	<i>Acanthiza chrysorrhoa</i>	yellow-rumped thornbill		C	-		✓	✓	
Acanthizidae	<i>Acanthiza nana</i>	yellow thornbill		C	-		✓	✓	
Acanthizidae	<i>Acanthiza reguloides</i>	buff-rumped thornbill		C	-		✓	✓	
Acanthizidae	<i>Gerygone albogularis</i>	white-throated gerygone		C	-		✓	✓	
Acanthizidae	<i>Gerygone fusca</i>	western gerygone		C	-		✓	✓	
Acanthizidae	<i>Gerygone levigaster</i>	mangrove gerygone		C	-		✓	✓	
Acanthizidae	<i>Gerygone magnirostris</i>	large-billed gerygone		C	-		✓		
Acanthizidae	<i>Gerygone mouki</i>	brown gerygone		C	-		✓	✓	
Acanthizidae	<i>Gerygone palpebrosa</i>	fairy gerygone		C	-		✓	✓	
Acanthizidae	<i>Sericornis frontalis</i>	white-browed scrubwren			-		✓		
Acanthizidae	<i>Smicronis brevirostris</i>	weebill		C	-		✓	✓	
Accipitridae	<i>Accipiter cirrocephalus</i>	collared sparrowhawk		C	-		✓	✓	
Accipitridae	<i>Accipiter fasciatus</i>	brown goshawk		C	Marine		✓	✓	
Accipitridae	<i>Aquila audax</i>	wedge-tailed eagle		C	-		✓	✓	
Accipitridae	<i>Aviceda subcristata</i>	Pacific baza		C	-		✓	✓	
Accipitridae	<i>Circus approximans</i>	swamp harrier		C	Marine		✓	✓	
Accipitridae	<i>Circus assimilis</i>	spotted harrier		C	-		✓	✓	
Accipitridae	<i>Elanus axillaris</i>	black-shouldered kite		C	-		✓	✓	✓
Accipitridae	<i>Erythrotriorchis radiatus</i>	red goshawk		E	V	✓			
Accipitridae	<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle		C	CAMBA; Marine	✓	✓	✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Accipitridae	<i>Haliastur indus</i>	brahminy kite		C	Marine		✓	✓	
Accipitridae	<i>Haliastur spheonurus</i>	whistling kite		C	Marine		✓	✓	
Accipitridae	<i>Hamirostra melanosternon</i>	black-breasted buzzard		C	-		✓	✓	
Accipitridae	<i>Hieraaetus morphnoides</i>	little eagle		C	-		✓		
Accipitridae	<i>Lophoictinia isura</i>	square-tailed kite		NT	-		✓		
Accipitridae	<i>Milvus migrans</i>	black kite		C	-		✓	✓	
Accipitridae	<i>Pandion cristatus</i>	eastern osprey		C	Bonn; Marine		✓	✓	
Accipitridae	<i>Pandion haliaetus</i>	osprey		C	Bonn; Marine	✓			
Acrocephalidae	<i>Acrocephalus australis</i>	Australian reed-warbler		C	-		✓	✓	
Aegothelidae	<i>Aegotheles cristatus</i>	Australian owl-nightjar		C	-		✓	✓	
Alaudidae	<i>Mirafra javanica</i>	Horsfield's bushlark		C	-		✓	✓	
Alcedinidae	<i>Ceyx azureus</i>	azure kingfisher		C	-		✓	✓	
Alcedinidae	<i>Ceyx pusilla</i>	little kingfisher		C	-		✓	✓	
Anatidae	<i>Anas castanea</i>	chestnut teal		C	-		✓	✓	
Anatidae	<i>Anas gracilis</i>	grey teal		C	-		✓	✓	
Anatidae	<i>Anas platyrhynchos</i>	northern mallard	Y		-	✓	✓	✓	
Anatidae	<i>Anas rhynchos</i>	Australasian shoveler		C	-		✓	✓	✓
Anatidae	<i>Anas superciliosa</i>	Pacific black duck		C	-		✓	✓	
Anatidae	<i>Aythya australis</i>	hardhead		C	-		✓	✓	✓
Anatidae	<i>Chenonetta jubata</i>	Australian wood duck		C	-		✓	✓	
Anatidae	<i>Cygnus atratus</i>	black swan		C	-		✓	✓	✓
Anatidae	<i>Dendrocygna arcuata</i>	wandering whistling-duck		C	Marine		✓	✓	
Anatidae	<i>Dendrocygna eytoni</i>	plumed whistling-duck		C	-		✓	✓	
Anatidae	<i>Malacorhynchus membranaceus</i>	pink-eared duck		C	-		✓	✓	
Anatidae	<i>Nettapus coromandelianus</i>	cotton pygmy-goose		NT	-		✓	✓	
Anatidae	<i>Nettapus pulchellus</i>	green pygmy-goose		C	Marine		✓	✓	
Anatidae	<i>Stictonetta naevosa</i>	freckled duck		NT	-		✓	✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Anhingidae	<i>Anhinga novaehollandiae</i>	Australasian darter		C	-		✓	✓	
Anseranatidae	<i>Anseranas semipalmata</i>	magpie goose		C	Marine	✓	✓	✓	✓
Apodidae	<i>Apus pacificus</i>	fork-tailed swift		C	CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Apodidae	<i>Hirundapus caudacutus</i>	white-throated needletail		C	CAMBA, JAMBA, ROKAMBA; Marine	✓	✓		
Ardeidae	<i>Ardea ibis</i>	cattle egret		C	CAMBA, JAMBA; Marine	✓	✓	✓	
Ardeidae	<i>Ardea intermedia</i>	intermediate egret		C	Marine		✓	✓	
Ardeidae	<i>Ardea modesta</i>	eastern great egret		C	CAMBA, JAMBA; Marine	✓	✓	✓	
Ardeidae	<i>Ardea pacifica</i>	white-necked heron		C	-		✓	✓	
Ardeidae	<i>Butorides striata</i>	striated heron		C	-		✓	✓	
Ardeidae	<i>Egretta garzetta</i>	little egret		C	Marine		✓	✓	
Ardeidae	<i>Egretta novaehollandiae</i>	white-faced heron		C	-		✓	✓	
Ardeidae	<i>Egretta picata</i>	piebald heron		C	-		✓		
Ardeidae	<i>Egretta sacra</i>	eastern reef egret		C	CAMBA, Marine		✓	✓	
Ardeidae	<i>Ixobrychus flavicollis</i>	black bittern		C	-		✓		
Ardeidae	<i>Nycticorax caledonicus</i>	Nankeen night-heron		C	Marine		✓	✓	
Artamidae	<i>Artamus cinereus</i>	black-faced woodswallow		C	-		✓	✓	
Artamidae	<i>Artamus leucorhynchus</i>	white-breasted woodswallow		C	-		✓	✓	
Artamidae	<i>Artamus minor</i>	little woodswallow		C	-		✓	✓	
Artamidae	<i>Artamus personatus</i>	masked woodswallow		C	-		✓		
Artamidae	<i>Artamus superciliosus</i>	white-browed woodswallow		C	-		✓	✓	
Artamidae	<i>Cracticus nigrogularis</i>	piebald butcherbird		C	-		✓	✓	
Artamidae	<i>Cracticus quoyi</i>	black butcherbird		C	-		✓	✓	
Artamidae	<i>Cracticus tibicen</i>	Australian magpie		C	-		✓	✓	
Artamidae	<i>Cracticus torquatus</i>	grey butcherbird		C	-		✓	✓	
Artamidae	<i>Strepera graculina</i>	piebald currawong		C	-		✓	✓	
Burhinidae	<i>Burhinus grallarius</i>	bush stone-curlew		C	-		✓	✓	

Family	Scientific Name	Common Name	Introduced [^]	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Burhinidae	<i>Esacus magnirostris</i>	beach stone-curlew		V	-		✓	✓	
Cacatuidae	<i>Cacatua galerita</i>	sulphur-crested cockatoo		C	-			✓	
Cacatuidae	<i>Calyptorhynchus banksii</i>	red-tailed black-cockatoo		C	-		✓	✓	
Cacatuidae	<i>Calyptorhynchus funereus</i>	yellow-tailed black-cockatoo		C	-		✓	✓	
Cacatuidae	<i>Eolophus roseicapillus</i>	galah		C	-		✓	✓	
Cacatuidae	<i>Nymphicus hollandicus</i>	cockatiel		C	-		✓	✓	
Campephagidae	<i>Coracina maxima</i>	ground cuckoo-shrike		C	-		✓	✓	
Campephagidae	<i>Coracina novaehollandiae</i>	black-faced cuckoo-shrike		C	Marine		✓	✓	
Campephagidae	<i>Coracina papuensis</i>	white-bellied cuckoo-shrike		C	Marine		✓	✓	
Campephagidae	<i>Coracina tenuirostris</i>	cicadabird		C	Marine		✓	✓	
Campephagidae	<i>Lalage leucomela</i>	varied triller		C	Marine		✓	✓	
Campephagidae	<i>Lalage sueurii</i>	white-winged triller		C	-		✓	✓	
Caprimulgidae	<i>Caprimulgus macrurus</i>	large-tailed nightjar		C	-		✓	✓	
Casuariidae	<i>Dromaius novaehollandiae</i>	emu		C	-		✓	✓	
Charadriidae	<i>Charadrius leschenaultii</i>	greater sand plover		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Charadriidae	<i>Charadrius mongolus</i>	lesser sand plover		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Charadriidae	<i>Charadrius ruficapillus</i>	red-capped plover		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Charadriidae	<i>Elseyornis melanops</i>	black-fronted dotterel		C	-		✓	✓	
Charadriidae	<i>Erythrogonys cinctus</i>	red-kneed dotterel		C	-		✓	✓	
Charadriidae	<i>Pluvialis fulva</i>	Pacific golden plover		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓			
Charadriidae	<i>Pluvialis squatarola</i>	grey plover		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓			
Charadriidae	<i>Vanellus miles</i>	masked lapwing		C	-		✓	✓	
Charadriidae	<i>Vanellus miles miles</i>	masked lapwing (northern subspecies)		C	-		✓		
Charadriidae	<i>Vanellus tricolor</i>	banded lapwing		C	-		✓	✓	
Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	black-necked stork		NT	-		✓	✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Cisticolidae	<i>Cisticola exilis</i>	golden-headed cisticola		C	-		✓	✓	
Cisticolidae	<i>Cisticola juncidis laveryi</i>	zitting cisticola		C	-		✓		
Climacteridae	<i>Climacteris picumnus</i>	brown treecreeper		C	-		✓	✓	
Columbidae	<i>Columba livia</i>	rock dove	Y		-	✓	✓		
Columbidae	<i>Ducula bicolor</i>	pie imperial-pigeon		C	Marine		✓	✓	
Columbidae	<i>Geopelia cuneata</i>	diamond dove		C	-		✓	✓	✓
Columbidae	<i>Geopelia humeralis</i>	bar-shouldered dove		C	-		✓	✓	
Columbidae	<i>Geopelia striata</i>	peaceful dove		C	-		✓	✓	
Columbidae	<i>Geophaps scripta</i>	squatter pigeon		C	-		✓	✓	
Columbidae	<i>Geophaps scripta scripta</i>	squatter pigeon (southern subspecies)		V	V	✓	✓		
Columbidae	<i>Lopholaimus antarcticus</i>	topknot pigeon		C	-		✓		
Columbidae	<i>Macropygia amboinensis</i>	brown cuckoo-dove			-		✓		
Columbidae	<i>Ocyphaps lophotes</i>	crested pigeon		C	-		✓	✓	
Columbidae	<i>Phaps chalcoptera</i>	common bronzewing		C	-		✓	✓	
Columbidae	<i>Phaps elegans</i>	brush bronzewing		C	-		✓		
Columbidae	<i>Ptilinopus magnificus</i>	wompoo fruit-dove		C	-		✓		
Columbidae	<i>Ptilinopus regina</i>	rose-crowned fruit-dove		C	-		✓		
Columbidae	<i>Ptilinopus superbus</i>	superb fruit-dove		C	Marine		✓		
Columbidae	<i>Streptopelia chinensis</i>	spotted dove	Y		-	✓	✓		
Coraciidae	<i>Eurystomus orientalis</i>	dollarbird		C	Marine		✓	✓	
Corcoracidae	<i>Corcorax melanorhamphos</i>	white-winged chough		C	-		✓	✓	
Corcoracidae	<i>Struthidea cinerea</i>	apostlebird		C	-		✓	✓	
Corvidae	<i>Corvus bennetti</i>	little crow		C	-		✓	✓	
Corvidae	<i>Corvus coronoides</i>	Australian raven		C	-		✓	✓	
Corvidae	<i>Corvus orru</i>	Torresian crow		C	-		✓	✓	
Corvidae	<i>Corvus sp.</i>						✓		

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Cuculidae	<i>Cacomantis flabelliformis</i>	fan-tailed cuckoo		C	Marine		✓	✓	
Cuculidae	<i>Cacomantis pallidus</i>	pallid cuckoo		C	Marine		✓	✓	
Cuculidae	<i>Cacomantis variolosus</i>	brush cuckoo		C	-		✓	✓	
Cuculidae	<i>Centropus phasianinus</i>	pheasant coucal		C	-		✓	✓	
Cuculidae	<i>Chalcites basal</i>	Horsfield's bronze-cuckoo		C	Marine		✓	✓	
Cuculidae	<i>Chalcites lucidus</i>	shining bronze-cuckoo		C	Marine		✓	✓	
Cuculidae	<i>Chalcites minutillus minutillus</i>	little bronze-cuckoo		C	Marine		✓	✓	
Cuculidae	<i>Chalcites minutillus russatus</i>	Gould's bronze-cuckoo		C	Marine		✓		
Cuculidae	<i>Cuculus optatus</i>	oriental cuckoo		C	CAMBA, JAMBA, ROKAMBA; Marine		✓	✓	
Cuculidae	<i>Eudynamys orientalis</i>	eastern koel		C	Marine		✓	✓	
Cuculidae	<i>Scythrops novaehollandiae</i>	channel-billed cuckoo		C	Marine		✓	✓	
Dicruridae	<i>Dicrurus bracteatus</i>	spangled drongo		C	Marine		✓	✓	
Estrildidae	<i>Heteromunia pectoralis</i>	pictorella mannikin		NT	-			✓	
Estrildidae	<i>Lonchura castaneothorax</i>	chestnut-breasted mannikin		C	-		✓	✓	
Estrildidae	<i>Lonchura punctulata</i>	nutmeg mannikin	Y		-	✓		✓	
Estrildidae	<i>Neochmia modesta</i>	plum-headed finch		C	-		✓	✓	
Estrildidae	<i>Neochmia phaeton</i>	crimson finch		C	-			✓	
Estrildidae	<i>Neochmia ruficauda</i>	star finch		E	E	✓	✓		
Estrildidae	<i>Poephila cincta cincta</i>	black-throated finch		E	E	✓		✓	
Estrildidae	<i>Taeniopygia bichenovii</i>	double-barred finch		C	-		✓	✓	
Estrildidae	<i>Taeniopygia guttata</i>	zebra finch		C	-		✓	✓	
Eurostopodidae	<i>Eurostopodus argus</i>	spotted nightjar		C	Marine		✓	✓	
Eurostopodidae	<i>Eurostopodus mystacalis</i>	white-throated nightjar		C	Marine		✓	✓	
Falconidae	<i>Falco berigora</i>	brown falcon		C	-		✓	✓	
Falconidae	<i>Falco cenchroides</i>	nankeen kestrel		C	Marine		✓	✓	
Falconidae	<i>Falco longipennis</i>	Australian hobby		C	-		✓	✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Falconidae	<i>Falco peregrinus</i>	peregrine falcon		C	-		✓	✓	
Falconidae	<i>Falco subniger</i>	black falcon		C	-		✓	✓	
Gruidae	<i>Grus rubicunda</i>	brilga		C	-		✓	✓	
Haematopodidae	<i>Haematopus fuliginosus</i>	sooty oystercatcher		NT	-		✓		
Haematopodidae	<i>Haematopus longirostris</i>	Australian pied oystercatcher		C	-		✓	✓	
Halcyonidae	<i>Dacelo leachii</i>	blue-winged kookaburra		C	-		✓	✓	
Halcyonidae	<i>Dacelo novaeguineae</i>	laughing kookaburra		C	-		✓	✓	
Halcyonidae	<i>Todiramphus chloris</i>	collared kingfisher		C	-		✓	✓	
Halcyonidae	<i>Todiramphus macleayi</i>	forest kingfisher		C	Marine		✓	✓	
Halcyonidae	<i>Todiramphus pyrrhopygius</i>	red-backed kingfisher		C	-		✓	✓	✓
Halcyonidae	<i>Todiramphus sanctus</i>	sacred kingfisher		C	Marine		✓	✓	
Hirundinidae	<i>Hirundo neoxena</i>	welcome swallow		C	Marine		✓	✓	
Hirundinidae	<i>Hirundo rustica</i>	barn swallow		C	CAMBA, JAMBA, ROKAMBA; Marine	✓			
Hirundinidae	<i>Petrochelidon ariel</i>	fairy martin		C	-		✓	✓	
Hirundinidae	<i>Petrochelidon nigricans</i>	tree martin		C	Marine		✓	✓	
Jacaniidae	<i>Irediparra gallinacea</i>	comb-crested jacana		C	-		✓	✓	
Laridae	<i>Chlidonias hybrida</i>	whiskered tern		C	Marine		✓	✓	
Laridae	<i>Chroicocephalus novaehollandiae</i>	silver gull		C	Marine		✓	✓	
Laridae	<i>Gelochelidon nilotica</i>	gull-billed tern		C	Marine		✓	✓	
Laridae	<i>Hydroprogne caspia</i>	Caspian tern		C	CAMBA, JAMBA; Marine		✓	✓	
Laridae	<i>Sterna striata</i>	white-fronted tern			Marine		✓		
Laridae	<i>Sterna sumatrana</i>	black-naped tern		C	CAMBA, JAMBA; Marine		✓		
Laridae	<i>Sternula albifrons</i>	little tern		E	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Laridae	<i>Thalasseus bengalensis</i>	lesser crested tern		C	Marine		✓	✓	
Laridae	<i>Thalasseus bergii</i>	crested tern		C	Marine		✓	✓	
Maluridae	<i>Malurus lamberti</i>	variegated fairy-wren		C	-		✓	✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Maluridae	<i>Malurus melanocephalus</i>	red-backed fairy-wren		C	-		✓	✓	
Megaluridae	<i>Cincloramphus cruralis</i>	brown songlark		C	-		✓		
Megaluridae	<i>Cincloramphus mathewsi</i>	rufous songlark		C	-		✓	✓	
Megaluridae	<i>Megalurus gramineus</i>	little grassbird		C	-		✓		
Megaluridae	<i>Megalurus timoriensis</i>	tawny grassbird		C	-			✓	
Megapodiidae	<i>Alectura lathamii</i>	Australian brush-turkey		C	-		✓	✓	
Megapodiidae	<i>Megapodius reinwardt</i>	orange-footed scrubfowl		C	-		✓		
Meliphagidae	<i>Acanthagenys rufogularis</i>	spiny-cheeked honeyeater		C	-			✓	
Meliphagidae	<i>Acanthorhynchus tenuirostris</i>	eastern spinebill		C	-		✓		
Meliphagidae	<i>Bolemoreus frenatus</i>	bridled honeyeater		C	-		✓	✓	
Meliphagidae	<i>Caligavis chrysops</i>	yellow-faced honeyeater		C	-		✓		
Meliphagidae	<i>Conopophila rufogularis</i>	rufous-throated honeyeater		C	-		✓	✓	
Meliphagidae	<i>Entomyzon cyanotis</i>	blue-faced honeyeater		C	-		✓	✓	
Meliphagidae	<i>Gavicalis fasciogularis</i>	mangrove honeyeater		C	-		✓	✓	
Meliphagidae	<i>Gavicalis virescens</i>	singing honeyeater		C	-		✓	✓	
Meliphagidae	<i>Grantiella picta</i>	painted honeyeater		V	-		✓		
Meliphagidae	<i>Lichenostomus penicillatus</i>	white-plumed honeyeater		C	-		✓	✓	
Meliphagidae	<i>Lichmera indistincta</i>	brown honeyeater		C	-		✓	✓	
Meliphagidae	<i>Manorina flavigula</i>	yellow-throated miner		C	-		✓	✓	
Meliphagidae	<i>Manorina melanocephala</i>	noisy miner		C	-		✓	✓	
Meliphagidae	<i>Meliphaga lewinii</i>	Lewin's honeyeater		C	-		✓	✓	
Meliphagidae	<i>Meliphaga notata</i>	yellow-spotted honeyeater		C	-		✓		
Meliphagidae	<i>Melithreptus albogularis</i>	white-throated honeyeater		C	-		✓	✓	
Meliphagidae	<i>Melithreptus brevirostris</i>	brown-headed honeyeater		C	-		✓		
Meliphagidae	<i>Melithreptus gularis</i>	black-chinned honeyeater		NT	-		✓	✓	
Meliphagidae	<i>Myzomela obscura</i>	dusky honeyeater		C	-		✓	✓	
Meliphagidae	<i>Myzomela sanguinolenta</i>	scarlet honeyeater		C	-		✓	✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Meliphagidae	<i>Philemon argenteiceps</i>	silver-crowned friarbird		C	-		✓		
Meliphagidae	<i>Philemon buceroides</i>	helmeted friarbird		C	-		✓	✓	
Meliphagidae	<i>Philemon citreogularis</i>	little friarbird		C	-		✓	✓	
Meliphagidae	<i>Philemon corniculatus</i>	noisy friarbird		C	-		✓	✓	
Meliphagidae	<i>Plectorhyncha lanceolata</i>	striped honeyeater		C	-		✓	✓	
Meliphagidae	<i>Ptilotula fuscus</i>	fuscous honeyeater		C	-		✓	✓	
Meliphagidae	<i>Ramsayornis fasciatus</i>	bar-breasted honeyeater		C	-		✓	✓	
Meliphagidae	<i>Ramsayornis modestus</i>	brown-backed honeyeater		C	-		✓		
Meliphagidae	<i>Stomiopera flavus</i>	yellow honeyeater		C	-		✓	✓	
Meropidae	<i>Merops ornatus</i>	rainbow bee-eater		C	JAMBA; Marine	✓	✓	✓	
Monarchidae	<i>Carterornis leucotis</i>	white-eared monarch		C	-			✓	
Monarchidae	<i>Grallina cyanoleuca</i>	magpie-lark		C	Marine		✓	✓	
Monarchidae	<i>Monarcha melanopsis</i>	black-faced monarch		C	Bonn; Marine	✓	✓	✓	
Monarchidae	<i>Myiagra alecto</i>	shining flycatcher		C	-		✓		
Monarchidae	<i>Myiagra cyanoleuca</i>	satin flycatcher		C	Bonn; Marine	✓	✓	✓	
Monarchidae	<i>Myiagra inquieta</i>	restless flycatcher		C	-		✓	✓	
Monarchidae	<i>Myiagra rubecula</i>	leaden flycatcher		C	-		✓	✓	
Monarchidae	<i>Symposiachrus trivirgatus</i>	spectacled monarch		C	Bonn; Marine	✓	✓	✓	
Motacillidae	<i>Anthus novaeseelandiae</i>	Australasian pipit		C	Marine		✓	✓	
Nectariniidae	<i>Dicaeum hirundinaceum</i>	mistletoebird		C	-		✓	✓	
Nectariniidae	<i>Nectarinia jugularis</i>	olive-backed sunbird		C	-		✓	✓	
Neosittidae	<i>Daphoenositta chrysoptera</i>	varied sittella		C	-		✓	✓	
Oriolidae	<i>Oriolus sagittatus</i>	olive-backed oriole		C	-		✓	✓	
Oriolidae	<i>Sphecotheres vieilloti</i>	Australasian figbird		C	-		✓	✓	
Otididae	<i>Ardeotis australis</i>	Australian bustard		C	-		✓	✓	
Pachycephalidae	<i>Colluricincla harmonica</i>	grey shrike-thrush		C	-		✓	✓	
Pachycephalidae	<i>Colluricincla megarhyncha</i>	little shrike-thrush		C	-		✓	✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Pachycephalidae	<i>Oreoica gutturalis</i>	crested bellbird		C	-			✓	
Pachycephalidae	<i>Pachycephala melanura</i>	mangrove golden whistler		C	-		✓		
Pachycephalidae	<i>Pachycephala rufiventris</i>	rufous whistler		C	-		✓	✓	
Pardalotidae	<i>Pardalotus punctatus</i>	spotted pardalote		C	-		✓	✓	
Pardalotidae	<i>Pardalotus rubricatus</i>	red-browed pardalote		C	-		✓	✓	
Pardalotidae	<i>Pardalotus striatus</i>	striated pardalote		C	-		✓	✓	✓
Passeridae	<i>Passer domesticus</i>	house sparrow	Y		-	✓	✓	✓	
Pelecanidae	<i>Pelecanus conspicillatus</i>	Australian pelican		C	Marine		✓	✓	
Petroicidae	<i>Microeca fascinans</i>	jacky winter		C	-		✓	✓	
Petroicidae	<i>Microeca flavigaster</i>	lemon-bellied flycatcher		C	-		✓	✓	
Petroicidae	<i>Petroica goodenovii</i>	red-capped robin		C	-		✓	✓	
Phalacrocoracidae	<i>Microcarbo melanoleucos</i>	little pied cormorant		C	-		✓	✓	
Phalacrocoracidae	<i>Phalacrocorax carbo</i>	great cormorant		C	-		✓	✓	
Phalacrocoracidae	<i>Phalacrocorax sulcirostris</i>	little black cormorant		C	-		✓	✓	
Phalacrocoracidae	<i>Phalacrocorax varius</i>	pied cormorant		C	-		✓	✓	
Phasianidae	<i>Coturnix pectoralis</i>	stubble quail		C	Marine		✓		
Phasianidae	<i>Coturnix ypsilophora</i>	brown quail		C	-		✓	✓	
Podargidae	<i>Podargus strigoides</i>	tawny frogmouth		C	-		✓	✓	✓
Podicipedidae	<i>Podiceps cristatus</i>	great crested grebe		C	-		✓	✓	
Podicipedidae	<i>Poliiocephalus poliocephalus</i>	hoary-headed grebe		C	-		✓	✓	
Podicipedidae	<i>Tachybaptus novaehollandiae</i>	Australasian grebe		C	-		✓	✓	
Pomatostomidae	<i>Pomatostomus temporalis</i>	grey-crowned babbler		C	-		✓	✓	
Hydrobatidae	<i>Fregretta grallaria grallaria</i>	white bellied storm petrel		C	V	✓			
Psittacidae	<i>Alisterus scapularis</i>	Australian king-parrot		C	-			✓	
Psittacidae	<i>Aprosmictus erythropterus</i>	red-winged parrot		C	-		✓	✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Psittacidae	<i>Melopsittacus undulatus</i>	budgerigar		C	-		✓	✓	
Psittacidae	<i>Platycercus adscitus</i>	pale-headed rosella		C	-		✓	✓	
Psittacidae	<i>Trichoglossus chlorolepidotus</i>	scaly-breasted lorikeet		C	-		✓	✓	
Psittacidae	<i>Trichoglossus haematodus moluccanus</i>	rainbow lorikeet		C	-		✓	✓	
Ptilonorhynchidae	<i>Ptilonorhynchus maculatus</i>	spotted bowerbird		C	-		✓	✓	
Ptilonorhynchidae	<i>Ptilonorhynchus nuchalis</i>	great bowerbird		C	-		✓	✓	
Rallidae	<i>Amauornis moluccana</i>	pale-vented bush-hen		C	-		✓		
Rallidae	<i>Fulica atra</i>	Eurasian coot		C	-		✓	✓	✓
Rallidae	<i>Gallinula tenebrosa</i>	dusky moorhen		C	-		✓	✓	
Rallidae	<i>Gallirallus philippensis</i>	buff-banded rail		C	Marine		✓	✓	
Rallidae	<i>Porphyrio porphyrio</i>	purple swamphen		C	Marine		✓	✓	✓
Rallidae	<i>Tribonyx ventralis</i>	black-tailed native-hen		C	Marine		✓		
Recurvirostridae	<i>Himantopus himantopus</i>	black-winged stilt		C	Marine	✓	✓	✓	
Recurvirostridae	<i>Recurvirostra novaehollandiae</i>	red-necked avocet		C	Marine	✓			
Rhipiduridae	<i>Rhipidura albiscapa</i>	grey fantail		C	-		✓	✓	
Rhipiduridae	<i>Rhipidura leucophrys</i>	willie wagtail		C	-		✓	✓	
Rhipiduridae	<i>Rhipidura rufifrons</i>	rufous fantail		C	Bonn; Marine	✓	✓	✓	
Rostratulidae	<i>Rostratula australis</i>	Australian painted snipe		V	E; CAMBA; Marine	✓			
Scolopacidae	<i>Actitis hypoleucos</i>	common sandpiper		C	CAMBA, ROKAMBA; Marine	✓			
Scolopacidae	<i>Arenaria interpres</i>	ruddy turnstone		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓			
Scolopacidae	<i>Calidris acuminata</i>	sharp-tailed sandpiper		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Scolopacidae	<i>Calidris alba</i>	sanderling		C	Bonn, CAMBA, JAMBA; Marine		✓	✓	
Scolopacidae	<i>Calidris canutus</i>	red knot		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓			
Scolopacidae	<i>Calidris ferruginea</i>	curlew sandpiper		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Scolopacidae	<i>Calidris ruficollis</i>	red-necked stint		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Scolopacidae	<i>Calidris tenuirostris</i>	great knot		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓		✓	
Scolopacidae	<i>Gallinago hardwickii</i>	Latham's snipe		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓		
Scolopacidae	<i>Gallinago megala</i>	Swinhoe's snipe		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓			
Scolopacidae	<i>Gallinago stenura</i>	pin-tailed snipe		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓			
Scolopacidae	<i>Heteroscelus brevipes</i>	grey-tailed tattler		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓			
Scolopacidae	<i>Heteroscelus incanus</i>	wandering tattler		C	Bonn, CAMBA, JAMBA; Marine	✓			
Scolopacidae	<i>Limosa lapponica</i>	bar-tailed godwit		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Scolopacidae	<i>Limosa limosa</i>	black-tailed godwit		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Scolopacidae	<i>Numenius madagascariensis</i>	eastern curlew		NT	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Scolopacidae	<i>Numenius minutus</i>	little curlew		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓			
Scolopacidae	<i>Numenius phaeopus</i>	whimbrel		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Scolopacidae	<i>Tringa brevipes</i>	grey-tailed tattler		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine		✓	✓	
Scolopacidae	<i>Tringa incana</i>	wandering tattler		C	Bonn, CAMBA, JAMBA; Marine		✓		
Scolopacidae	<i>Tringa nebularia</i>	common greenshank		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine		✓	✓	
Scolopacidae	<i>Tringa stagnatilis</i>	marsh sandpiper		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓	✓	✓	
Scolopacidae	<i>Xenus cinereus</i>	terek sandpiper		C	Bonn, CAMBA, JAMBA, ROKAMBA; Marine	✓		✓	
Strigidae	<i>Ninox boobook</i>	southern boobook		C	Marine		✓	✓	✓
Sturnidae	<i>Sturnus tristis</i>	common myna	Y		-	✓	✓	✓	
Sturnidae	<i>Sturnus vulgaris</i>	common starling	Y		-	✓			
Sulidae	<i>Sula dactylatra</i>	masked booby		C	JAMBA, ROKAMBA; Marine		✓		
Threskiornithidae	<i>Platalea flavipes</i>	yellow-billed spoonbill		C	-		✓	✓	
Threskiornithidae	<i>Platalea regia</i>	royal spoonbill		C	-		✓	✓	

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Threskiornithidae	<i>Plegadis falcinellus</i>	glossy ibis		C	Bonn, CAMBA; Marine		✓		
Threskiornithidae	<i>Threskiornis molucca</i>	Australian white ibis		C	Marine		✓	✓	
Threskiornithidae	<i>Threskiornis spinicollis</i>	straw-necked ibis		C	Marine		✓	✓	
Timaliidae	<i>Zosterops lateralis</i>	silveryeye		C	Marine		✓	✓	
Timaliidae	<i>Zosterops luteus</i>	yellow white-eye		C	-		✓	✓	
Turnicidae	<i>Turnix velox</i>	little button-quail		C	-			✓	
Tytonidae	<i>Tyto javanica</i>	eastern barn owl		C	-		✓	✓	
Fish									
Plotosidae	<i>Neosilurus ater</i>	black catfish		C	-		✓		
Plotosidae	<i>Neosilurus hyrtlil</i>	Hyrtl's catfish		C	-		✓		
Insects									
Lycaenidae	<i>Arhopala centaurus centaurus</i>	purple oak-blue		C	-		✓		
Lycaenidae	<i>Arhopala micale</i>			C	-		✓		
Lycaenidae	<i>Hypochrysops apelles apelles</i>	copper jewel		C	-		✓		
Lycaenidae	<i>Hypolycaena phorbas phorbas</i>	black-spotted flash		C	-		✓		
Lycaenidae	<i>Leptotes plinius pseudocassius</i>	plumbago blue		C	-		✓		
Lycaenidae	<i>Theclinesthes sulphitius</i>			C	-		✓		
Nymphalidae	<i>Danaus chrysippus petilia</i>	lesser wanderer		C	-		✓		
Nymphalidae	<i>Danaus plexippus plexippus</i>	monarch		C	-		✓		
Nymphalidae	<i>Euploea core corinna</i>	common crow		C	-		✓		
Nymphalidae	<i>Euploea tulliolus tulliolus</i>	purple crow		C	-		✓		
Nymphalidae	<i>Hypolimnas alimena lamina</i>	blue-banded eggfly		C	-		✓		
Nymphalidae	<i>Hypolimnas bolina nerina</i>	varied eggfly		C	-		✓		
Nymphalidae	<i>Junonia orithya albicincta</i>	blue argus		C	-		✓		
Nymphalidae	<i>Melanitis leda bankia</i>	common evening-brown		C	-		✓		
Nymphalidae	<i>Mycalis perseus perseus</i>	dingy bush-brown		C	-		✓		
Nymphalidae	<i>Tirumala hamata hamata</i>	blue tiger		C	-		✓		

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Papilionidae	<i>Cressida cressida cressida</i>	greasy swallowtail		C	-		✓		
Papilionidae	<i>Papilio aegaeus</i>			C	-		✓		
Papilionidae	<i>Papilio demoleus sthenelus</i>	chequered swallowtail		C	-		✓		
Pieridae	<i>Belenois java teutonia</i>	caper white		C	-		✓		
Pieridae	<i>Catopsilia pomona pomona</i>	lemon migrant		C	-		✓		
Pieridae	<i>Cepora perimale</i>			C	-		✓		
Mammals									
Bovidae	<i>Bos taurus</i>	European cattle	Y		-	✓	✓		
Bovidae	<i>Capra hircus</i>	goat	Y		-	✓			
Canidae	<i>Canis lupus dingo</i>	dingo	Y		-		✓		
Canidae	<i>Canis lupus familiaris</i>	dog	Y		-		✓		✓
Canidae	<i>Vulpes vulpes</i>	red fox	Y		-	✓			
Dasyuridae	<i>Antechinus flavipes flavipes</i>	yellow-footed antechinus (south-east Queensland)		C	-		✓		
Dasyuridae	<i>Dasyurus hallucatus</i>	northern quoll		C	E	✓			
Dasyuridae	<i>Planigale ingrami</i>	long-tailed planigale		C	-		✓		
Dasyuridae	<i>Planigale maculata</i>	common planigale		C	-		✓		✓
Dasyuridae	<i>Sminthopsis crassicaudata</i>	fat-tailed dunnart			-		✓		
Dasyuridae	<i>Sminthopsis macroura</i>	stripe-faced dunnart		C	-		✓		
Emballonuridae	<i>Saccolaimus flaviventris</i>	yellow-bellied sheath-tail bat		C	-		✓		
Emballonuridae	<i>Saccolaimus saccolaimus nudicluniatus</i>	bare-rumped sheath-tail bat		E	CE	✓			
Emballonuridae	<i>Taphozous australis</i>	coastal sheath-tail bat		V	-		✓		
Equidae	<i>Equus caballus</i>	horse	Y		-	✓	✓		
Felidae	<i>Felis catus</i>	cat	Y		-	✓	✓		
Leporidae	<i>Lepus europaeus</i>	European brown hare	Y		-	✓	✓		
Leporidae	<i>Oryctolagus cuniculus</i>	rabbit	Y		-	✓	✓		
Macropodidae	<i>Lagorchestes conspicillatus</i>	spectacled hare-wallaby		C	-		✓		✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Macropodidae	<i>Macropus agilis</i>	agile wallaby		C	-		✓		
Macropodidae	<i>Macropus dorsalis</i>	black-striped wallaby		C	-		✓		
Macropodidae	<i>Macropus giganteus</i>	eastern grey kangaroo		C	-		✓		
Macropodidae	<i>Macropus parryi</i>	whiptail wallaby		C	-		✓		✓
Macropodidae	<i>Macropus robustus</i>	common wallaroo		C	-		✓		
Macropodidae	<i>Macropus rufogriseus</i>	red-necked wallaby		C	-		✓		
Macropodidae	<i>Macropus rufus</i>	red kangaroo		C	-		✓		
Macropodidae	<i>Petrogale assimilis</i>	allied rock-wallaby		C	-		✓		
Macropodidae	<i>Petrogale inornata</i>	unadorned rock-wallaby		C	-		✓		✓
Macropodidae	<i>Wallabia bicolor</i>	swamp wallaby		C	-		✓		✓
Molossidae	<i>Chaerephon jobensis</i>	northern freetail bat		C	-		✓		✓
Molossidae	<i>Mormopterus beccarii</i>	Beccari's freetail bat		C	-		✓		
Molossidae	<i>Mormopterus sp.</i>						✓		
Muridae	<i>Hydromys chrysogaster</i>	water rat		C	-		✓		
Muridae	<i>Leggadina forresti</i>	Forrest's mouse		C	-		✓		
Muridae	<i>Melomys burtoni</i>	grassland melomys		C	-		✓		
Muridae	<i>Melomys cervinipes</i>	fawn-footed melomys		C	-		✓		
Muridae	<i>Mus musculus</i>	house mouse	Y		-	✓	✓		✓
Muridae	<i>Pseudomys delicatulus</i>	delicate mouse		C	-		✓		
Muridae	<i>Pseudomys gracilicaudatus</i>	eastern chestnut mouse		C	-		✓		
Muridae	<i>Pseudomys patrius</i>	eastern pebble-mound mouse		C	-		✓		
Muridae	<i>Pseudomys sp.</i>						✓		
Muridae	<i>Rattus fuscipes</i>	bush rat			-		✓		
Muridae	<i>Rattus norvegicus</i>	brown rat	Y		-	✓			
Muridae	<i>Rattus rattus</i>	black rat	Y		-	✓			
Muridae	<i>Rattus sordidus</i>	canefield rat		C	-				✓
Muridae	<i>Rattus sp. cf.</i>			C	-		✓		

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
	<i>villosissimus/sordidus</i>								
Muridae	<i>Rattus tunneyi</i>	pale field-rat		C	-		✓		
Muridae	<i>Xeromys myoides</i>	water mouse		V	V	✓			
Peramelidae	<i>Isodon macrourus</i>	Northern brown bandicoot		C	-				✓
Petauridae	<i>Petauroides volans</i>	greater glider		C	-		✓		✓
Petauridae	<i>Petaurus breviceps</i>	sugar glider		C	-		✓		
Phalangeridae	<i>Trichosurus vulpecula</i>	common brushtail possum		C	-		✓		✓
Phascolarctidae	<i>Phascolarctos cinereus</i>	koala		C	V	✓	✓		✓
Potoroidae	<i>Aepyprymnus rufescens</i>	rufous bettong		C	-		✓		
Pteropodidae	<i>Pteropus alecto</i>	black flying-fox		C	-		✓		✓
Pteropodidae	<i>Pteropus poliocephalus</i>	grey-headed flying fox		C	V	✓			
Pteropodidae	<i>Pteropus scapulatus</i>	little red flying-fox		C	-		✓		✓
Suidae	<i>Sus scrofa</i>	pig	Y		-	✓	✓		
Tachyglossidae	<i>Tachyglossus aculeatus</i>	short-beaked echidna		C	-		✓		✓
Vespertilionidae	<i>Chalinolobus gouldii</i>	Gould's wattled bat		C	-		✓		
Vespertilionidae	<i>Chalinolobus nigrogriseus</i>	hoary wattled bat		C	-		✓		
Vespertilionidae	<i>Chalinolobus picatus</i>	little pied bat		NT	-		✓		
Vespertilionidae	<i>Nyctophilus bifax</i>	northern long-eared bat		C	-		✓		
Vespertilionidae	<i>Nyctophilus geoffroyi</i>	lesser long-eared bat		C	-		✓		
Vespertilionidae	<i>Rhinolophus philippinensis</i>	greater large-eared horseshoe bat		E	E	✓			
Vespertilionidae	<i>Scotorepens balstoni</i>	inland broad-nosed bat		C	-		✓		
Vespertilionidae	<i>Scotorepens greyii</i>	little broad-nosed bat		C	-		✓		
Vespertilionidae	<i>Scotorepens sanborni</i>	northern broad-nosed bat		C	-		✓		
Vespertilionidae	<i>Vespadelus troughtoni</i>	eastern cave bat		C	-		✓		✓
Reptiles									
Agamidae	<i>Amphibolurus burnsi</i>	Burn's dragon		C	-				✓
Agamidae	<i>Amphibolurus gilberti</i>	Gilbert's dragon		C	-		✓		

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Agamidae	<i>Chlamydosaurus kingii</i>	frilled lizard		C	-		✓		
Agamidae	<i>Diporiphora australis</i>			C	-		✓		✓
Agamidae	<i>Diporiphora nobbi</i>	nobbi dragon		C	-		✓		✓
Agamidae	<i>Intellagama lesueurii</i>	eastern water dragon		C	-		✓		✓
Agamidae	<i>Pogona barbata</i>	bearded dragon		C	-		✓		✓
Boidae	<i>Antaresia maculosa</i>	spotted python		C	-		✓		✓
Boidae	<i>Aspidites melanocephalus</i>	black-headed python		C	-		✓		
Carphodactylidae	<i>Nephurus asper</i>	spiny knob-tailed gecko		C	-		✓		✓
Chelidae	<i>Chelodina canni</i>	Cann's longneck turtle		C	-		✓		✓
Chelidae	<i>Chelodina longicollis</i>	eastern snake-necked turtle		C	-		✓		
Chelidae	<i>Elseya irwini</i>	Irwin's snapping turtle		C	-				✓
Chelidae	<i>Elseya sp.</i>			C			✓		
Chelidae	<i>Emydura macquarii</i>	Murray River shortneck turtle		C	-				✓
Chelidae	<i>Emydura macquarii krefftii</i>	Krefft's river turtle		C	-		✓		
Colubridae	<i>Boiga irregularis</i>	brown tree snake		C	-		✓		
Colubridae	<i>Dendrelaphis punctulata</i>	common tree snake		C	-		✓		
Colubridae	<i>Tropidonophis mairii</i>	freshwater snake		C	-		✓		
Crocodylidae	<i>Crocodylus porosus</i>	estuarine crocodile		V	Bonn	✓			
Diplodactylidae	<i>Amolosia rhombifer</i>	zig-zag gecko		C	-		✓		✓
Diplodactylidae	<i>Diplodactylus conspicillatus</i>	fat-tailed diplodactylus		C	-		✓		✓
Diplodactylidae	<i>Diplodactylus vittatus</i>	wood gecko		C	-		✓		✓
Diplodactylidae	<i>Lucasium steindachneri</i>	Steindachner's gecko		C	-		✓		✓
Diplodactylidae	<i>Oedura castelnaui</i>	northern velvet gecko		C	-		✓		
Diplodactylidae	<i>Oedura marmorata</i>	marbled velvet gecko		C	-		✓		
Diplodactylidae	<i>Oedura monilis</i>			C	-		✓		
Diplodactylidae	<i>Oedura ocellata</i>	Ocellated velvet gecko		C	-				✓
Diplodactylidae	<i>Strophurus williamsi</i>	soft-spined gecko		C	-		✓		✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Elapidae	<i>Acanthophis antarcticus</i>	common death adder		NT	-		✓		
Elapidae	<i>Brachyurophis australis</i>	coral snake		C	-		✓		✓
Elapidae	<i>Cryptophis boschmai</i>	Carpentaria whip snake		C	-		✓		✓
Elapidae	<i>Cryptophis nigrostriatus</i>	black-striped snake		C	-		✓		✓
Elapidae	<i>Demansia papuensis</i>	greater black whipsnake		C	-				✓
Elapidae	<i>Demansia psammophis</i>	yellow-faced whip snake		C	-		✓		✓
Elapidae	<i>Demansia torquata</i>	collared whip snake		C	-		✓		✓
Elapidae	<i>Demansia vestigiata</i>	black whip snake		C	-		✓		✓
Elapidae	<i>Denisonia maculata</i>	ornamental snake		V	V	✓	✓		✓
Elapidae	<i>Disteira kingii</i>	spectacled sea snake		C	-		✓		
Elapidae	<i>Furina diadema</i>	red-naped snake		C	-		✓		✓
Elapidae	<i>Furina dunmalli</i>	Dunmall's snake		V	V	✓			
Elapidae	<i>Furina ornata</i>	orange-naped snake		C	-		✓		
Elapidae	<i>Hoplocephalus bitorquatus</i>	pale-headed snake		C	-		✓		
Elapidae	<i>Parasuta dwyeri</i>	Dwyer's snake		C	-				✓
Elapidae	<i>Pseudechis australis</i>	king brown snake		C	-		✓		
Elapidae	<i>Pseudonaja guttata</i>	speckled brown snake		C	-		✓		
Elapidae	<i>Pseudonaja textilis</i>	eastern brown snake		C	-		✓		✓
Elapidae	<i>Suta suta</i>	myall snake		C	-		✓		✓
Elapidae	<i>Vermicella annulata</i>	bandy-bandy		C	-		✓		✓
Gekkonidae	<i>Hemidactylus frenatus</i>	house gecko	Y		-		✓		
Gekkonidae	<i>Gehyra catenata</i>			C	-		✓		✓
Gekkonidae	<i>Gehyra dubia</i>			C	-		✓		✓
Gekkonidae	<i>Gehyra variegata</i>	tree dtella		C	-		✓		
Gekkonidae	<i>Heteronotia binoei</i>	Bynoe's gecko		C	-		✓		✓
Pygopodidae	<i>Delma labialis</i>	striped-tailed delma		V	V		✓		✓
Pygopodidae	<i>Delma tincta</i>			C	-		✓		✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Pygopodidae	<i>Lialis burtonis</i>	Burton's legless lizard		C	-		✓		✓
Pygopodidae	<i>Paradelma orientalis</i>	brigalow scaly-foot		V	-		✓		
Pygopodidae	<i>Pygopus schraderi</i>	eastern hooded scaly-foot		C	-		✓		✓
Scincidae	<i>Anomalopus brevicollis</i>			C	-		✓		✓
Scincidae	<i>Anomalopus gowi</i>	speckled worm-skink		C	-				✓
Scincidae	<i>Bellatorias frerei</i>	major skink		C	-				✓
Scincidae	<i>Calypotis lepidorostrum</i>	Cone-eared Calypotis		C	-				✓
Scincidae	<i>Carlia jarnoldae</i>			C	-		✓		✓
Scincidae	<i>Carlia munda</i>			C	-		✓		✓
Scincidae	<i>Carlia pectoralis sensu lato</i>			C	-		✓		✓
Scincidae	<i>Carlia rhomboidalis</i>	blue-throated rainbow-skink		C	-				✓
Scincidae	<i>Carlia rubigo</i>	orange-flanked rainbow skink		C	-		✓		✓
Scincidae	<i>Carlia schmeltzii</i>			C	-		✓		✓
Scincidae	<i>Carlia vivax</i>			C	-		✓		✓
Scincidae	<i>Cryptoblepharus adamsi</i>	Adams' snake-eyed skink		C	-				✓
Scincidae	<i>Cryptoblepharus metallicus</i>	metallic snake-eyed skink		C	-		✓		
Scincidae	<i>Cryptoblepharus pannosus</i>	ragged snake-eyed skink		C	-		✓		
Scincidae	<i>Cryptoblepharus plagiocephalus sensu lato</i>			C	-		✓		
Scincidae	<i>Cryptoblepharus pulcher</i>	elegant snake-eyed skink		C	-				✓
Scincidae	<i>Cryptoblepharus virgatus sensu lato</i>			C	-		✓		
Scincidae	<i>Ctenotus allotropis</i>			C	-		✓		✓
Scincidae	<i>Ctenotus pantherinus</i>			C	-		✓		✓
Scincidae	<i>Ctenotus robustus</i>			C	-		✓		✓
Scincidae	<i>Ctenotus strauchii</i>			C	-		✓		✓
Scincidae	<i>Ctenotus taeniolatus</i>	copper-tailed skink		C	-		✓		✓
Scincidae	<i>Egernia rugosa</i>	yakka skink		V	V	✓			

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Scincidae	<i>Egernia striolata</i>	tree skink		C	-		✓		
Scincidae	<i>Eremiascincus fasciolatus</i>	narrow-banded sand swimmer		C	-		✓		✓
Scincidae	<i>Eulamprus amplus</i>	lemon-barred forest-skink		NT	-				✓
Scincidae	<i>Eulamprus brachysoma</i>			C	-		✓		✓
Scincidae	<i>Glaphyromorphus punctulatus</i>	fine-spotted mulch-skink		C	-		✓		✓
Scincidae	<i>Lampropholis adonis</i>			C	-				✓
Scincidae	<i>Lerista allanae</i>	retro slider		E	E	✓			
Scincidae	<i>Lerista fragilis</i>			C	-		✓		✓
Scincidae	<i>Lerista punctatovittata</i>			C	-		✓		✓
Scincidae	<i>Lerista vittata</i>	Mount Cooper striped lerista		V	V	✓			
Scincidae	<i>Lerista zonulata</i>			C	-				✓
Scincidae	<i>Liburnascincus mundivensis</i>	Outcrop Rainbow-skink		C	-				✓
Scincidae	<i>Lygisaurus foliorum</i>			C	-		✓		✓
Scincidae	<i>Lygisaurus zuma</i>			C	-				✓
Scincidae	<i>Menetia greyii</i>			C	-		✓		✓
Scincidae	<i>Menetia timlowi</i>			C	-		✓		✓
Scincidae	<i>Morethia boulengeri</i>			C	-		✓		✓
Scincidae	<i>Morethia taeniopleura</i>	fire-tailed skink		C	-		✓		✓
Scincidae	<i>Proablepharus tenuis</i>			C	-		✓		✓
Scincidae	<i>Saproscincus hannahae</i>			C	-				✓
Scincidae	<i>Tiliqua scincoides</i>	eastern blue-tongued lizard		C	-		✓		
Typhlopidae	<i>Ramphotyphlops affinis</i>	small-headed blind snake		C	-				✓
Typhlopidae	<i>Ramphotyphlops grypus</i>			C	-		✓		
Typhlopidae	<i>Ramphotyphlops ligatus</i>	robust blind snake		C	-		✓		
Typhlopidae	<i>Ramphotyphlops sp.</i>			C	-		✓		
Typhlopidae	<i>Ramphotyphlops unguirostris</i>	Claw-snouted Blind Snake		C	-		✓		
Varanidae	<i>Varanus mertensi</i>	Mertens' water monitor		C	-		✓		

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Varanidae	<i>Varanus panoptes</i>	yellow-spotted monitor		C	-		✓		
Varanidae	<i>Varanus storri</i>	Storr's monitor		C	-		✓		
Varanidae	<i>Varanus tristis</i>	black-tailed monitor		C	-		✓		✓
Varanidae	<i>Varanus varius</i>	lace monitor		C	-				✓
Crustaceans									
Archaeobalanidae	<i>Acasta sp.</i>								✓
Archaeobalanidae	<i>Hexaminius popeiana</i>				-				✓
Atyidae	<i>Caridina longirostris</i>	Australian amano shrimp			-				✓
Diogenidae	<i>Dardanus callichela</i>				-				✓
Diogenidae	<i>Dardanus imbricatus</i>				-				✓
Eurysquillidae	<i>Manningia notialis</i>				-				✓
Gonodactylidae	<i>Gonodactylaceus graphurus</i>				-				✓
Leucosiidae	<i>Myra tumidospina</i>				-				✓
Leucosiidae	<i>Urnalana whitei</i>				-				✓
Majidae	<i>Hyastenus sebae</i>				-				✓
Majidae	<i>Micippa philyra</i>				-				✓
Palaemonidae	<i>Macrobrachium auratum</i>	freshwater prawn			-				✓
Palaemonidae	<i>Macrobrachium australiense</i>	Australian river prawn			-				✓
Palaemonidae	<i>Typton bawii</i>				-				✓
Palaemonidae	<i>Typton manningi</i>				-				✓
Parastacidae	<i>Cherax depressus</i>	orange-fingered yabby			-				✓
Parathelphusidae	<i>Austrothelphusa sp.</i>	freshwater crab			-				✓
Parathelphusidae	<i>Austrothelphusa transversa</i>	inland freshwater crab			-				✓
Parthenopidae	<i>Cryptopodia queenslandi</i>				-				✓
Parthenopidae	<i>Parthenope sp.</i>								✓
Portunidae	<i>Portunus pelagicus</i>	sand crab			-				✓
Portunidae	<i>Portunus rubromarginatus</i>				-				✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Portunidae	<i>Thalamita hansenii</i>				-				✓
Portunidae	<i>Thalamita sima</i>				-				✓
Scyllaridae	<i>Scyllarus demani</i>				-				✓
Scyllaridae	<i>Thenus australiensis</i>				-				✓
Scyllaridae	<i>Thenus parindicus</i>				-				✓
Tetraclitidae	<i>Austrobalanus imperator</i>				-				✓
Tetraclitidae	<i>Newmanella vitiata</i>				-				✓
Tetraclitidae	<i>Tetraclita squamosa</i>				-				✓
Molluscs									
Camaenidae	<i>Eurytrachia mucosa</i>	wide-ranging squat snail			-				✓
Camaenidae	<i>Neveritis poorei</i>	Burdekin velvet snail			-				✓
Camaenidae	<i>Sphaerospira informis</i>	giant mid-eastern snail			-				✓
Camaenidae	<i>Temporena juliafoxae</i>	Mt Abbot banded snail			-				✓
Camaenidae	<i>Xanthomelon distractum</i>	Berserker range melon snail			-				✓
Charopidae	<i>Discocharopa aperta</i>	Miniscule white pinwheel snail			-				✓
Helicarionidae	<i>Dimidation peterbrocki</i>	GT Striped semi-slug			-				✓
Helicarionidae	<i>Eddiella proserpiniana</i>	Proserpine glass-snail			-				✓
Helicarionidae	<i>Fastosarion aquavitae</i>	Red-tailed semi-slug			-				✓
Helicarionidae	<i>Tarocystis megaspira</i>	Amber dome glass-snail			-				✓
Helicinidae	<i>Pleuropoma talusata</i>	Keeled Droplet-snail			-				✓
Megaspiridae	<i>Coelocion australis</i>	Australian megaspire snail			-				✓
Pupillidae	<i>Gastrocopta pediculus</i>	Weakly-toothed pupasnailed			-				✓
Pupillidae	<i>Pumilicopta bifurcata</i>	Many-toothed pupasnailed			-				✓
Pupillidae	<i>Pupisoma circumlitum</i>	Swollen toothless pupasnailed			-				✓
Rhytididae	<i>Briensmithia Ptychomphala</i>	Bowen carnivorous snail			-				✓
Rhytididae	<i>Laevidelos moria</i>	Olsen's caves carnivorous snail			-				✓
Rhytididae	<i>Scagacola reducta</i>	Mt Devlin carnivorous snail			-				✓

Family	Scientific Name	Common Name	Introduced^	NC Act [#]	EPBC Act*	PMST	WO	BA	QM
Rhytididae	<i>Strangesta confusa</i>	Eungella carnivorous snail			-				✓
Subulinidae	<i>Eremopeas tuckeri</i>	Tucker's awlsnail			-				✓
Viviparidae	<i>Notopala sublineata</i>	river snail			-				✓
Introduced^	Y indicates that the taxon is introduced to Queensland and has naturalised.								
EPBC Act and NC Act status*	Indicates the Australian conservation status of each taxon under the Environment Protection and Biodiversity Conservation Act 1999. The values of EPBC are Conservation Dependent (CD), Critically Endangered (CE), Endangered (E), Extinct (EX), Extinct in the Wild (XW) and Vulnerable (V).								
NC Act [#]	Indicates the Queensland conservation status of each taxon under the Nature Conservation Act 1992. The codes are Extinct in the Wild (PE), Endangered (E), Vulnerable (V), Near Threatened (NT), Least Concern (C) or Not Protected ().								

Appendix H – Declared weeds of potential relevance to the preliminary investigation corridor

Declared weeds of potential relevance to the preliminary investigation corridor

Scientific Name	Common Name	WONS	LP Act Status	Source	Recorded in corridor
<i>Acacia nilotica</i> subsp. <i>indica</i>	prickly acacia	WONS	Class 2	PMST, DAFF 2013	Yes
<i>Aristolochia elegans</i>	calico-flower		Class 3	WO, HERBRECS	No
<i>Bryophyllum</i> spp.	mother of millions		Class 2	WRC, IRC, DAFF 2013	No
<i>Cascabela thevetia</i>	yellow oleander		Class 3	WRC, IRC, WO, HERBRECS	No
<i>Cryptostegia grandiflora</i>	rubber vine	WONS	Class 2	WRC, IRC, PMST, WO, HERBRECS, DAFF 2013	No
<i>Eriocereus</i> spp.	harrisia cactus		Class 2	WRC, IRC, DAFF 2013	No
<i>Harrisia martinii</i>	harrisia cactus		Class 2	WRC, WO, HERBRECS	No
<i>Hymenachne amplexicaulis</i>	hymenachne	WONS	Class 2	WRC, IRC, PMST, WO, HERBRECS, DAFF 2013	Yes
<i>Jatropha gossypifolia</i>	bellyache bush		Class 2	WRC, IRC, WO, HERBRECS, DAFF 2013	No
<i>Lantana camara</i>	lantana	WONS	Class 3	WRC, IRC, PMST, WO, HERBRECS, DAFF 2013	No
<i>Mimosa pigra</i>	mimosa	WONS	Class 1	WRC, PMST	No
<i>Opuntia stricta</i>	prickly pear	WONS	Class 2	IRC	Yes
<i>Opuntia tomentosa</i>	velvety tree pear	WONS	Class 2	WO, DAFF 2013	No
<i>Parkinsonia aculeata</i>	parkinsonia	WONS	Class 2	WRC, IRC, PMST, WO, HERBRECS	No
<i>Parthenium hysterophorus</i>	parthenium weed	WONS	Class 2	WRC, IRC, PMST, WO, HERBRECS, DAFF 2013	Yes
<i>Prosopis</i> spp.	mesquite	WONS	Class 1 and Class 2	WRC, PMST	No
<i>Salvinia molesta</i>	salvinia	WONS	Class 2	WRC, IRC, PMST	No
<i>Schinus terebinthifolius</i>	broad-leaved pepper tree		Class 3	WRC, WO, HERBRECS	No
<i>Sporobolus africanus</i>	Parramatta grass		Class 2	WRC, WO, HERBRECS	Yes

Scientific Name	Common Name	WONS	LP Act Status	Source	Recorded in corridor
<i>Sporobolus fertilis</i>	giant Parramatta grass		Class 2	WRC, WO, HERBRECS	Yes
<i>Sporobolus jacquemontii</i>	American rats tail grass		Class 2	WRC, WO, HERBRECS, DAFF 2013	Yes
<i>Sporobolus spp.</i>	rats tail grass (3 species)		Class 2	WRC, IRC, DAFF 2013	Yes
<i>Tamarix aphylla</i>	athel tree	WONS	Class 3	WRC, WO, HERBRECS, DAFF 2013	No
<i>Tecoma stans</i> var. <i>velutina</i>			Class 3	WRC, WO, HERBRECS	No
<i>Ziziphus mauritiana</i>	Chinee apple		Class 2	WRC, IRC, WO, HERBRECS	No
<i>Elephantopus mollis</i>	tobacco weed		Class 2	IRC	No
<i>Acaciella glauca</i>	redwood		Class 1	WRC	Yes
<i>Thunbergia laurifolia</i>	laurel clockvine		Class 1	WRC	No
<i>Cecropia spp</i>	Mexican bean tree		Class 1	WRC	No
<i>Thunbergia grandiflora</i>	blue thunbergia		Class 2	WRC	No
<i>Mimosa diplotricha</i>	giant sensitive plant		Class 2	WRC	No
<i>Senna spp.</i>	sicklepods		Class 2	WRC	No
<i>Pistia stratiotes</i>	water lettuce		Class 2	WRC	Yes
<i>Eichhornia crassipes</i>	water hyacinth	WONS	Class 2	WRC	No
<i>Sphagneticola trilobata</i>	Singapore daisy		Class 3	WRC	No
<i>Macfadyena unguis-cati</i>	cat's claw creeper	WONS	Class 3	WRC	No
<i>Spathodea campanulata</i>	African tulip tree		Class 3	WRC	No
<i>Asparagus aethiopicus</i>	asparagus fern		Class 3	WRC	Yes

GHD

145 Ann Street Brisbane QLD 4000
 GPO Box 668 Brisbane QLD 4001
 T: (07) 3316 3000 F: (07) 3316 3333 E: bnemail@ghd.com

© GHD 2013

This document is and shall remain the property of GHD. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission. Unauthorised use of this document in any form whatsoever is prohibited.

G:\41\26457\WP\447429.docx

Document Status

Rev No.	Author	Reviewer		Approved for Issue		
		Name	Signature	Name	Signature	Date
A	S Claus L Muller C Mills S Danielsen	K Neil	Draft	Phil Bradley	Draft	5/7/2013
B	S Claus L Muller C Mills S Danielsen	K Neil	Draft	Phil Bradley	Draft	12/7/2013
0	S Claus L Muller C Mills S Danielsen	K Neil		Phil Bradley		12/7/2013

www.ghd.com

